WHEN RECORDED, MAIL TO: City of Provo 351 West Center Street Provo, Utah 84601

MAIL COPY TO: Utah Transit Authority PO Box 30810 Salt Lake City, Utah 84130-0810



ENT 105069:2019 PG 1 of 4
JEFFERY SMITH
UTAH COUNTY RECORDER
2019 Oct 15 8:34 om FEE 0.00 BY LT
RECORDED FOR UTAH TRANSIT

Easement (LIMITED LIABILITY COMPANY)

Utah County

Tax ID No. 22:015:0080
Pin No. 10266
Project No. S-0265(23)3
Parcel No. 0265:317D:2EC6

NB Park Plaza Provo TIC 5, LLC, as to 5.2328% interest, Grantor, a Limited Liability Company of the State of Delaware, GRANTS AND CONVEYS to CITY OF PROVO, at 351 West Center Street, Provo, Utah 84601, Grantee, for the sum of <u>TEN (\$10.00)</u> Dollars, and other good and valuable consideration, the following described easement of land in <u>Utah</u> County, State of Utah, to-wit:

A perpetual easement, upon part of an entire tract of property, situate in the NW1/4NE1/4 and the NE1/4NE1/4 of Section 6, T.7S., R.3E., S.L.B.&M., for the purpose of constructing and maintaining thereon, public utilities, sidewalk and appurtenant parts thereof, incident to the Provo-Orem Transportation Improvement Project, known as project number S-0265(23)3. The Easement shall run with the real property and shall be binding upon the Grantor and the Grantor's successors, heirs and assigns.

Beginning at the northwest corner of said entire tract, which point is on the easterly right of way line of 900 East Street in Provo, Utah, which point is also 80.79 feet S. 00°43'43" E. along the section line and 1,220.86 feet West and 272.68 feet N. 89°43'43" W. (274.91 feet S. 89°58'20" W. measured) from the Northeast Corner of

PAGE 2

Pin No. 10266 Project No. S-0265(23)3

Parcel No. 0265:317D:2EC6

said Section 6, which point is 37.93 feet perpendicularly distant easterly from the control line of said project, opposite approximate Engineer Station 2705+46.98; thence along the northerly boundary of line said entire 89°43'43" tract S. (S. 89°47'01" E. measured) 8.23 feet; thence S. 00°40'20" E. 171.08 feet; thence N. 89°19'40" E. 5.50 feet; thence S. 00°40'20" E. 8.00 feet; thence S. 89°19'40" W. 5.50 feet; thence S. 00°40'20" E. 58.28 feet; thence N. 89°19'40" E. 4.00 feet; thence S. 00°40'20" E. 6.00 feet, more or less, to the southerly boundary line of said entire tract; thence along said boundary line N. 89°43'43" W. 13.19 feet to the southwest corner of said entire tract and the easterly right of way line of said 900 East; thence along the westerly boundary line of said entire tract and said right of way line the following two (2) courses: (1) N. 00°27'02" E. 47.92 feet; (2) N. 00°35'07" W. 196.58 feet (three (3) courses by measurement: (1) N. 00°30'02" E. 64.03 feet; (2) N. 00°55'27" W. 86.22 feet; (3) N. 00°39'26" W. 93.03 feet), more or less, to the point of beginning as shown on the official map of said project on file at the office of the Utah Department of Transportation. The above described parcel of land contains 2,076 square feet or 0.048 acre in area, more or less.

(Note: Rotate above bearings counterclockwise 00°14'43" to equal project bearings.)

Pin No. 10266

Project No. S-0265(23)3

Parcel No. 0265:317D:2EC6

IN WITNESS WHERE	OF , said <u>NB Pa</u>	ark Plaza Provo TIC 5, LLC, as to 5.2328%		
interest has caused this instrument to be executed by its proper officers thereunto duly				
authorized, this $\underline{\hspace{0.1cm} 1}$ day of $\underline{\hspace{0.1cm}}$	october	, A.D. 20 <u>19</u> .		
STATE OF COUNTY OF)) ss.)	NB Park Plaza Provo TIC 5, LLC Limited Liability Company By Manager		
_		written personally appeared before me, eing by me duly sworn, says thathe is the		
Manager of NB Park Plaza Provo TIC 5, LLC, as to 5.2328% interest, a Limited Liability				
Company, and that the with	in and foregoin	ng instrument was signed in behalf of said		
company by authority	of its A	articles of Organization, and said		
Brian Helson	acknowl	ledged to me that said company executed		
the same.				
WITNESS my hand and written:	d official stamp	the date in this certificate first above		
No	otary Public			

JURAT

ENT 105069:2019 PG 4 of 4

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

Subscribed and sworn to (or affirmed) before	reme on this \ day of Ortover
Subscribed and sworn to (or animed) belo	terrie on triis day or,
20 19 by Brian Melson	
proved to me on the basis of satisfactory e before me.	ALISON NELSON Commission No. 2289362 NOTARY PUBLIC-CALIFORNIA
160 at 1010 a	ORANGE COUNTY My Comm. Expires MAY 20, 2023
NULL SANDERS	
Signature (Seal	
Signature (Seal)	

The wording of all Jurats completed in California after January 1, 2015 must be in the form as set forth within this Jurat. There are no exceptions. If a Jurat to be completed does not follow this form, the notary must correct the verbiage by using a jurat stamp containing the correct wording or attaching a separate jurat form such as this one with does contain the proper wording. In addition, the notary must require an oath or affirmation from the document signer regarding the truthfulness of the contents of the document. The document must be signed AFTER the oath or affirmation. If the document was previously signed, it must be re-signed in front of the notary public during the jurat process.

DESCRIPTION OF THE ATTACHED DOCUMENT

(Title or description of attached document)

(Title or description of attached document continued)

Number of Pages _____ Document Date_____

Additional information

- State and county information must be the state and county where the document signer(s) personally appeared before the notary public.
- Date of notarization must be the date the signer(s) personally appeared which must also be the same date the jurat process is completed.
- Print the name(s) of the document signer(s) who personally appear at the time of notarization.
- Signature of the notary public must match the signature on file with the office of the county clerk.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different jurat form.
 - Additional information is not required but could help to ensure this jurat is not misused or attached to a different document.
 - Indicate title or type of attached document, number of pages and date.
- Securely attach this document to the signed document with a staple.