

When Recorded Return To:
Cottonwood Title Insurance Agency, Inc.
1996 East 6400 South, Suite 120
Salt Lake City, UT 84121

File No.: 83936-PF
Tax ID Numbers: 59-012-0082, 59-012-0080, 59-012-0106, 59-012-0107, 59-012-0111, 59-014-0021, 59-013-0035, 59-012-0018, 59-014-0011, 59-014-0007, 59-014-0005, 59-014-0017, 59-014-002

SUBSTITUTION OF TRUSTEE

Notice is hereby given that Cottonwood Title Insurance Agency, Inc., 1996 East 6400 South, Suite 120, Salt Lake City, UT 84121, is hereby appointed Successor Trustee under that certain Deed of Trust dated March 23, 2017, executed by SCP Fox Hollow, LLC, a Utah limited liability company as Trustor in which Actium High Yield Loan Fund III LLC, a Utah limited liability company is named Beneficiary, Meridian Title is named as Trustee, and recorded in the office of the Utah County Recorder, State of Utah on March 28, 2017 as Entry No. 29692:2017.

The trust estate affected by this Substitution of Trustee is the following described property located in Utah County, State of Utah:

See Exhibit A attached hereto and made a part hereof

Parcel Number: 59-012-0141, 59-012-0109, 59-012-0108, 59-012-0159 and 59-012-0160 (for Reference Purposes Only)

The undersigned beneficiary hereby ratifies and confirms all actions taken on its behalf by the successor trustee prior to the recording of this instrument.

DATED this 13th day of November, 2017.

Actium High Yield Loan Fund III LLC, a Utah limited liability company

By: *Paul Christenson*
Name: *Paul Christenson*
Title: *Manager*

State of Utah)
County of Salt Lake) :ss

On the 13 day of November, 2017, personally appeared before me Paul Christenson, the Manager of Actium High Yield Loan Fund III LLC, a Utah limited liability company, who being by me duly sworn did say that said instrument was signed in behalf of Actium High Yield Loan Fund III LLC, a Utah limited liability company after having been duly authorized to execute the same.

Michael M Hanson
NOTARY PUBLIC




EXHIBIT "A"
PROPERTY

Real Property

The land and real property referred to in this Trust Deed is situated in the County of Utah, State of Utah and is described as follows:

Utah County Parcel Numbers: 59-012-0082, 59-012-0080, 59-012-0106, 59-012-0107, 59-012-0108, 59-012-0141, 59-012-0109, 59-014-0021, 59-013-0035, 59-014-0018, 59-014-0011, 59-014-0007, 59-014-0005, 59-014-0017, 59-014-0022

Exhibit "A"

COM S 1319.8 FT & E 4418.89 FT FR W 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; N 45 DEG 48' 41" E 65.37 FT; ALONG A CURVE TO R (CHORD BEARS: S 43 DEG 35' 10" E 58.94 FT, RADIUS = 2802 FT) ARC LENGTH = 58.94 FEET; N 51 DEG 9' 39" E 132.8 FT; S 35 DEG 5' 14" E 105.48 FT; N 89 DEG 57' 55" W 251.58 FT TO BEG. 59-012-0080

COM S 432.27 FT & E 4122.71 FT FR W 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; S 65 DEG 58' 0" W 748.59 FT; ALONG A CURVE TO R (CHORD BEARS: S 68 DEG 39' 59" W 60.29 FT, RADIUS = 640 FT) ARC LENGTH = 60.31 FEET; S 11 DEG 28' 54" W 32.62 FT; S 33 DEG 32' 47" E 109.37 FT; S 43 DEG 44' 20" E 137.22 FT; S 55 DEG 2' 13" E 138.89 FT; S 64 DEG 3' 59" E 136.55 FT; S 74 DEG 41' 11" E 136.68 FT; S 85 DEG 41' 18" E 159.33 FT; N 83 DEG 11' 47" E 139.73 FT; N 75 DEG 24' 29" E 69.94 FT; N 50 DEG 38' 39" E 73.11 FT; N 67 DEG 48' 17" E 52.38 FT; N 87 DEG 15' 39" E 52.38 FT; N 57 DEG 57' 58" E 56.76 FT; S 35 DEG 4' 51" E 241.76 FT; S 35 DEG 5' 14" E 105.48 FT; S 89 DEG 57' 55" E 70.93 FT; N 35 DEG 4' 27" W 432.58 FT; N 37 DEG 6' 57" W 254.89 FT; ALONG A CURVE TO R (CHORD BEARS: N 33 DEG 12' 30" W 394.98 FT, RADIUS = 2897.79 FT) ARC LENGTH = 395.29 FEET TO BEG TO BEG. AREA 11.884 AC 59-012-0082

COM N 0 DEG 17' 21" E 1875.57 FT & S 89 DEG 42' 39" E 3101.38 FT FR SW 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; ALONG A CURVE TO L (CHORD BEARS: N 86 DEG 56' 37" E 259.58 FT, RADIUS = 653.07 FT); S 33 DEG 32' 48" E 145.03 FT; S 43 DEG 44' 20" E 137.22 FT; S 55 DEG 2' 13" E 138.89 FT; S 64 DEG 3' 59" E 136.55 FT; S 74 DEG 41' 12" E 136.68 FT; S 85 DEG 41' 18" E 159.33 FT; N 83 DEG 11' 47" E 139.73 FT; N 75 DEG 24' 28" E 69.94 FT; N 50 DEG 38' 40" E 73.11 FT; N 67 DEG 48' 15" E 52.38 FT; N 87 DEG 15' 40" E 52.38 FT; N 57 DEG 57' 58" E 56.76 FT; S 35 DEG 5' 13" E 241.8 FT; S 51 DEG 9' 38" W 132.8 FT; ALONG A CURVE TO L (CHORD BEARS: N 43 DEG 35' 12" W 58.94 FT, RADIUS = 2802 FT); S 45 DEG 48' 40" W 65.35 FT; N 89 DEG 57' 55" W 1280.82 FT; ALONG A CURVE TO R (CHORD BEARS: N 16 DEG 33' 24" W 140.55 FT, RADIUS = 963 FT); N 10 DEG 29' 22" E .35 FT; ALONG A CURVE TO R (CHORD BEARS: N 0 DEG 21' 44" W 400.69 FT, RADIUS = 962.73 FT); N 11 DEG 38' 44" E 8.69 FT TO BEG. AREA 9.957 AC. 59-012-0106

COM S 1078.87 FT & E 2586.3 FT FR W 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; S 55 DEG 17' 23" E 312.27 FT; S 59 DEG 2' 57" W 28.71 FT; S 40 DEG 23' 0" W 85.51 FT; S 49 DEG 37' 0" E 85.77 FT; S 40 DEG 29' 44" W 141.43 FT; ALONG A CURVE TO L (CHORD BEARS: S 30 DEG 30' 27" W 77.01 FT, RADIUS = 222 FT); S 20 DEG 31' 7" W 23.24 FT; N 48 DEG 53' 30" W 166.33 FT; N 20 DEG 48' 29" E 23.83 FT; N 38 DEG 42' 0" E 45.88 FT; N 38 DEG 42' 2" E 112.81 FT; N 49 DEG 37' 2" W 32.65 FT; ALONG A CURVE TO L (CHORD BEARS: N 52 DEG 48' 10" W 63.58 FT, RADIUS = 597.84 FT); S 33 DEG 27' 39" W 12.47 FT; N 56 DEG 32' 23" W 74 FT; N 33 DEG 27' 35" E 12.5 FT; ALONG A CURVE TO L (CHORD BEARS: N 65 DEG 56' 53" W 31.02 FT, RADIUS = 98.36 FT); N 14 DEG 50' 55" E 56 FT; N 34 DEG 42' 35" E 115.82 FT; S 0 DEG 9' 59" W 8.92 FT TO BEG. AREA 1.873 AC. 59-012-0107

COM N 677.76 FT & E 2124.89 FT FR SW COR. SEC. 12, T6S, R1W, SLB&M.; N 72 DEG 35' 54" E 122.57 FT; N 64 DEG 28' 14" E 61.96 FT; N 57 DEG 47' 28" E 61.89 FT; N 50 DEG 16' 25" E 61.89 FT; N 42 DEG 45' 20" E 61.89 FT; N 35 DEG 14' 14" E 61.89 FT; N 27 DEG 43' 34" E 61.78 FT; N 20 DEG 48' 26" E 205.8 FT; S 48 DEG 53' 29" E 166.33 FT; S 20 DEG 31' 9" W 118.87 FT; ALONG A CURVE TO R (CHORD BEARS: S 25 DEG 48' 43" W 115.86 FT, RADIUS = 628 FT); S 46 DEG 46' 41" E 182.29 FT; S 0 DEG 34' 53" E 717.13 FT; N 89 DEG

47' 12" W 51.93 FT; N 31 DEG 26' 14" W 55.29 FT; N 37 DEG 5' 51" W 89.97 FT; N 40 DEG 41' 54" W 56 FT; N 44 DEG 25' 31" W 94.15 FT; N 49 DEG 29' 6" W 82.76 FT; N 52 DEG 18' 42" W 75 FT; N 47 DEG 45' 32" W 77.97 FT; N 45 DEG 57' 13" W 75.03 FT; N 42 DEG 18' 19" W 75.31 FT; N 7 DEG 3' 30" W 94.18 FT; N 41 DEG 2' 39" W 140.26 FT TO BEG. AREA 7.947 AC. 56-012-0108

COM N 0 DEG 17' 21" E 330.07 FT & S 89 DEG 42' 39" E 1840.25 FT FR SW COR. SEC. 12, T6S, R1W, SLB&M.; N 72 DEG 35' 54" E 170.59 FT; S 17 DEG 24' 6" E 60.22 FT; S 46 DEG 4' 31" E 217.89 FT; S 49 DEG 13' 29" E 83.17 FT; S 52 DEG 21' 6" E 75 FT; S 48 DEG 6' 48" E 75 FT; S 42 DEG 48' 42" E 30.2 FT; N 89 DEG 46' 43" W 498.2 FT; ALONG A CURVE TO L (CHORD BEARS: N 6 DEG 39' 10" W 330.27 FT, RADIUS = 2553.5 FT) TO BEG. AREA 2.587 AC. 59-012-0109

COM N .69 FT & W 51.85 FT FR S 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; N 89 DEG 47' 13" W 320.65 FT; N 42 DEG 48' 46" W 29.73 FT; N 48 DEG 6' 47" W 75 FT; N 52 DEG 21' 3" W 75 FT; N 49 DEG 13' 29" W 83.17 FT; N 46 DEG 4' 30" W 217.88 FT; N 17 DEG 24' 6" W 60.22 FT; S 72 DEG 35' 56" W 170.56 FT; ALONG A CURVE TO L (CHORD BEARS: N 13 DEG 14' 31" W 256.69 FT, RADIUS = 2553.5 FT); N 72 DEG 35' 55" E 358.12 FT; S 41 DEG 2' 40" E 140.26 FT; S 7 DEG 3' 29" E 94.18 FT; S 42 DEG 18' 18" E 75.31 FT; S 45 DEG 57' 12" E 75.03 FT; S 47 DEG 45' 33" E 77.97 FT; S 52 DEG 18' 42" E 75 FT; S 49 DEG 29' 5" E 82.76 FT; S 44 DEG 25' 32" E 94.15 FT; S 40 DEG 41' 55" E 56 FT; S 37 DEG 5' 52" E 89.97 FT; S 31 DEG 26' 13" E 55.29 FT TO BEG. AREA 5.868 AC. 56-012-0141

COM S 593.24 FT & E 645.16 FT FR NW COR. SEC. 13, T6S, R1W, SLB&M.; ALONG A CURVE TO R (CHORD BEARS: S 17 DEG 27' 42" E 210.05 FT, RADIUS = 2000 FT) ARC LENGTH = 210.15 FEET; S 14 DEG 27' 6" E 538.4 FT; N 89 DEG 44' 51" W 846.85 FT; S 0 DEG 11' 14" W 1306.69 FT; N 37 DEG 42' 34" W 45.87 FT; N 34 DEG 18' 59" W 77.69 FT; N 30 DEG 55' 23" W 77.69 FT; N 27 DEG 31' 48" W 77.69 FT; N 24 DEG 8' 12" W 77.69 FT; N 20 DEG 44' 37" W 77.69 FT; N 15 DEG 50' 44" W 77.65 FT; N 14 DEG 8' 30" W 115.47 FT; N 7 DEG 41' 4" W 133.77 FT; N 3 DEG 7' 28" W 75 FT; N 0 DEG 9' 5" E 75 FT; N 3 DEG 25' 38" E 75 FT; N 6 DEG 42' 11" E 75 FT; N 9 DEG 58' 44" E 75 FT; N 13 DEG 26' 50" E 83.82 FT; N 16 DEG 30' 2" E 56 FT; N 19 DEG 28' 3" E 79.86 FT; N 22 DEG 50' 58" E 75 FT; N 26 DEG 7' 31" E 75 FT; N 29 DEG 24' 3" E 75 FT; N 32 DEG 40' 36" E 75 FT; N 35 DEG 57' 9" E 75 FT; N 39 DEG 13' 41" E 75 FT; N 42 DEG 30' 14" E 75 FT; N 45 DEG 46' 47" E 75 FT; N 49 DEG 3' 19" E 75 FT; N 52 DEG 19' 52" E 75 FT; N 54 DEG 23' 9" E 75 FT; N 60 DEG 24' 4" E 104.77 FT; S 20 DEG 54' 30" E 27.86 FT; N 68 DEG 56' 45" E 56 FT; N 69 DEG 31' 42" E 190 FT TO BEG. AREA 17.371 AC. 59-013-0035

NE 1/4 OF NW 1/4, SEC. 14, T6S, R1W, SLB&M. DESCRIBED AS FOLLOWS:; COM N 11.26 FT & W 2745.67 FT FR NE COR. SEC. 14, T6S, R1W, SLB&M.; S 0 DEG 14' 0" W 1312.19 FT; N 89 DEG 47' 6" W 1373.14 FT; N 0 DEG 14' 47" E 1312.68 FT; S 89 DEG 45' 53" E 1372.84 FT TO BEG. AREA 41.367 AC. 59-014-0005

SE 1/4 OF NW 1/4, SEC. 14, T6S, R1W, SLB&M. AREA 41.497 AC. 59-014-0007

NW 1/4 OF SE 1/4, SEC. 14, T6S, R1W, SLB&M. AREA 41.178 AC. 59-014-0011

COM S 951.29 FT & W 1367.08 FT FR NE COR. SEC. 14, T6S, R1W, SLB&M.; S 89 DEG 50' 58" E 104.13 FT; S 79 DEG 24' 51" E 56.94 FT; S 89 DEG 50' 58" E 200 FT; N 64 DEG 29' 21" E 62.13 FT; S 89 DEG 50' 58" E 100 FT; S 0 DEG 9' 2" W 83.17 FT; S 18 DEG 53' 58" E 71.87

FT; S 55 DEG 27' 24" E 85.59 FT; S 71 DEG 19' 36" E 82.38 FT; S 19 DEG 26' 50" W 109.58 FT; S 18 DEG 57' 57" W 44.77 FT; N 89 DEG 43' 51" W 634.49 FT; N 0 DEG 22' 0" W 353.54 FT TO BEG. AREA 4.825 AC. 59-014-0017

COM AT SW COR. SEC. 12, T6S, R1W, SLB&M.; N 0 DEG 17' 21" E 412.11 FT; S 36 DEG 12' 18" E 648.75 FT; ALONG A CURVE TO R (CHORD BEARS: S 28 DEG 20' 18" E 547.48 FT, RADIUS = 2000 FT) ARC LENGTH = 549.20 FEET; S 69 DEG 31' 42" W 190 FT; S 68 DEG 56' 45" W 56 FT; N 20 DEG 54' 30" W 27.88 FT; S 60 DEG 24' 3" W 104.77 FT; S 54 DEG 23' 8" W 75 FT; S 52 DEG 19' 51" W 75 FT; S 49 DEG 3' 18" W 75 FT; S 45 DEG 46' 46" W 75 FT; S 42 DEG 30' 13" W 75 FT; S 39 DEG 13' 40" W 75 FT; S 35 DEG 57' 8" W 75 FT; S 32 DEG 40' 35" W 75 FT; S 29 DEG 24' 2" W 75 FT; S 26 DEG 7' 30" W 75 FT; S 22 DEG 50' 57" W 75 FT; S 19 DEG 28' 2" W 79.86 FT; S 16 DEG 30' 1" W 56 FT; S 13 DEG 26' 49" W 83.82 FT; S 9 DEG 58' 43" W 16.19 FT; N 79 DEG 5' 26" W 100.36 FT; N 63 DEG 51' 28" W 57.96 FT; N 79 DEG 7' 43" W 100.01 FT; N 13 DEG 28' 13" E 16.98 FT; N 79 DEG 7' 43" W 100.52 FT; N 62 DEG 13' 15" W 58.11 FT; N 78 DEG 33' 48" W 101.59 FT; N 13 DEG 45' 4" E 100.28 FT; N 18 DEG 57' 57" E 56.05 FT; N 19 DEG 26' 50" E 109.58 FT; N 71 DEG 19' 37" W 82.38 FT; N 55 DEG 27' 25" W 85.59 FT; N 18 DEG 53' 59" W 71.87 FT; N 0 DEG 9' 2" E 498.91 FT; S 89 DEG 44' 25" E 214.81 FT; N 0 DEG 15' 35" E 100 FT; S 89 DEG 44' 25" E 68.78 FT; N 0 DEG 15' 35" E 156 FT; S 89 DEG 44' 25" E 425 FT; N 0 DEG 15' 35" E 100 FT; S 89 DEG 44' 25" E 46.8 FT; N 0 DEG 16' 28" E 168.19 FT; S 89 DEG 43' 32" E 92.01 FT TO BEG. AREA 30.659 AC. 59-014-0015

COM N .44 FT & W 92.01 FT FR NE COR. SEC. 14, T6S, R1W, SLB&M.; S 0 DEG 16' 28" W 168.19 FT; N 89 DEG 44' 25" W 46.8 FT; S 0 DEG 15' 35" W 100 FT; N 89 DEG 44' 25" W 256.26 FT; N 0 DEG 15' 36" E 100 FT; N 89 DEG 44' 25" W 613.5 FT; S 0 DEG 46' 9" W 196.29 FT; S 46 DEG 43' 26" E 234.11 FT; N 89 DEG 44' 25" W 8.26 FT; S 0 DEG 9' 2" W 415.75 FT; N 89 DEG 50' 58" W 100 FT; S 64 DEG 29' 21" W 62.13 FT; N 89 DEG 50' 58" W 200 FT; N 79 DEG 24' 52" W 56.94 FT; N 89 DEG 50' 58" W 104.13 FT; N 0 DEG 22' 0" W 957.9 FT; S 89 DEG 43' 32" E 1281.23 FT TO BEG. AREA 13.940 AC. 59-014-0022

COM AT W 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; N 89 DEG 49' 52" E 103.27 FT; S 26 DEG 38' 20" E 99.26 FT; ALONG A CURVE TO L (CHORD BEARS: S 15 DEG 5' 11" W 91.5 FT, RADIUS = 55 FT); ALONG A CURVE TO R (CHORD BEARS: S 20 DEG 40' 51" E 1.4 FT, RADIUS = 2 FT); S 0 DEG 10' 1" E 47.43 FT; ALONG A CURVE TO L (CHORD BEARS: S 9 DEG 24' 12" E 423.11 FT, RADIUS = 1317.99 FT); ALONG A CURVE TO L (CHORD BEARS: S 17 DEG 31' 57" E 56.89 FT, RADIUS = 1471.99 FT); S 73 DEG 34' 29" W 108.22 FT; S 17 DEG 37' 41" E 93.09 FT; ALONG A CURVE TO L (CHORD BEARS: S 0 DEG 19' 12" E 104.74 FT, RADIUS = 55 FT); S 18 DEG 16' 5" W 140.29 FT; N 77 DEG 30' 0" W 67.11 FT; N 67 DEG 19' 46" W 34.16 FT; N 0 DEG 17' 21" E 1026.77 FT TO BEG. AREA 3.301 AC. 59-012-0122

COM N 412.11 FT & E 2.08 FT FR SW COR. SEC. 12, T6S, R1W, SLB&M.; N 0 DEG 17' 20" E 151.33 FT; S 36 DEG 12' 18" E 699.94 FT; S 36 DEG 8' 59" E .19 FT; N 89 DEG 47' 13" W 111.81 FT; N 36 DEG 12' 18" W 512.1 FT TO BEG. AREA 1.251 AC. 59-012-0147

COM S 1.13 FT & E 304.58 FT FR NW 1/4 COR. SEC. 13, T6S, R1W, SLB&M.; S 89 DEG 47' 12" E 111.85 FT; S 36 DEG 12' 18" E 69.77 FT; S 36 DEG 14' 30" E .46 FT; ALONG A CURVE TO R (CHORD BEARS: S 35 DEG 15' 4" E 69.55 FT, RADIUS = 2090.01 FT); N 53 DEG 47' 51" E 17.51 FT; S 34 DEG 13' 36" E 4 FT; S 53 DEG 47' 48" W 17.51 FT; ALONG A CURVE TO R (CHORD BEARS: S 33 DEG 16' 56" E 66.09 FT, RADIUS = 2090.01 FT); ALONG A

CURVE TO R (CHORD BEARS: S 31 DEG 24' 51" E 70.25 FT, RADIUS = 2090.01 FT);
 ALONG A CURVE TO R (CHORD BEARS: S 29 DEG 29' 3" E 70.49 FT, RADIUS = 2090.01
 FT); ALONG A CURVE TO R (CHORD BEARS: S 27 DEG 39' 49" E 62.36 FT, RADIUS =
 2090.01 FT); N 63 DEG 16' 27" E 17.5 FT; S 26 DEG 44' 8" E 5.21 FT; S 55 DEG 22' 26" W
 17.67 FT; ALONG A CURVE TO R (CHORD BEARS: S 25 DEG 38' 6" E 70.39 FT, RADIUS =
 2090.01 FT); ALONG A CURVE TO R (CHORD BEARS: S 23 DEG 41' 52" E 70.87 FT,
 RADIUS = 2090.01 FT); ALONG A CURVE TO R (CHORD BEARS: S 20 DEG 53' 8" E 134.34
 FT, RADIUS = 2090.02 FT); N 75 DEG 13' 17" E 20.39 FT; S 14 DEG 46' 41" E 6.42 FT; S 71
 DEG 7' 11" W 19.87 FT; ALONG A CURVE TO R (CHORD BEARS: S 16 DEG 50' 55" E 144.38
 FT, RADIUS = 2090.02 FT); S 14 DEG 41' 12" E 13.31 FT; ALONG A CURVE TO R (CHORD
 BEARS: S 14 DEG 28' 22" E 1.92 FT, RADIUS = 2090 FT); S 14 DEG 27' 5" E 152.94 FT; S 14
 DEG 27' 5" E 140.97 FT; S 14 DEG 27' 5" E 154.99 FT; S 14 DEG 27' 5" E 112.91 FT; N 89
 DEG 45' 29" W 93.04 FT; N 14 DEG 27' 8" W 538.23 FT; ALONG A CURVE TO L (CHORD
 BEARS: N 25 DEG 19' 42" W 754.77 FT, RADIUS = 2000.51 FT); N 36 DEG 12' 18" W 136.63
 FT TO BEG. AREA 2.958 AC. 59-013-0076

COM S 788.61 FT & E 3374.75 FT FR W 1/4 COR. SEC. 12, T6S, R1W, SLB&M.; N 11 DEG
 28' 54" E 30.14 FT; ALONG A CURVE TO L (CHORD BEARS: N 68 DEG 39' 59" E 60.29 FT,
 RADIUS = 640 FT) ARC LENGTH = 60.31 FEET; N 65 DEG 58' 0" E 748.59 FT; ALONG A
 CURVE TO R (CHORD BEARS: N 29 DEG 14' 48" W 5.45 FT, RADIUS = 2897.79 FT) ARC
 LENGTH = 5.45 FEET; S 65 DEG 39' 53" W 719.67 FT; ALONG A CURVE TO R (CHORD
 BEARS: S 70 DEG 34' 42" W 111.95 FT, RADIUS = 653.5 FT) ARC LENGTH = 112.09 FEET;
 S 33 DEG 32' 47" E 32.78 FT TO BEG. AREA 0.073 AC. 59-012-0085

COM AT E 1/4 COR. SEC. 14, T6S, R1W, SLB&M.; N 89 DEG 43' 58" W 2733.73 FT; N 0 DEG
 5' 48" W 1311.34 FT; S 89 DEG 43' 51" E 2014.21 FT; S 18 DEG 57' 57" W 11.17 FT; S 13
 DEG 45' 4" W 100.28 FT; S 78 DEG 33' 48" E 101.59 FT; S 62 DEG 13' 15" E 58.11 FT; S 79
 DEG 7' 43" E 100.52 FT; S 13 DEG 28' 13" W 16.98 FT; S 79 DEG 7' 43" E 100.01 FT; S 63
 DEG 51' 28" E 57.96 FT; S 79 DEG 5' 26" E 100.37 FT; S 9 DEG 58' 44" W 58.83 FT; S 6 DEG
 42' 11" W 75 FT; S 3 DEG 25' 38" W 75 FT; S 0 DEG 9' 5" W 75 FT; S 3 DEG 7' 28" E 75 FT; S
 7 DEG 41' 4" E 133.77 FT; S 14 DEG 8' 30" E 115.47 FT; S 15 DEG 50' 44" E 77.65 FT; S 20
 DEG 44' 37" E 77.69 FT; S 24 DEG 8' 12" E 77.69 FT; S 27 DEG 31' 48" E 77.69 FT; S 30 DEG
 55' 23" E 77.69 FT; S 34 DEG 18' 59" E 77.69 FT; S 37 DEG 42' 34" E 45.76 FT; S 0 DEG 10'
 49" W 4.69 FT TO BEG. AREA 73.782 AC. 59-014-0018