

24.

**RESOLUTION R2015 - 44**

**A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF SOUTH JORDAN, UTAH, AUTHORIZING THE MAYOR TO EXECUTE AN AMENDMENT TO THE NOVEMBER 12, 2013 DEVELOPMENT AGREEMENT BETWEEN THE CITY OF SOUTH JORDAN AND SJ MARKETPLACE, LLC.**

**WHEREAS**, the City of South Jordan previously entered into a development agreement with SJ Marketplace, LLC (“Developer”) dated November 12, 2013, which effects the development of property generally located at 11539 South 4000 West in South Jordan (the “Agreement”); and

**WHEREAS**, the Developer has proposed amending the Agreement to modify certain sign requirements as set forth in Exhibit A (the “First Amendment”); and

**WHEREAS**, in accordance with law, the City Council held a public meeting to consider the proposed amendment to the First Amendment; and

**WHEREAS**, the City Council finds that it is appropriate for the use and development of land within the City, and that it is in the best interest of the public health, safety, and general welfare to amend the Agreement by approving and authorizing the City’s Mayor to sign the First Amendment.

**NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF SOUTH JORDAN, UTAH:**

**SECTION 1. Approval and Authorization.** The City Council hereby authorizes the City’s Mayor, David L. Alvord, to sign the First Amendment, attached hereto as Exhibit A.

**SECTION 2. Severability.** If any section, clause, or portion of the Resolution is declared invalid by a court of competent jurisdiction, the remainder shall not be affected thereby and shall remain in full force and effect.

**SECTION 3. Effective Date.** This Resolution shall become effective immediately upon passage.

[SIGNATURE PAGE FOLLOWS]

12079541  
06/26/2015 12:30 PM \$0.00  
Book - 10337 Pg - 7390-7413  
GARY W. OTT  
RECORDER, SALT LAKE COUNTY, UTAH  
SOUTH JORDAN  
1600 W TOWNE CENTER DR  
SOUTH JORDAN UT 84095-8265  
BY: TRP, DEPUTY - MA 24 P.

APPROVED BY THE CITY COUNCIL OF THE CITY OF SOUTH JORDAN, UTAH,  
 ON THIS 16 DAY OF June, 2015 BY THE FOLLOWING VOTE:

	YES	NO	ABSTAIN	ABSENT
Mark Seethaler	<u>X</u>	___	___	___
Chuck Newton	<u>X</u>	___	___	___
Donald Shelton	<u>X</u>	___	___	___
Steve Barnes	___	___	___	<u>X</u>
Christopher Rogers	___	___	___	<u>X</u>

Mayor: [Signature]  
 David L. Alvord

Attest: [Signature]  
 City Recorder

Approved as to form:  
[Signature]  
 Office of the City Attorney



Exhibit A

**First Amendment to Development Agreement**

WHEN RECORDED, MAIL TO:  
Attn: South Jordan City Recorder  
1600 West Towne Center Drive  
South Jordan, UT 84095

**FIRST AMENDMENT TO DEVELOPMENT AGREEMENT**

This First Amendment to Development Agreement dated as of June 16, 2015 (“Amendment”) is entered into by and between the CITY OF SOUTH JORDAN, a Utah municipal corporation (“City”), and SJ MARKETPLACE, LLC, a Delaware limited liability company (“Developer”).

RECITALS

WHEREAS, Developer and City entered into that certain Development Agreement dated November 12, 2013 and recorded in the official records of Salt Lake County, Utah as Entry No. 11767719 in Book 10195, Pages 9373-9436 (“Development Agreement”) with respect to the Property then referenced as Assessor’s Parcel Numbers 27194310020000, 27194300020000 and approximately the north half of Parcel Number 27203020020000, and more particularly described in Exhibit A attached to the Development Agreement; and

WHEREAS, Developer and City desire to modify Exhibit H attached to the Development Agreement in certain respects.

AGREEMENT

NOW, THEREFORE, based upon the foregoing recitals and in consideration of the mutual covenants and promises contained herein, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties agree as follows:

1. Capitalized Terms. All capitalized terms used in this Amendment but not otherwise defined herein have the meanings given to such terms in the Development Agreement.

2. Modifications to Exhibit H. The following changes are hereby made to Exhibit H attached to the Development Agreement:

2.1 Section D.1.A.1 is amended in full to read as follows: “Each Major will be allowed a maximum total allowable area of wall signs of 10% of the area of the façade in accordance with the South Jordan City Municipal Code, Title 16, Section 16.36.100.”

2.2 Section D.1.A.4 is amended to change the reference to “80%” to “90%” and the reference to “twenty-four (24) feet” to “twenty-seven (27) feet”.

2.3 Section D.1.A.5 is amended to change the reference to “80%” to “100%”.

2.4 Section D.1.A.7 is amended in full to read as follows: “Stylized logo/cabinet sign shall not exceed 1/3 (33%) of the total wall sign area in accordance with South Jordan City Municipal Code, Title 16, Section 16.36.100.”

3. Entire Agreement. This Amendment and the Development Agreement, together with the exhibits attached thereto, documents reference therein and all regulatory approvals given by the City contain the entire agreement of the parties with respect to the subject matter hereof and superseded any prior promises, representations, warranties, inducements or understandings between the parties which are not contained in such agreements, regulatory approvals and related conditions.

4. No Other Changes. The Development Agreement remain in full force and effect, unmodified except as otherwise provided herein.

5. Counterparts. This Amendment may be executed in multiple counterparts, each of which shall be considered an original and all of which together shall constitute one fully-executed document. Signatures to this Amendment may be delivered by electronic pdf copy and the same shall have the same force and effect as an original of this Agreement.

[SIGNATURE PAGE FOLLOWS]





**CALIFORNIA ALL-PURPOSE ACKNOWLEDGMENT**

**CIVIL CODE § 1189**

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California )  
County of Los Angeles )

On June 16, 2015 before me, Lori Guttenberg, Notary Public,  
Date Here Insert Name and Title of the Officer

personally appeared Steven H. Usdan  
Name(s) of Signer(s)

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) ~~is/are~~ subscribed to the within instrument and acknowledged to me that ~~he/she/they~~ executed the same in ~~his/her/their~~ authorized capacity(ies), and that by ~~his/her/their~~ signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.



Signature Lori Guttenberg  
Signature of Notary Public

Place Notary Seal Above

**OPTIONAL**

Though this section is optional, completing this information can deter alteration of the document or fraudulent reattachment of this form to an unintended document.

**Description of Attached Document**

Title or Type of Document: \_\_\_\_\_ Document Date: \_\_\_\_\_  
Number of Pages: \_\_\_\_\_ Signer(s) Other Than Named Above: \_\_\_\_\_

**Capacity(ies) Claimed by Signer(s)**

Signer's Name: \_\_\_\_\_  
 Corporate Officer — Title(s): \_\_\_\_\_  
 Partner —  Limited  General  
 Individual  Attorney in Fact  
 Trustee  Guardian or Conservator  
 Other: \_\_\_\_\_  
Signer Is Representing: \_\_\_\_\_

Signer's Name: \_\_\_\_\_  
 Corporate Officer — Title(s): \_\_\_\_\_  
 Partner —  Limited  General  
 Individual  Attorney in Fact  
 Trustee  Guardian or Conservator  
 Other: \_\_\_\_\_  
Signer Is Representing: \_\_\_\_\_

11767719

# EXHIBIT H

## MASTER SIGN PLAN (SIGN CRITERIA)

FOR

## PROPOSED SHOPPING CENTER

S.W.C. BANGERTE HIGHWAY AND W 11400 S  
SOUTH JORDAN, UTAH

PREPARED BY:



CCA ACQUISITION  
COMPANY, LLC

5670 WILSHIRE BOULEVARD, SUITE 1250  
LOS ANGELES, CALIFORNIA 90036



YESCO®

ROCKY MOUNTAIN REGION  
1605 GRAMERCY ROAD  
SALT LAKE CITY, UTAH 94104

WITH:

BK 10195 PG 9447

BK 10337 PG 7398

Revised 12-Nov-2013

# TABLE OF CONTENTS

## GROUND SIGNS & SITE PLAN

PYLON SIGNS .....	PAGE 1
MASTER SITE PLAN .....	PAGE 3

## TENANT SIGN CRITERIA


SIGN CRITERIA GENERAL REQUIREMENTS, TYPE OF SIGN .....	PAGE 4
SPECIFIC REQUIREMENTS FOR BUILDING SIGNAGE (SIZE OF SIGNS).....	PAGE 5
LIGHTING, DETAIL DRAWINGS, WINDOW SIGNAGE .....	PAGE 7
BANNERS, ADDRESSES, NOT PERMITTED LIST.....	PAGE 7
CONTACT PERSON .....	PAGE 8
SIGN EXAMPLES & DETAILS .....	PAGE 9

## BUILDING ELEVATIONS

SPROUT'S COLORED BUILDING ELEVATIONS.....	PAGE 10
---	---------


PLYON SIGN (PS 1)

FOR ILLUSTRATIVE PURPOSES




**LARGE MULTI TENANT**  
 LOCATION: SOUTHEAST CORNER (PS 1 LOC 1)

FOR ILLUSTRATIVE PURPOSES




**LARGE MULTI TENANT**  
 LOCATION: SOUTHEAST CORNER (PS 1 LOC 1)

PAINT FINISHES



1124 SADDLE TAN  
BENJAMIN MOORE



2116-10 NIGHT SHADE  
BENJAMIN MOORE

BRICK VENEER




PLANTATION BLEND  
PINE HALL BRICK

EXHIBIT H

# PLYON SIGN (PS 1)


FOR ILLUSTRATIVE PURPOSES



1 LARGE MULTI TENANT

LOCATION: SOUTHEAST CORNER (PS 1 LOC 1)


FOR ILLUSTRATIVE PURPOSES




1 LARGE MULTI TENANT

LOCATION: SOUTHEAST CORNER (PS 1 LOC 1)

PAINT FINISHES




1124 SADDLE TAIN  
BENJAMIN MOORE



2118 10 NIGHT SHADE  
BENJAMIN MOORE


BRICK VENEER




PLANTATION BLEND  
PIRE HALL BRICK

EXHIBIT H

**PLYON SIGN (PS 2)**




**PAINT FINISHES**



1124 SADDLE TAN  
BENJAMIN MOORE



2116-10 NIGHT SHADE  
BENJAMIN MOORE



BRICK VENEER

PLANTATION BLEND  
PINE HALL BRICK


**2** SMALL MULTI TENANT

LOCATION: 11400 (PS 2, LOC 1)


EXHIBIT H

# PLYON SIGN (PS 2)


FOR ILLUSTRATIVE PURPOSES



PAINT FINISHES



112# SADDLE TAP  
BENJAMIN MOORE



211# 10 LIGHT SHADE  
BENJAMIN MOORE

BRICK VENEER




PLANTATION BLEND  
PIPER HALL BRICK

2 SMALL MULTI TENANT

LOCATION: 11400 (PS 2, LOC 1)

# MASTER SITE PLAN



**SIGN CRITERIA GENERAL REQUIREMENTS, TYPE OF SIGN**

The purpose of this Master Signage Plan is to create a graphic environment that is individual and distinctive in identity for the merchant and also compatible with other signs within the Property. The total concept should give an impression of quality and professionalism, as well as, instill a good business image.

The following specifications shall be used for the design of all signage within the Property; however, in all cases, final written approval by Owner is required prior to manufacturing and installation of all signs.

For purposes of this Master Signage Plan, any reference herein to "Owner" shall also include all tenants, subtenants, licensees and other occupants of Owner's Parcel.

**PROCEDURE:**

All signage drawing proposals will be submitted in three (3) copies to Owner for written approval, prior to application for sign permit from the City of South Jordan.

**NOTICE:**

WRITTEN APPROVAL AND CONFORMANCE WITH THE REQUIREMENTS SET FORTH HEREIN DOES NOT IMPLY CONFORMANCE WITH APPLICABLE LAWS, CODES, RULES, AND REGULATIONS PROMULGATED BY THE CITY OF SOUTH JORDAN OR ANY OTHER APPLICABLE GOVERNMENTAL AGENCY OR BODY (COLLECTIVELY, THE "LAWS"). ALL SIGNAGE LOCATED WITHIN THE PROPERTY SHALL BE APPROVED IN WRITING BY OWNER, SHALL COMPLY WITH THE APPLICABLE LAWS AND RECEIPT BY OWNER OF A SIGN PERMIT MUST BE RECEIVED PRIOR TO MANUFACTURING AND INSTALLATION OF ANY SIGNAGE.

**A. GENERAL PROVISIONS**

1. All signs and signage programs must confirm to the requirements of this Master Signage Plan, the City of South Jordan, and all applicable Laws. Applications and submittals for signage permits shall be per the City of South Jordan's procedure and requirements.
2. Signs shall identify the person or company operating the use conducted on the Parcel. No off-premises advertising is permitted.

**B. GENERAL REQUIREMENTS**

1. No signs, advertisements, notices, or other lettering shall be displayed, exhibited, inscribed, painted or affixed in any manner to any part of the building exterior except as approved in writing by Owner.
2. Each electrical sign, and the installation thereof, shall comply with all applicable Laws. Double back connections must be utilized for all electrical connections through the building structure.
3. Tenant shall obtain all necessary permits for signs and the construction and installation of signs.
4. No labels shall be placed on the exposed surfaces of signs except those required by applicable Laws. Required labels shall be applied in inconspicuous locations.
5. All penetrations of the building structure required for sign installation shall be neatly sealed in a watertight manner.

~~BK 10195 PG 9422~~

EXHIBIT H

6. Sign copy shall be limited to Tenant's proper firm name and shall not include the names of items, goods, products, or service lines. The use of a crest, shield, logo, or other established corporate insignia or modifier which has been displayed or associated with Tenant's firm name shall be permitted subject to Owner's written approval.
7. Any sign that does not conform to the requirements of this Master Sign Plan or was not approved by the Owner as required hereby shall be immediately removed or brought into conformance at the Tenant's expense.
8. Any sign type not discussed or addressed herein shall be covered by the City of South Jordan sign code.

**C. TYPE OF SIGN**

1. All signs shall contain individual, pan channel, internally illuminated, wall mounted letters. Letters shall not be mounted on an exposed raceway.

**D. SPECIFIC REQUIREMENTS FOR BUILDING SIGNAGE**

**1. Major Tenants (Greater than 5,000 square feet)**

**A. Size Guidelines**

1. Each Major will be allowed one & one-half (1.5) square feet of building signage per foot of linear building frontage when frontage is greater than 75 feet from Property Line/Street Frontage. If frontage is less than 75 feet, one (1) square foot of building signage per foot of linear building frontage.
  - A. Each frontage will be calculated independently (Example: If a Major has 3 elevations, each elevation is entitled to have a building sign based on that elevation frontage).

2. The square footage for an individual sign will be calculated by using multiple rectangles that contain the entire sign (Letter descender do not have to be included in the calculating rectangle; for example, the letters "y", "p", "q", "j", "g", all have descender that do not get calculated as a part of the total signage area.
3. Pan Channel Letters must be a minimum of three (3) inches in depth and a maximum of ten (10) inches in depth.
4. Length: The overall length of spread of letters shall not exceed 80% of the total leased frontage as specified by lease. (Example: Maximum spread for a sign for a space thirty (30) feet wide will be twenty-four (24) feet).
5. Height: Sign may not exceed 80% of SIGN BAND height.
6. National chain businesses shall be allowed to use their standard signage. This includes letter style, colors, logos and lighting method.
7. Stylized Logo/Cabinet sign not to exceed 10 square feet.

**2. Minor Tenants (Less than 5,000 square feet)**

**A. Size Guidelines**

1. Each Minor will be allowed one & one-quarter (1.25) square feet of building signage per foot of linear building frontage when frontage is greater than 75 feet from Property Line/Street Frontage. If frontage is less than 75 feet, one & one-quarter (1.25) square foot of building signage per foot of linear building frontage.
  - A. Each frontage will be calculated independently for square footage. (Example: If a Minor has 3 elevations, each elevation is entitled to have a building sign based on that elevation frontage).
2. The square footage for an individual sign will be calculated by using multiple rectangles that contain the entire sign

BK 10106 PG 0423

(Letter descender do not have to be included in the calculating rectangle; for example, the letters "y", "p", "q", "j", "g", all have descender that do not get calculated as a part of the total signage area.

3. Pan Channel Letters must be a minimum of three (3) inches in depth and a maximum of ten (10) inches in depth.
4. Length: The overall length of spread of letters shall not exceed 80% of the total leased frontage as specified by lease. (Example: Maximum spread for a sign for a space thirty (30) feet wide will be twenty four (24) feet).
5. Height: Sign may not exceed 80% of SIGN BAND height.
6. Stylized Logo/Cabinet sign not to exceed 8 square feet.

### 3. Pad Tenants

#### A. Size Guidelines

1. Each Pad will be allowed one & one-quarter (1.25) square feet of building signage per foot of linear building frontage when frontage is greater than 75 feet from Property Line/Street Frontage. If frontage is less than 75 feet, one & one-quarter (1.25) square foot of building signage per foot of linear building frontage.

A. Each frontage will be calculated independently (Example: If a Pad has 4 elevations, each elevation is entitled to have a building sign based on that elevation frontage)

2. The square footage for an individual sign will be calculated by using multiple rectangles that contain the entire sign (Letter descender do not have to be included in the calculating rectangle; for example, the letters "y", "p", "q", "j", "g", all have descender that do not get calculated as a part of the total signage area.

3. Pan Channel Letters must be a minimum of three (3) inches in depth and a maximum of ten (10) inches in depth.

4. Length: The overall length of spread of letters shall not exceed 80% of the total leased frontage as specified by lease. (Example Maximum spread for a sign for a space thirty (30) feet wide will be twenty four (24) feet).

5. Height: Sign may not exceed 80% of SIGN BAND height.
6. Stylized Logo/Cabinet sign not to exceed 8 square feet.

### 4. Shops & Inline Tenants

#### A. Size Guidelines

1. Each Tenant will be allowed one & one-quarter (1.25) square feet of building signage per foot of linear building frontage when frontage is greater than 75 feet from Property Line/Street Frontage. If frontage is less than 75 feet from Property Line, one & one-quarter (1.25) square foot of building signage per foot of linear building frontage.

A. Each frontage will be calculated independently for square footage calculation and frontage measurement. (Example: If a Shop or Inline Tenant has 3 elevations, each elevation is entitled to have a building sign based on that elevation frontage)

2. The square footage for an individual sign will be calculated by using multiple rectangles that contain the entire sign (Letter descender do not have to be included in the calculating rectangle; for example, the letters "y", "p", "q", "j", "g", all have descender that do not get calculated as a part of the total signage area.

3. Pan Channel Letters must be a minimum of three (3) inches in depth and a maximum of ten (10) inches in depth.

EXHIBIT H

- 4. Length: The overall length of spread of letters shall not exceed 80% of the total leased frontage as specified by lease. (Example Maximum spread for a sign for a space thirty (30) feet wide will be twenty-four (24) feet.
- 5. Height: Sign may not exceed 80% of SIGN BAND height.
- 6. Any Shop or Inline suite is guaranteed a minimum of thirty two (32) square feet of signage
- 7. Shops A & B shall be allowed signage on all elevations.
- 8. Each frontage will be calculated independently for allowable square footage.
- 9. Stylized Logo/Cabinet sign not to exceed 6 square feet.

**E. LIGHTING**

- 1. All lighting shall be illuminated with LED's, Neon or Fluorescent's.
  - A. Neon must be 30MA and between 12mm & 15mm glass tubing
  - B. LED must be Stone or Gelcor brand.
  - C. Fluorescent lighting will be allowed. No exposed bulbs.
- 2. All electrical will be U.L. or equivalent approved.
- 3. Penetration of structure and graphics beams shall be kept to a minimum and must have proper insulation for voltage cable and must be approved in writing by Landlord.
- 4. Power supplies shall be concealed behind fascia and mounted in metal boxes.

**F. DETAIL DRAWING**

- 1. Three copies of a complete and detailed drawing by Owner's sign company shall be submitted to Owner for final review and written approval.
- 2. Elevation of building fascia and sign shall be drawn using a minimum 1/4" to 1" scale.

- 3. Drawing shall indicate the following specifications:
  - a. Type, thickness, and color of Plexiglas type of material used for backs, returns, and trim caps, including color.
  - b. Finish used on returns.
  - c. Type of illumination and mounting method.
- 4. Drawing must include fascia cross section showing electrical connections.

**G. WINDOW SIGNAGE**

Window signs must comply with The City of South Jordan Sign Code and must be approved by Owner in writing.

Window signs to be created in a professional manner.

**H. GRAND OPENING BANNERS**

Grand Opening banners are allowed with Owner approval.

**I. ADDRESS SIGNS**

Each store is required to display a street address and suite number above storefront door and service door of four (4) inch white exterior vinyl.

**J. THE FOLLOWING ARE NOT PERMITTED**

- a. Roof signs.
- b. Cloth signs or streamers hanging in front of business.
- c. Exposed seam tubing.
- d. Animated or moving components.
- e. Intermittent or flashing illumination.
- f. Iridescent painted signs.

**EXHIBIT H**

- g. Letter mounted or painted-on illuminated panels.**
- h. Signs or letters painted directly on any surface.**
- i. Signs will not be permitted to be installed or placed along perimeter of Property.**

**K. CONTACT INFORMATION**

**Bill Sandre**  
**CCA Acquisitions Company, LLC**  
**5670 Wilshire Boulevard, Suite 1250**  
**Los Angeles, California**  
**323.965.1510**  
**BillS@kornwasser.net**

~~BK 10195 PG 9426~~

# SIGN EXAMPLES & DETAILS




**FABRICATE & INSTALL**  
TYPICAL SET OF ILLUMINATED PAN CHANNEL LETTERS.

**CONSTRUCTION**  
1/8" ALUMINUM BACKS.  
3/8" ALUMINUM RETURNS, 5" DEEP COLOR TO BE DETERMINED BY TENANT.  
3/4" TRIM CAP COLOR TO BE DETERMINED BY TENANT.  
VINYL COLOR TO BE DETERMINED BY TENANT. PER TENANT'S CORPORATE COLOURS.

**FACE**  
COLOR TO BE DETERMINED BY TENANT. PER TENANT'S CORPORATE COLOURS.



**ILLUMINATION**  
SINGLE TUBE, DOUBLE TUBE AND OR GRID - 4" MAX STROKE BETWEEN TUBES.  
DOUBLE BACKS W/ELECTRO-BIT RUBBER BOOTS.  
30MA REMOTE TRANSFORMERS.  
OR L.E.D.'S W/ REMOTE POWER PACKS.





**FABRICATE & INSTALL**  
TYPICAL SET OF HALO-ILLUMINATED REVERSE CHANNEL LETTERS.

**CONSTRUCTION**  
1/8\"/>

**ILLUMINATION**  
SUDAN OR BEL-COR L.E.D.'S OR NEON TUBING.  
SINGLE OR DOUBLE STROKE.  
1 STROKE PER 4\"/>



**NOTE: ALL SIGNS MUST HAVE I.L.L. LABEL**



# SIGN EXAMPLES & DETAILS



**TYPICAL SET OF ILLUMINATED PAN CHANNEL LETTERS**


**FABRICATE & INSTALL**  
TYPICAL SET OF ILLUMINATED PAN CHANNEL LETTERS.

**CONSTRUCTION**  
.063" ALUMINUM BACKS.  
.063" ALUMINUM RETURNS, 5" DEEP COLOR TO BE DETERMINED BY TENANT.  
3/4" TRIM CAP COLOR TO BE DETERMINED BY TENANT.

**VINYL**  
COLOR TO BE DETERMINED BY TENANT. PER TENANTS CORPORATE COLORS.

**FACE**  
COLOR TO BE DETERMINED BY TENANT. PER TENANTS CORPORATE COLORS.

**ILLUMINATION**  
SINGLE TUBE, DOUBLE TUBE AND OR GRID - 4 MAX STROKE BETWEEN TUBES.  
DOUBLE BACKS W/ELECTRO-BIT RUBBER BOOTS.  
30MA REMOTE TRANSFORMERS.  
OR L.E.D.'S W/ REMOTE POWER PACKS.



**NOTE: ALL SIGNS MUST HAVE U.L. LABEL**





**TYPICAL SET OF REVERSE PAN CHANNEL LETTERS**

**FABRICATE & INSTALL**  
TYPICAL SET OF HALO-ILLUMINATED REVERSE CHANNEL LETTERS

**CONSTRUCTION**  
.063" ALUMINUM 3" DEEP RETURNS, COLOR AS PER TENANT.  
3/16" CLEAR LEXAN BACKS


**MOUNTING**  
1" SPACE MOUNTED FROM WALL.

**ILLUMINATION**  
SLIDAN OR GE-COR L.E.D.'S OR NEON TUBING.  
1 STROKE PER 4"  
WITH REMOTE TRANSFORMER.



EVIDIT U

# SPROUT'S COLORED BUILDING ELEVATIONS



**REVISIONS:**

- NO. DATE REVISIONS BY

**NOT FOR CONSTRUCTION**


**SPROUT'S FARMERS MARKET**  
 MADE AND BUILT  
 AMHERST, USA

**SPROUT'S**  
 FARMERS MARKET  
 MADE AND BUILT - AMHERST, USA

**FITCH**

**TBD**

# SPROUT'S COLORED BUILDING ELEVATIONS



**SPROUTS FARMERS MARKET**  
 MAIN and MAIN  
 ANYWHERE, USA

**SPROUTS**  
 FARMERS MARKET  
 MADE AND BUILT - ANYWHERE, USA

**FITCH**  
 ARCHITECT, INC.

**TBD**

NOT FOR CONSTRUCTION

**COLOUR AND MATERIALS KEY:**

- 1 1/2" PALE OAKEN TIM
- 2 1/2" PALE OAKEN TIM
- 3 1/2" PALE OAKEN TIM
- 4 1/2" PALE OAKEN TIM
- 5 1/2" PALE OAKEN TIM
- 6 1/2" PALE OAKEN TIM
- 7 1/2" PALE OAKEN TIM
- 8 1/2" PALE OAKEN TIM
- 9 1/2" PALE OAKEN TIM
- 10 1/2" PALE OAKEN TIM
- 11 1/2" PALE OAKEN TIM
- 12 1/2" PALE OAKEN TIM
- 13 1/2" PALE OAKEN TIM
- 14 1/2" PALE OAKEN TIM
- 15 1/2" PALE OAKEN TIM
- 16 1/2" PALE OAKEN TIM
- 17 1/2" PALE OAKEN TIM
- 18 1/2" PALE OAKEN TIM
- 19 1/2" PALE OAKEN TIM
- 20 1/2" PALE OAKEN TIM
- 21 1/2" PALE OAKEN TIM
- 22 1/2" PALE OAKEN TIM
- 23 1/2" PALE OAKEN TIM
- 24 1/2" PALE OAKEN TIM
- 25 1/2" PALE OAKEN TIM
- 26 1/2" PALE OAKEN TIM
- 27 1/2" PALE OAKEN TIM
- 28 1/2" PALE OAKEN TIM
- 29 1/2" PALE OAKEN TIM
- 30 1/2" PALE OAKEN TIM
- 31 1/2" PALE OAKEN TIM
- 32 1/2" PALE OAKEN TIM
- 33 1/2" PALE OAKEN TIM
- 34 1/2" PALE OAKEN TIM
- 35 1/2" PALE OAKEN TIM
- 36 1/2" PALE OAKEN TIM
- 37 1/2" PALE OAKEN TIM
- 38 1/2" PALE OAKEN TIM
- 39 1/2" PALE OAKEN TIM
- 40 1/2" PALE OAKEN TIM
- 41 1/2" PALE OAKEN TIM
- 42 1/2" PALE OAKEN TIM
- 43 1/2" PALE OAKEN TIM
- 44 1/2" PALE OAKEN TIM
- 45 1/2" PALE OAKEN TIM
- 46 1/2" PALE OAKEN TIM
- 47 1/2" PALE OAKEN TIM
- 48 1/2" PALE OAKEN TIM
- 49 1/2" PALE OAKEN TIM
- 50 1/2" PALE OAKEN TIM
- 51 1/2" PALE OAKEN TIM
- 52 1/2" PALE OAKEN TIM
- 53 1/2" PALE OAKEN TIM
- 54 1/2" PALE OAKEN TIM
- 55 1/2" PALE OAKEN TIM
- 56 1/2" PALE OAKEN TIM
- 57 1/2" PALE OAKEN TIM
- 58 1/2" PALE OAKEN TIM
- 59 1/2" PALE OAKEN TIM
- 60 1/2" PALE OAKEN TIM
- 61 1/2" PALE OAKEN TIM
- 62 1/2" PALE OAKEN TIM
- 63 1/2" PALE OAKEN TIM
- 64 1/2" PALE OAKEN TIM
- 65 1/2" PALE OAKEN TIM
- 66 1/2" PALE OAKEN TIM
- 67 1/2" PALE OAKEN TIM
- 68 1/2" PALE OAKEN TIM
- 69 1/2" PALE OAKEN TIM
- 70 1/2" PALE OAKEN TIM
- 71 1/2" PALE OAKEN TIM
- 72 1/2" PALE OAKEN TIM
- 73 1/2" PALE OAKEN TIM
- 74 1/2" PALE OAKEN TIM
- 75 1/2" PALE OAKEN TIM
- 76 1/2" PALE OAKEN TIM
- 77 1/2" PALE OAKEN TIM
- 78 1/2" PALE OAKEN TIM
- 79 1/2" PALE OAKEN TIM
- 80 1/2" PALE OAKEN TIM
- 81 1/2" PALE OAKEN TIM
- 82 1/2" PALE OAKEN TIM
- 83 1/2" PALE OAKEN TIM
- 84 1/2" PALE OAKEN TIM
- 85 1/2" PALE OAKEN TIM
- 86 1/2" PALE OAKEN TIM
- 87 1/2" PALE OAKEN TIM
- 88 1/2" PALE OAKEN TIM
- 89 1/2" PALE OAKEN TIM
- 90 1/2" PALE OAKEN TIM
- 91 1/2" PALE OAKEN TIM
- 92 1/2" PALE OAKEN TIM
- 93 1/2" PALE OAKEN TIM
- 94 1/2" PALE OAKEN TIM
- 95 1/2" PALE OAKEN TIM
- 96 1/2" PALE OAKEN TIM
- 97 1/2" PALE OAKEN TIM
- 98 1/2" PALE OAKEN TIM
- 99 1/2" PALE OAKEN TIM
- 100 1/2" PALE OAKEN TIM

STANDING SEAM METAL  
 COLOR: VENTURE