

When Recorded, Please Return To:

D. Brent Rose
Clyde Snow & Sessions, P.C.
One Utah Center
201 South Main Street, Suite 1300
Salt Lake City, Utah 84111-2216

Ent 1126394 Bk 1851 Pg 631
Date: 4-Jun-2015 09:44 AM Fee \$39.00
Cache County, UT
Michael Bleed, Rec. - Filed By SA
For CACHE HIGHLINE WATER ASSN


NOTICE OF PRESCRIPTIVE EASEMENT

CACHE HIGHLINE WATER ASSOCIATION, a nonprofit corporation organized and existing under the laws of the State of Utah, successor-in-interest to the Logan Hyde Park Smithfield Canal Company (the "Irrigation Company"), whose current business address is 1335 East 2300 North, Logan, UT 84321, pursuant to and in conformance with the provisions of §57-13a-103, Utah Code Annotated, 1953, as amended, hereby gives notice that it has a prescriptive easement, duly established by continuous, open and notorious and adverse use of its canal known as the Logan Hyde Park Smithfield Canal (the "Canal"), including, the ownership of the Canal, and the right to use the Canal and so much of the land on either side of the Canal as is reasonably necessary for the operation, maintenance, repair, improvement and replacement thereof, for the transportation and conveyance of irrigation and storm drainage waters, for a period long exceeding the prescriptive period of 20 years. The portion of the Canal which is the subject of this Notice is situated solely in Cache County, State of Utah, the centerline of which is more particularly described as follows:


See EXHIBIT "A" attached hereto and by this reference incorporated herein.

DATED this 3 day of June, 2015.

CACHE HIGHLINE WATER ASSOCIATION

By: 
President

ATTEST:


Secretary

STATE OF UTAH)

:ss.

County of Cache)

On the 3RD day of JUNE, 2015, personally appeared before me Keith Meikle and Marianna Larsen, known to me, or proved to me on the basis of satisfactory evidence, to be the persons who executed the within instrument as President and Secretary, respectively, on behalf of the corporation therein named, who duly acknowledged to me that the corporation executed the same.


NOTARY PUBLIC

{00781313-1 }




EXHIBIT "A"
To Notice of Prescriptive Easement
(Logan Hyde Park Smithfield Canal – Northern Portion)

Ent 1126394 Bk 1851 Pg 632

THE FOLLOWING 8 DESCRIPTIONS DESCRIBE THE CENTERLINE OF THE EXISTING CANAL.

DESCRIPTION 1

THE TYPICAL MINIMUM NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE SLOPE, WHICHEVER IS GREATER.

PART OF THE SOUTHEAST QUARTER OF SECTION 11 AND PART OF THE SOUTHWEST QUARTER OF SECTION 12, OF TOWNSHIP 12 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT BEING N. 00°00'00" E. 39.60 FEET AND S. 90°00'00" E. 96.05 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 11, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING FIFTY TWO (52) COURSES:

N. 37°24'09" E. 25.15 FEET

NORTHERLY 34.92 FEET ALONG THE ARC OF A 22.58 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 88°35'46", THE CHORD OF WHICH BEARS N. 07°14'24" W. 31.54 FEET

N. 76°59'32" W. 62.15 FEET

N. 68°25'15" W. 79.55 FEET

N. 24°15'35" W. 31.17 FEET

N. 16°34'21" W. 118.00 FEET

N. 05°41'58" W. 52.99 FEET

NORTHWESTERLY 31.37 FEET ALONG THE ARC OF A 37.10 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 48°26'15", THE CHORD OF WHICH BEARS N. 32°03'33" W. 30.44 FEET

N. 63°44'27" W. 38.71 FEET

NORTHWESTERLY 41.96 FEET ALONG THE ARC OF A 58.45 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 41°07'48", THE CHORD OF WHICH BEARS N. 37°04'46" W. 41.06 FEET

N. 13°29'26" W. 30.38 FEET

NORTHWESTERLY 30.31 FEET ALONG THE ARC OF A 70.83 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 24°30'34", THE CHORD OF WHICH BEARS N. 24°55'04" W. 30.07 FEET

N. 38°45'21" W. 49.69 FEET

NORTHWESTERLY 25.40 FEET ALONG THE ARC OF A 67.56 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 21°32'29", THE CHORD OF WHICH BEARS N. 28°56'01" W. 25.25 FEET

N. 19°55'51" W. 62.58 FEET

NORTHWESTERLY 24.19 FEET ALONG THE ARC OF A 51.23 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 27°03'40", THE CHORD OF WHICH BEARS N. 42°40'55" W. 23.97 FEET

N. 59°39'34" W. 35.11 FEET

NORTHWESTERLY 28.77 FEET ALONG THE ARC OF A 66.24 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 24°52'51", THE CHORD OF WHICH BEARS N. 45°44'12" W. 28.54 FEET

N. 28°37'46" W. 219.31 FEET

Ent 1126394 Bk 1851 Pg 633

NORTHERLY 61.80 FEET ALONG THE ARC OF A 99.41 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 35°37'14", THE CHORD OF WHICH BEARS N. 03°53'49" W. 60.81 FEET

NORTHERLY 63.26 FEET ALONG THE ARC OF A 63.79 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 53°51'22", THE CHORD OF WHICH BEARS N. 13°00'53" W. 57.78 FEET

NORTHWESTERLY 54.74 FEET ALONG THE ARC OF A 101.73 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 30°50'09", THE CHORD OF WHICH BEARS N. 28°41'35" W. 54.09 FEET

N. 09°46'24" W. 108.15 FEET

N. 07°46'05" W. 82.00 FEET
 NORTHERLY 42.87 FEET ALONG THE ARC OF A 160.31 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 15°19'15", THE CHORD OF WHICH BEARS N. 19°16'46" W. 42.74 FEET
 N. 32°03'22" W. 69.35 FEET
 N. 28°05'02" W. 63.53 FEET
 N. 15°04'27" W. 27.64 FEET
 NORTHERLY 31.91 FEET ALONG THE ARC OF A 54.71 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 33°25'02", THE CHORD OF WHICH BEARS N. 06°19'22" E. 31.46 FEET
 N. 33°12'20" E. 32.79 FEET
 NORTHERLY 42.99 FEET ALONG THE ARC OF A 27.62 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 89°11'43", THE CHORD OF WHICH BEARS N. 09°33'00" W. 38.78 FEET
 N. 50°27'18" W. 28.24 FEET
 NORTHWESTERLY 88.19 FEET ALONG THE ARC OF A 132.51 FOOT RADIUS CURVE TO THE RIGHT
 THROUGH A CENTRAL ANGLE OF 38°07'58", THE CHORD OF WHICH BEARS N. 31°07'17" W. 86.57 FEET
 N. 15°48'57" W. 51.18 FEET
 N. 58°07'32" W. 63.85 FEET
 NORTHWESTERLY 39.41 FEET ALONG THE ARC OF A 134.30 FOOT RADIUS CURVE TO THE RIGHT
 THROUGH A CENTRAL ANGLE OF 16°48'50", THE CHORD OF WHICH BEARS N. 42°01'05" W. 39.27 FEET
 N. 24°14'19" W. 76.78 FEET
 NORTHERLY 79.03 FEET ALONG THE ARC OF A 233.47 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 19°23'48", THE CHORD OF WHICH BEARS N. 09°49'55" W. 78.66 FEET
 N. 01°02'50" W. 47.54 FEET
 N. 15°09'51" W. 85.12 FEET
 N. 07°49'57" W. 51.64 FEET
 NORTHERLY 77.64 FEET ALONG THE ARC OF A 231.41 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 19°13'28", THE CHORD OF WHICH BEARS N. 19°55'02" W. 77.28 FEET
 N. 32°19'56" W. 88.07 FEET
 N. 21°53'57" W. 32.86 FEET
 NORTHERLY 60.65 FEET ALONG THE ARC OF A 49.96 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 69°33'34", THE CHORD OF WHICH BEARS N. 17°08'20" E. 57.00 FEET
 N. 51°33'00" E. 50.64 FEET
 NORTHERLY 70.75 FEET ALONG THE ARC OF A 27.55 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 147°09'26", THE CHORD OF WHICH BEARS N. 18°19'33" W. 52.85 FEET
 S. 83°26'18" W. 34.54 FEET
 NORTHWESTERLY 111.95 FEET ALONG THE ARC OF A 75.09 FOOT RADIUS CURVE TO THE RIGHT
 THROUGH A CENTRAL ANGLE OF 85°25'16", THE CHORD OF WHICH BEARS N. 52°23'12" W. 101.86 FEET
 N. 13°19'36" W. 99.47 FEET
 NORTHERLY 42.88 FEET ALONG THE ARC OF A 223.17 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 11°00'28", THE CHORD OF WHICH BEARS N. 03°51'32" W. 42.81 FEET
 N. 03°49'11" E. 141.55 FEET TO THE NORTH LINE OF SAID SOUTHEAST QUARTER OF SECTION 11.

Ent 1126394 Bk 1851 Pg 634

DESCRIPTION: 2

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM
 NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE
 EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20
 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE
 SLOPE, WHICHEVER IS GREATER.

PART OF THE NORTHEAST QUARTER OF SECTION 11, TOWNSHIP 12 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT ON THE SOUTH LINE OF SAID NORTHEAST QUARTER OF SECTION 11 BEING N. 90°00'00" W. 969.93 FEET AND N. 00°00'00" E. 2644.61 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 11, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING THIRTY TWO (32) COURSES:

N. 03°49'11" E. 57.05 FEET
NORTHERLY 105.89 FEET ALONG THE ARC OF A 417.79 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 14°31'20", THE CHORD OF WHICH BEARS N. 07°39'30" W. 105.61 FEET
N. 18°52'29" W. 173.99 FEET
N. 27°24'40" W. 109.04 FEET
N. 32°31'01" W. 91.97 FEET
NORTHERLY 51.38 FEET ALONG THE ARC OF A 124.16 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 23°42'49", THE CHORD OF WHICH BEARS N. 18°10'58" W. 51.02 FEET
N. 07°21'21" W. 97.25 FEET
N. 29°15'06" W. 54.54 FEET
N. 19°30'53" W. 107.81 FEET
NORTHWESTERLY 99.61 FEET ALONG THE ARC OF A 265.42 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 21°30'05", THE CHORD OF WHICH BEARS N. 32°03'18" W. 99.02 FEET
N. 45°04'19" W. 42.30 FEET
NORTHWESTERLY 58.69 FEET ALONG THE ARC OF A 167.03 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 20°07'56", THE CHORD OF WHICH BEARS N. 25°28'25" W. 58°39 FEET
N. 09°49'52" W. 94.12 FEET
N. 13°46'04" W. 78.29 FEET
N. 22°58'08" W. 38.90 FEET
N. 28°22'50" W. 76.32 FEET
N. 19°36'47" W. 79.07 FEET
N. 28°55'58" W. 139.27 FEET
N. 27°36'48" W. 142.08 FEET
N. 35°12'46" W. 207.35 FEET
N. 25°56'43" W. 47.76 FEET
N. 23°10'01" W. 228.05 FEET
NORTHERLY 35.40 FEET ALONG THE ARC OF A 106.94 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 18°57'59", THE CHORD OF WHICH BEARS N. 14°19'30" W. 35.24 FEET
N. 05°12'51" W. 24.92 FEET
NORTHERLY 52.78 FEET ALONG THE ARC OF A 180.58 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 16°44'55", THE CHORD OF WHICH BEARS N. 19°13'23" W. 52.60 FEET
N. 35°04'28" W. 56.28 FEET
N. 33°07'59" W. 68.14 FEET
N. 41°15'00" W. 37.82 FEET
N. 44°53'22" W. 67.46 FEET
N. 40°07'30" W. 69.51 FEET
NORTHWESTERLY 61.86 FEET ALONG THE ARC OF A 106.85 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 33°10'15", THE CHORD OF WHICH BEARS N. 55°04'03" W. 61.00 FEET
N. 71°24'50" W. 35.61 FEET

Ent 1126394 Bk 1851 Pg 635

DESCRIPTION 3

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE SLOPE, WHICHEVER IS GREATER.

PART OF THE SOUTHEAST QUARTER OF SECTION 2 AND PART OF THE NORTHEAST QUARTER OF SECTION 11, OF TOWNSHIP 12 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT BEING N. 90°00'00" W. 2094.84 FEET AND S. 00°00'00" E. 288.57 FEET FROM THE NORTHEAST CORNER OF SAID SECTION 11, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING FOURTY ONE (41) COURSES:

N. 71°24'50" W. 62.11 FEET

NORTHWESTERLY 99.00 FEET ALONG THE ARC OF A 240.38 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 23°35'49", THE CHORD OF WHICH BEARS N. 57°20'22" W. 98.30 FEET

N. 41°52'40" W. 105.64 FEET

N. 42°31'41" W. 40.89 FEET

N. 47°33'01" W. 65.21 FEET

NORTHWESTERLY 52.61 FEET ALONG THE ARC OF A 230.58 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 13°04'25", THE CHORD OF WHICH BEARS N. 32°47'10" W. 52.50 FEET

N. 19°11'07" W. 104.05 FEET

N. 14°08'37" W. 77.43 FEET

N. 09°17'44" W. 173.30 FEET

N. 09°29'10" W. 114.34 FEET

N. 01°32'49" E. 33.67 FEET

N. 10°02'02" E. 125.42 FEET

N. 19°10'18" E. 56.55 FEET

N. 42°36'13" E. 83.98 FEET

EASTERLY 53.94 FEET ALONG THE ARC OF A 40.63 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 76°04'28", THE CHORD OF WHICH BEARS S. 89°28'04" E. 50.07 FEET

S. 53°36'37" E. 71.62 FEET

EASTERLY 34.64 FEET ALONG THE ARC OF A 72.66 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 27°18'42", THE CHORD OF WHICH BEARS S. 72°50'33" E. 34.31 FEET

EASTERLY 132.11 FEET ALONG THE ARC OF A 236.39 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 32°01'16", THE CHORD OF WHICH BEARS S. 71°37'05" E. 130.40 FEET

S. 54°24'21" E. 57.33 FEET

NORTHEASTERLY 62.77 FEET ALONG THE ARC OF A 24.03 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 149°39'12", THE CHORD OF WHICH BEARS N. 55°07'35" E. 46.39 FEET

N. 33°32'13" W. 123.40 FEET

NORTHWESTERLY 62.69 FEET ALONG THE ARC OF A 195.20 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 18°24'02", THE CHORD OF WHICH BEARS N. 44°48'35" W. 62.42 FEET

N. 56°27'08" W. 44.36 FEET

Ent 1126394 Bk 1851 Pg 636

N. 52°41'02" W. 52.83 FEET

NORTHERLY 77.77 FEET ALONG THE ARC OF A 79.68 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 55°55'27", THE CHORD OF WHICH BEARS N. 19°10'30" W. 74.72 FEET

N. 17°09'10" E. 76.16 FEET

N. 22°10'53" E. 41.68 FEET
N. 31°01'17" E. 70.30 FEET
N. 17°11'05" E. 50.09 FEET
N. 01°35'17" W. 55.90 FEET
N. 06°22'38" W. 45.61 FEET
N. 20°50'25" W. 69.21 FEET

NORTHERLY 40.89 FEET ALONG THE ARC OF A 146.68 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 15°58'22", THE CHORD OF WHICH BEARS N. 07°44'31" W. 40.76 FEET

N. 07°32'58" E. 68.53 FEET
N. 02°05'35" E. 112.67 FEET
N. 02°43'39" W. 106.35 FEET
N. 01°39'17" W. 95.30 FEET
N. 03°56'19" E. 96.71 FEET
N. 02°00'34" E. 86.32 FEET
N. 07°40'02" E. 163.67 FEET
N. 00°15'50" W. 37.98 FEET

DESCRIPTION 4

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE SLOPE, WHICHEVER IS GREATER.

PART OF THE EAST HALF OF SECTION 2, TOWNSHIP 12 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN; BEGINNING AT A POINT BEING N. 00°00'00" E. 2074.67 FEET AND N. 90°00'00" W. 2190.57 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 2, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING THIRTY TWO (32) COURSES:

N. 00°15'50" W. 42.98 FEET
N. 05°39'39" W. 75.13 FEET
N. 04°00'18" E. 30.48 FEET
N. 11°30'54" E. 109.13 FEET
N. 00°25'59" W. 72.77 FEET
N. 02°58'47" E. 103.21 FEET

NORTHERLY 58.63 FEET ALONG THE ARC OF A 134.62 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 24°57'03", THE CHORD OF WHICH BEARS N. 17°07'08" E. 58.16 FEET

N. 29°59'03" E. 49.61 FEET

NORTHERLY 41.44 FEET ALONG THE ARC OF A 126.27 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 18°48'24", THE CHORD OF WHICH BEARS N. 22°17'07" E. 41.26 FEET

N. 17°00'50" E. 147.17 FEET
N. 13°57'17" E. 193.26 FEET
N. 10°10'14" E. 67.63 FEET
N. 00°45'33" E. 77.35 FEET

Ent 1126394 Bk 1851 Pg 637

NORTHERLY 47.29 FEET ALONG THE ARC OF A 99.90 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 27°06'55", THE CHORD OF WHICH BEARS N. 12°08'53" E. 46.84 FEET

N. 24°53'12" E. 75.71 FEET

N. 15°21'54" E. 72.80 FEET
 N. 09°59'26" E. 51.92 FEET
 N. 11°12'26" E. 135.97 FEET
 N. 18°21'18" E. 69.21 FEET
 NORTHERLY 53.64 FEET ALONG THE ARC OF A 159.85 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 19°13'36", THE CHORD OF WHICH BEARS N. 10°00'38" E. 53.39 FEET
 N. 02°34'32" W. 39.48 FEET
 NORTHERLY 79.15 FEET ALONG THE ARC OF A 206.38 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 21°58'18", THE CHORD OF WHICH BEARS N. 09°09'41" E. 78.66 FEET
 NORTHERLY 58.24 FEET ALONG THE ARC OF A 104.95 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 31°47'31", THE CHORD OF WHICH BEARS N. 08°48'39" E. 57.49 FEET
 NORTHERLY 80.91 FEET ALONG THE ARC OF A 255.92 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 18°06'57", THE CHORD OF WHICH BEARS N. 00°43'52" E. 80.58 FEET
 NORTHERLY 55.98 FEET ALONG THE ARC OF A 262.30 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 12°13'38", THE CHORD OF WHICH BEARS N. 09°36'15" E. 55.87 FEET
 N. 01°42'41" W. 67.27 FEET
 NORTHERLY 41.98 FEET ALONG THE ARC OF A 80.25 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 29°58'15", THE CHORD OF WHICH BEARS N. 16°17'21" W. 41.50 FEET
 N. 32°15'50" W. 69.78 FEET
 NORTHERLY 72.32 FEET ALONG THE ARC OF A 229.37 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 18°03'55", THE CHORD OF WHICH BEARS N. 20°08'31" W. 72.02 FEET
 N. 09°14'23" W. 38.56 FEET
 NORTHWESTERLY 113.13 FEET ALONG THE ARC OF A 145.90 FOOT RADIUS CURVE TO THE LEFT
 THROUGH A CENTRAL ANGLE OF 44°25'22", THE CHORD OF WHICH BEARS N. 31°40'50" W. 110.31 FEET
 NORTHWESTERLY 89.95 FEET ALONG THE ARC OF A 100.00 FOOT RADIUS CURVE TO THE RIGHT
 THROUGH A CENTRAL ANGLE OF 51°32'25", THE CHORD OF WHICH BEARS N. 28°07'19" W. 86.95 FEET

DESCRIPTION 5

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM
 NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE
 EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20
 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE
 SLOPE, WHICHEVER IS GREATER.

PART OF THE NORTHEAST QUARTER OF SECTION 2, TOWNSHIP 12 NORTH, RANGE 1 EAST, SALT LAKE
 BASE AND MERIDIAN AND PART OF THE SOUTH HALF OF SECTION 35, TOWNSHIP 13 NORTH, RANGE 1
 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT BEING N. 00°00'00" E. 4353.85 FEET AND
 N. 90°00'00" W. 2032.64 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 2, THENCE AS
 FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING THIRTY NINE (39) COURSES:

NORTHERLY 16.97 FEET ALONG THE ARC OF A 100.00 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 9°43'16", THE CHORD OF WHICH BEARS N. 02°30'32" E. 16.95 FEET
 NORTHERLY 64.07 FEET ALONG THE ARC OF A 99.99 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 36°42'43", THE CHORD OF WHICH BEARS N. 10°59'12" W. 62.98 FEET
 N. 29°20'33" W. 112.60 FEET
 N. 11°09'34" W. 226.69 FEET

Ent 1126394 Bk 1851 Pg 638

N. 01°34'01" W. 113.52 FEET
 NORTHERLY 29.13 FEET ALONG THE ARC OF A 52.80 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 31°37'01", THE CHORD OF WHICH BEARS N. 22°03'15" W. 28.77 FEET
 N. 35°50'05" W. 54.96 FEET
 NORTHERLY 95.30 FEET ALONG THE ARC OF A 239.48 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 22°48'08", THE CHORD OF WHICH BEARS N. 08°55'29" W. 94.68 FEET TO A NON
 TANGENT CURVE
 NORTHERLY 151.83 FEET ALONG THE ARC OF A 126.48 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 68°46'25", THE CHORD OF WHICH BEARS N. 10°52'16" W. 142.87 FEET
 NORTHERLY 91.32 FEET ALONG THE ARC OF A 78.47 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 66°40'26", THE CHORD OF WHICH BEARS N. 15°47'32" W. 86.25 FEET
 N. 07°54'32" E. 94.84 FEET
 NORTHERLY 79.47 FEET ALONG THE ARC OF A 370.64 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 12°17'07", THE CHORD OF WHICH BEARS N. 03°08'45" W. 79.32 FEET
 N. 15°34'42" W. 159.11 FEET
 N. 04°22'30" W. 93.43 FEET
 N. 22°18'52" W. 87.83 FEET
 N. 10°35'37" W. 84.93 FEET
 N. 18°19'05" W. 153.78 FEET
 N. 26°16'29" W. 121.30 FEET
 N. 14°08'37" W. 94.57 FEET
 N. 08°10'32" W. 92.48 FEET
 N. 16°52'27" W. 234.73 FEET
 N. 19°45'57" W. 131.97 FEET
 N. 13°23'05" W. 62.22 FEET
 N. 05°18'07" W. 96.86 FEET
 N. 11°14'35" W. 194.60 FEET
 N. 13°27'20" W. 73.89 FEET
 N. 04°32'43" W. 91.76 FEET
 N. 25°35'09" W. 170.39 FEET
 N. 15°45'43" W. 92.68 FEET
 N. 01°40'20" W. 44.00 FEET
 N. 03°04'57" E. 42.34 FEET
 NORTHERLY 65.94 FEET ALONG THE ARC OF A 103.08 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 36°39'21", THE CHORD OF WHICH BEARS N. 14°04'10" W. 64.83 FEET
 N. 33°49'33" W. 39.53 FEET
 NORTHERLY 71.93 FEET ALONG THE ARC OF A 127.65 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
 CENTRAL ANGLE OF 32°17'07", THE CHORD OF WHICH BEARS N. 07°37'17" W. 70.98 FEET
 N. 06°19'48" E. 37.17 FEET
 NORTHERLY 50.36 FEET ALONG THE ARC OF A 71.32 FOOT RADIUS CURVE TO THE LEFT THROUGH A
 CENTRAL ANGLE OF 40°27'22", THE CHORD OF WHICH BEARS N. 12°20'32" W. 49.32 FEET
 N. 29°16'49" W. 61.16 FEET
 N. 08°40'12" W. 129.98 FEET
 N. 12°10'49" W. 49.57 FEET TO THE NORTH LINE OF THE SOUTH HALF OF SAID SECTION 35.

Ent 1126394 Bk 1851 Pg 639

DESCRIPTION 6

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE

EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE SLOPE, WHICHEVER IS GREATER.

PART OF THE NORTHWEST QUARTER OF SECTION 35, TOWNSHIP 13 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT BEING S. 89°56'52" W. 93.79 FEET FROM THE CENTER OF SAID SECTION 35, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING TWENTY FOUR (24) COURSES:

N. 12°10'49" W. 48.46 FEET
N. 12°29'18" W. 61.83 FEET
N. 10°49'48" W. 213.76 FEET
NORTHERLY 30.72 FEET ALONG THE ARC OF A 88.63 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 19°51'18", THE CHORD OF WHICH BEARS N. 22°01'07" W. 30.56 FEET
N. 34°02'34" W. 75.81 FEET
NORTHWESTERLY 77.23 FEET ALONG THE ARC OF A 475.08 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 9°18'49", THE CHORD OF WHICH BEARS N. 23°41'40" W. 77.14 FEET
N. 14°10'44" W. 116.42 FEET
N. 07°52'47" W. 155.91 FEET
NORTHWESTERLY 42.43 FEET ALONG THE ARC OF AN 83.43 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 29°08'15", THE CHORD OF WHICH BEARS N. 38°55'27" W. 41.97 FEET
N. 55°59'56" W. 51.68 FEET
NORTHERLY 83.65 FEET ALONG THE ARC OF A 72.82 FOOT RADIUS CURVE TO THE RIGHT THROUGH A CENTRAL ANGLE OF 65°49'26", THE CHORD OF WHICH BEARS N. 19°39'55" W. 79.13 FEET
N. 09°48'44" E. 76.62 FEET
NORTHERLY 52.29 FEET ALONG THE ARC OF A 90.00 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 33°17'19", THE CHORD OF WHICH BEARS N. 06°49'56" W. 51.56 FEET
N. 23°28'35" W. 95.49 FEET
N. 15°56'23" W. 212.82 FEET
N. 27°28'45" W. 60.50 FEET
N. 20°27'22" W. 51.16 FEET
N. 02°54'28" W. 69.73 FEET
N. 13°31'12" W. 266.16 FEET
N. 00°08'54" W. 86.84 FEET
N. 09°12'07" E. 41.44 FEET
N. 18°24'14" E. 88.76 FEET
N. 05°26'52" E. 89.60 FEET
N. 33°20'31" W. 36.97 FEET

Ent 1126394 Bk 1851 Pg 640

DESCRIPTION 7

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE SLOPE, WHICHEVER IS GREATER.

PART OF THE NORTHWEST QUARTER OF SECTION 35, AND PART OF THE SOUTHWEST QUARTER OF SECTION 26, TOWNSHIP 13 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT BEING N. 00°00'00" E. 2063.76 FEET AND N. 90°00'00" W. 566.69 FEET FROM THE CENTER OF SAID SECTION 35, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING TEN (10) COURSES:

N. 33°20'31" W. 49.97 FEET
N. 15°22'52" W. 37.81 FEET
N. 04°04'13" W. 162.44 FEET
N. 00°27'31" E. 504.28 FEET
N. 08°06'48" E. 366.90 FEET
N. 14°02'20" E. 260.29 FEET
N. 29°58'53" E. 276.55 FEET
N. 23°28'02" E. 154.66 FEET
N. 36°40'34" E. 183.30 FEET
N. 29°21'21" E. 159.30 FEET

DESCRIPTION 8

THIS DESCRIPTION DESCRIBES THE CENTERLINE OF THE EXISTING CANAL. THE TYPICAL MINIMUM NECESSARY DISTANCE TO MAINTAIN AND OPERATE THE CANAL IS 10 FEET EASTERLY (UPHILL) FROM THE EASTERLY TOP OF THE CANAL BANK OR TO THE TOP OF THE SLOPE, WHICHEVER IS GREATER, AND 20 FEET WESTERLY (DOWNHILL) FROM THE WESTERLY TOP OF THE CANAL BANK OR TO THE TOE OF THE SLOPE, WHICHEVER IS GREATER.

PART OF SECTION 26, TOWNSHIP 13 NORTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN. BEGINNING AT A POINT BEING N. 00°01'32" E. 1442.25 FEET FROM THE SOUTH QUARTER CORNER OF SAID SECTION 26, THENCE AS FOLLOWS:

ALONG THE CENTERLINE OF THE EXISTING CANAL THE FOLLOWING FORTY (40) COURSES:

N. 29°21'21" E. 71.09 FEET
N. 01°02'30" W. 476.07 FEET
N. 19°10'54" W. 80.27 FEET
N. 26°59'51" W. 57.96 FEET
N. 40°50'38" W. 78.21 FEET
N. 60°42'01" W. 18.50 FEET
N. 67°56'11" W. 86.41 FEET
N. 58°22'47" W. 42.15 FEET
N. 46°57'05" W. 37.42 FEET
N. 41°40'23" W. 74.88 FEET

NORTHWESTERLY 69.96 FEET ALONG THE ARC OF A 100.00 FOOT RADIUS CURVE TO THE LEFT THROUGH A CENTRAL ANGLE OF 40°05'07", THE CHORD OF WHICH BEARS N. 61°42'56" W. 68.54 FEET

N. 81°45'29" W. 102.46 FEET
S. 86°59'10" W. 198.98 FEET
N. 73°49'56" W. 102.54 FEET
S 87°48'06" W. 159.99 FEET
N. 67°26'01" W. 68.82 FEET
N. 49°48'33" W. 205.81 FEET

Ent 1126394 Bk 1851 Pg 641

WESTERLY 60.93 FEET ALONG THE ARC OF AN 80.00 FOOT RADIUS CURVE TO THE LEFT THROUGH A
CENTRAL ANGLE OF 43°38'23", THE CHORD OF WHICH BEARS N. 71°37'44" W. 59.47 FEET
S86°33'04" W. 72.27 FEET
WESTERLY 61.74 FEET ALONG THE ARC OF AN 85.00 FOOT RADIUS CURVE TO THE RIGHT THROUGH A
CENTRAL ANGLE OF 41°36'49", THE CHORD OF WHICH BEARS N. 72°38'31" W. 60.39 FEET
N. 51°50'07" W. 305.07 FEET
N. 23°07'00" W. 56.80 FEET
N. 19°02'54" W. 42.09 FEET
N. 37°37'30" W. 34.89 FEET
N. 73°13'35" W. 30.34 FEET
N. 81°38'04" W. 72.19 FEET
N. 83°08'57" W. 74.21 FEET
N. 56°12'03" W. 150.80 FEET
N. 42°01'57" W. 99.77 FEET
N. 33°21'30" W. 168.32 FEET
N. 19°12'19" W. 96.68 FEET
N. 33°12'15" W. 127.23 FEET
N. 00°57'17" E. 364.28 FEET
N. 10°01'38" W. 150.21 FEET
N. 11°00'25" E. 207.26 FEET
N. 27°26'10" W. 96.14 FEET
N. 05°51'02" E. 171.54 FEET
N. 11°30'13" E. 65.46 FEET
N. 39°38'39" E. 242.53 FEET
N. 77°34'10" W. 89.02 FEET
S. 83°12'37" W. 165.71 FEET
N. 64°34'38" W. 71.41 FEET

Ent 1126394 Bk 1851 Pg 642