

7NF

12872134  
10/22/2018 02:27 PM \$0.00  
Book - 10723 Pg - 7485-7491  
ADAM GARDINER  
RECORDER, SALT LAKE COUNTY, UTAH  
SANDY CITY  
10000 CENTENNIAL PARKWAY  
SANDY UT 84070  
BY: NDP, DEPUTY - MA 7 P.

When recorded, mail to:  
Sandy City Recorder's Office  
10000 Centennial Pkwy  
Sandy, UT 84070

Project Name: IOP Services

Address: 7885 South 700 East Parcel ID# 22-32-102-052

**Post-Construction Storm Water Maintenance Agreement**

**WHEREAS**, the Property Owner Wasatch Recovery Treatment Center, LLC recognizes that the Storm Water Facilities (hereinafter referred to as "Facilities") must be maintained for the development called IOP Services, located at 7885 South 700 East, in the City of Sandy, Salt Lake County, State of Utah; and, **WHEREAS**, the Property Owner is the Owner of the real property more particularly described on the Attached Exhibit A as recorded by deed in the records of the Clerk of the Salt Lake County Recorder's Office with an Entry #12226836, Book #10404, and Page #9273-9274 (hereinafter referred to as "The Property"), and,

**WHEREAS**, The City of Sandy (hereinafter referred to as "The City") and the Property Owner, or its administrator, executors, successors, heirs, or assigns, agree that the health, safety, welfare and well being of the citizens of the City require that the facilities be constructed and maintained on the property, and,

**WHEREAS**, the Sandy City Ordinances and Code require that the Facilities as shown on the approved development plans and specifications be constructed and maintained by the Property Owner, its administrator, executors, successors, heirs, or assigns.

**NOW, THEREFORE**, in consideration of the foregoing premises, the mutual covenants contained herein, and the following terms and conditions, the parties hereto agree as follows:

**Section 1**

The Facility or Facilities shall be constructed by the Property Owner in accordance with the plans and specifications approved by The City for the development.

**Section 2**

The Property Owner, its administrators, executors, successors, heirs or assigns shall maintain the Facilities in good working conditions acceptable to the City and in accordance with the schedule of Post-Construction and Long Term Maintenance activities hereto and attached as Exhibit B.

**Section 3**

The Property Owner, its administrators, executors, successors, heirs or assigns hereby grants permission to the City, its authorized agents and employees, to enter upon the property and to inspect the facilities whenever the City deems necessary. Whenever possible, the City shall provide notice prior to entry.

**Section 4**

In the event the Property Owner, its administrator, executors, successors, heirs or assigns fails to maintain the Facilities as shown on the approved plans and specifications, in accordance with the Maintenance Schedule incorporated in this Maintenance Agreement, the City, with due notice, may enter the property and take whatever

steps it deems necessary to return the Facilities to a good working condition. This provision shall not be construed to allow the City to erect any structure of a permanent nature on the property. It is expressly understood and agreed that the City is under no obligation to maintain or repair the Facilities and in no event shall this Maintenance Agreement be construed to impose any such obligation on the City.

#### **Section 5**

In the event the City, pursuant to the Maintenance Agreement, performs work of any nature, or expends any funds in the performance of said work for labor, use of equipment, supplies, materials, and the like, the Property Owner shall reimburse the City within thirty (30) days of receipt thereof for all the costs incurred by the City hereunder. If not paid within the prescribed time period, the City shall secure a lien against the real property in the amount of such costs. The actions described in this section are in addition to and not in lieu of any and all legal remedies available to the City as a result of the Property Owner's failure to maintain the Facilities.

#### **Section 6**

The Property Owner will make accommodation for the removal and disposal of all the accumulated sediments. Temporary storage will be provided onsite in a reserved area(s). The sediment will need to be disposed within two weeks after being removed from the storm drain system.

#### **Section 7**

The Property Owner shall use the Standard Operation and Maintenance Inspection Report attached to this Maintenance Agreement as Exhibit C and by this reference made a part hereof for the purpose of a minimal annual inspection of the Facilities.

#### **Section 8**

The Property Owner, its administrator, executors, successors, heirs and assigns hereby indemnifies and hold harmless the City and its authorized agents and employees for any and all damages, accidents, casualties, occurrences or claims which might arise or be asserted against the City from the construction, presence, existence or maintenance of the Facilities by the Property Owner or the existence or maintenance of the Facilities by the Property Owner or the City. In the event a claim is asserted against the City, its authorized agents or employees, the City shall promptly notify the Property Owner and the Property Owner shall defend at its own expense any suit based on such claim. If any judgment or claims against The City, its authorized agents or employees shall be allowed, the Property Owner shall pay for all costs and expenses in connection herewith.

#### **Section 9**

This Maintenance Agreement shall be recorded among the deed records of the Clerk of the Salt Lake County Recorder's Office and shall constitute a covenant running with the land and shall be binding on the Property Owner, its administrator, executors, heirs, assigns and any other successors in interest.

#### **Section 10**

This Maintenance Agreement may be enforced by proceedings at law or in equity by or against the parties hereto and their respective successors in interest.

#### **Section 11**

Invalidation of any one of the provisions of this Maintenance Agreement shall in no way effect any other provisions and all other provisions shall remain in full force and effect.


So AGREED this 28<sup>th</sup> day of NOVEMBER, 2016

BY: *Mark Richards* PROPERTY OWNER  
Title: MANAGER

STATE OF Utah )  
COUNTY OF Salt Lake )ss )

On this 28 day of November, 2016, before me, the subscriber, a Notary Public in and for said State and County, personally appeared Mark Richards, the MANAGER of WASATCH RECOVERY, known or identified to me to be the person whose name is subscribed to the within instrument, and in due form of law acknowledged that he/she is authorized on behalf of said company to execute all documents pertaining hereto and acknowledged to me that he/she executed the same as his/her voluntary act and deed on behalf of said company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my seal in said State and County on the day and year last above written.



*Stephanie Wilkinson*  
(Signature of Notary)

My Commission Expires: 02/10/2019

Approved as to form:  
BY: *O.R. [Signature]*  
Public Utilities

Date: 12/1/2016

- Attachments: Exhibit A (Parcel/ Plat and Legal Description)  
Exhibit B (Maintenance Plan and Inspection Schedule)  
Exhibit C (Standard Operation and Maintenance Inspection Report)

EXHIBIT A – Parcel/ Plat and Legal Description

BEGINNING AT A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF 700 EAST STREET, SAID POINT LYING SOUTH 00°01'45" EAST 747.11 FEET ALONG THE WEST LINE OF SAID NORTHWEST QUARTER AND NORTH 89°58'15" EAST 53.00 FEET FROM THE NORTHWEST CORNER OF SAID SECTION 32; AND TRAVERSING THENCE NORTH 00°01'45" WEST 199.90 FEET ALONG SAID RIGHT-OF-WAY LINE; THENCE NORTH 89°39'40" EAST 296.00 FEET; THENCE SOUTH 00°01'45" EAST 201.49 FEET; THENCE SOUTH 89°58'08" WEST 296.00 FEET TO THE POINT OF BEGINNING.

CONTAINS 59,405 SF OR 1.364 ACRES MORE OR LESS

THE BASIS OF BEARING FOR THIS DESCRIPTION IS SOUTH 00°01'45" EAST FROM THE NORTHWEST CORNER OF SECTION 32, TOWNSHIP 2 SOUTH, RANGE 1 EAST, SALT LAKE BASE AND MERIDIAN TO THE FOUND WEST QUARTER CORNER OF SAID SECTION 32.

## EXHIBIT B – Maintenance Plan and Inspection Schedule

### Maintenance plan:

Maintain all landscaped areas to prevent soil erosion. Repair eroded areas and remove cause of erosion where applicable.

Remove loose garbage from the site as needed.

### Storm water system maintenance:

Inspect and clean storm water conveyances annually. Identify any cleaning or repairs needed.

Perform maintenance and repairs when dry weather is expected.

Maintain storm water catch basins, piping, oil/water separator, and detention per sandy city standard operating procedures (see Detention Pond Maintenance, Oil Water Separator Maintenance, SD Pipe Maintenance, SD Structure Maintenance listed under utility maintenance).

### Landscaping:

Grass clippings: clean any loose material off asphalt and gutter. Sweep or blow clippings to grass areas.

Chemicals: use fertilizers, pesticides, and herbicides according to manufacturers recommended application rates to avoid excessive application.

### Inspection schedule:

#### Weekly:

Check for garbage and sediment in parking lots, at storm drain grates, and around dumpsters. Check for and clean chemical and oil spills in parking lots.

#### Monthly:


Check landscaping for erosion and leaks in landscaped areas during irrigation season.

Annually: Inspect storm drain catch basins, grates, piping, orifice plate, and underground detention storage chambers. Inspect oil/water separator. Visual examination of first flush storm water runoff during a significant storm event for sediments and oils. Sweep parking lot.

**IOP SERVICES**  
STORM WATER MAINTENANCE PLAN



1" = 50'



**MAINTENANCE PLAN:**

MAINTAIN ALL LANDSCAPED AREAS TO PREVENT SOIL EROSION.  
REPAIR ERODED AREAS AND REMOVE CAUSE OF EROSION WHERE APPLICABLE.  
REMOVE LOOSE GARBAGE FROM THE SITE AS NEEDED.

**STORM WATER SYSTEM MAINTENANCE**

INSPECT AND CLEAN STORM WATER CONVEYANCES ANNUALLY.  
IDENTIFY ANY CLEANING OR REPAIRS NEEDED.  
PERFORM MAINTENANCE AND REPAIRS WHEN DRY WEATHER IS EXPECTED.  
MAINTAIN STORM WATER CATCH BASINS, PIPING, OIL/WATER SEPARATOR, AND DETENTION PER SANDY CITY STANDARD OPERATING PROCEDURES (SEE DETENTION POND MAINTENANCE, OIL WATER SEPARATOR MAINTENANCE, SD PIPE MAINTENANCE, SD STRUCTURE MAINTENANCE LISTED UNDER UTILITY MAINTENANCE).

**LANDSCAPING:**

GRASS CLIPPINGS: CLEAN ANY LOOSE MATERIAL OFF ASPHALT AND GUTTER. SWEEP OR BLOW CLIPPINGS TO GRASS AREAS.  
CHEMICALS: USE FERTILIZERS, PESTICIDES, AND HERBICIDES ACCORDING TO MANUFACTURERS RECOMMENDED APPLICATION RATES TO AVOID EXCESSIVE APPLICATION.

**INSPECTION SCHEDULE:**

WEEKLY:

CHECK FOR GARBAGE AND SEDIMENT IN PARKING LOTS, AT STORM DRAIN GRATES, AND AROUND DUMPSTERS. CHECK FOR AND CLEAN CHEMICAL AND OIL SPILLS IN PARKING LOTS.

MONTHLY:

CHECK LANDSCAPING FOR EROSION AND LEAKS IN LANDSCAPED AREAS DURING IRRIGATION SEASON.

ANNUALLY:

INSPECT STORM DRAIN CATCH BASINS, GRATES, PIPING, ORIFICE PLATE, AND UNDERGROUND DETENTION STORAGE CHAMBERS. INSPECT OIL/WATER SEPARATOR. VISUAL EXAMINATION OF FIRST FLUSH STORM WATER RUNOFF DURING A SIGNIFICANT STORM EVENT FOR SEDIMENTS AND OILS. SWEEP PARKING LOT.

EXHIBIT C – Standard Operation and Maintenance Inspection Report  
**Facility Operation and Maintenance Inspection Report for Storm Drain Facilities**

Inspector Name:				Subdivision / Property Name:			
Inspection Date:				Address:			
Frequency of Inspection		<input type="checkbox"/> Weekly		<input type="checkbox"/> Monthly		<input type="checkbox"/> Quarterly	
Item Inspected		Checked		Maintenance Required?		Observations and Remarks	
		Yes	NA	Yes	NA		
<b>Detention/Retention Facilities</b>							
1	Landscaping maintenance						
2	Remove sedimentation/debris						
3	Repair side slopes (channeling / sloughing)						
4	Repair rip-rap protection						
5	Repair control structure						
6	Cleaning of outfall						
7	Maintenance of inlets						
8	Maintenance of outlets						
<b>Storm Drain System</b>							
1	Remove sediment from catch basins						
2	Cleaning storm drain pipes						
3	Maintenance of drainage swales						
4	Remove sediment from manholes						
5	Remove sediment from sumps						
6	Repair oil/ water separator						
7	Repair sand filters						
<b>Parking Lot and Roads Maintenance</b>							
1	Sweeping of parking lot						
2	Sweeping of streets						
3	Cleaning of garbage enclosure						
4	Cleaning of non-hazardous spills						
5	Managing fertilizer use						
6	Managing pesticide use						
7	Removal of grass after lawn mowing						

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information provided is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

BY: \_\_\_\_\_ Date: \_\_\_\_\_  
 Site Inspector