

Mail to: Water and Power Resources Service
attn: UC-420 42111
P.O. Box 11568
Salt Lake City, Utah 84147.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF RECLAMATION

UTAH COUNTY RECORDER
DEPUTY
PR
ASST
NO
DEC 5 1990

UTAH TITLE & ABSTRACT
1990 DEC -5 PM 4:33

RIGHT-OF-WAY NOTICE

CENTRAL UTAH PROJECT

THIS NOTICE IS TO THE LANDOWNER AND ALL PERSONS WHOMSOEVER:

Notice is hereby given that a right-of-way was reserved by the United States, pursuant to the Act of August 30, 1890, 26 Stat. 391, in the patent to your land and the United States is now exercising this reserved right for the construction, operation, and maintenance of an underground conduit known as the Jordan Aqueduct (Reach 4), Bonneville Unit, Central Utah Project, on said right-of-way. The underground conduit will be constructed on the following-described land in Utah County, Utah, to-wit:

Parcel No. JA-468(F)

A parcel of land in Utah County, Utah, in the North half of the Northwest quarter (N 1/2 NW 1/4) of Section 33, Township 4 South, Range 1 East, Salt Lake Meridian, Utah, containing Two and Ten Hundredths (2.10) acres, more or less, and being more particularly described as follows:

Bearings in the following description are based on the Utah Coordinate System, Central Zone.

Beginning at a point which lies South 00°05' East Eleven Hundred Eighty-eight and One-tenth (1188.1) feet along the section line and North 89°55' East Eighteen Hundred Twenty-five and Six-tenths (1825.6) feet from the Northwest corner of said Section 33; said point has U.S.C. & G.S. plane grid coordinates North 764,617.95 and East 1,904,674.34; thence South 00°03' East Fifty and Six-tenths (50.6) feet, more or less, to the northerly right-of-way line of State Highway No. 80 to a point on a regular curve to the right, the tangent to the curve at said point bears North 81°33' West; thence along arc of said curve having a 5,840-foot radius Thirty-seven and One-tenth (37.1) feet; thence North 81°11' West Eight Hundred Twenty-seven (827.0) feet along said highway northerly right-of-way line to a point of a regular curve to the left; thence along arc of said curve having a 5,780-foot radius Six Hundred

DESCRIPTION CERTIFIED CORRECT

BY *Ray F. H. H. H.* Name
Date 3/21/77

P-2418

42111

BOOK 1881 PAGE 115

Fifty-six and Eight-tenths (656.8) feet; thence North 87°42' West Three Hundred Eighteen and Eight-tenths (318.8) feet, more or less, along said highway northerly right-of-way line to grantors westerly boundary line; thence North 00°05' West Fifty (50.0) feet along said westerly boundary line; thence South 87°42' East Three Hundred Twenty-one and Three-tenths (321.3) feet to a point on a regular curve to the right; thence along the arc of said curve having a 5,830-foot radius Six Hundred Sixty-two and Five-tenths (662.5) feet; thence South 81°11' East Eight Hundred Twenty-seven (827.0) feet; to point of a regular curve to the left; thence along arc of said curve having a 5,780-foot radius Twenty-nine and Three-tenths (29.3) feet, more or less, to point of beginning.

Based on the Utah Coordinate System, Central Zone, established by the United States Coast and Geodetic Survey the Northeast corner of said Section 33 has plane grid coordinates North 765,799.93 and East 1,908,157.98; the Northwest corner of said Section 33 has plane grid coordinates North 765,803.22 and East 1,902,847.67; the North quarter corner of said Section 33 has plane grid coordinates North 765,801.36 and East 1,905,502.72 and the South quarter corner of said Section 33 has plane grid coordinates North 760,507.90 and East 1,905,506.58.

Ground distances in the foregoing description can be converted to U.S.C. & G.S. grid distances by multiplying by the combination factor .999712.

The following described lands will be used for construction purposes during construction of the Jordan Aqueduct (Reach 4) and appurtenant structures.

Parcel No. JA-468(T)

A parcel of land in Utah County, Utah in the North half of the Northwest quarter (N 1/2 NW 1/4) of Section 33, Township 4 South, Range 1 East, Salt Lake Meridian, Utah, containing Three and Thirty-seven Hundredths (3.37) acres, more or less, and being more particularly described as follows:

Bearings in the following description are based on the Utah Coordinate System, Central Zone.


Beginning at a point which lies South 00°05' East Eleven Hundred Seventy-eight (1178.0) feet along the section line and North 89°55' East Eighteen Hundred Twenty-five and Six-tenths (1825.6) feet from the Northwest corner of said Section 33; said point has U.S.C. & G.S. plane grid coordinates North 764,617.95 and East 1,904,674.34 and lies on a regular curve to the right, the tangent to the curve at said point bears North 81°28' West; thence along arc of said

curve having a 5,790-foot radius Twenty-nine and Three-tenths (29.3) feet; thence North 81°11' West Eight Hundred Twenty-seven (827.0) feet; to a point of a regular curve to the left; thence along arc of said curve having a 5,830-foot radius Six Hundred Sixty-two and Five-tenths (662.5) feet; thence North 87°42' West Three Hundred Twenty-one and Three-tenths (321.3) feet, more or less, to the West boundary of grantors property; thence North 00°05' West Eighty and One-tenth (80.1) feet along said West boundary; thence South 87°42' East Three Hundred Twenty-four and Two-tenths (324.2) feet to point of a regular curve to the right; thence along arc of said curve having a 5,910-foot radius Six Hundred Seventy-one and Six-tenths (671.6) feet; thence South 81°11' East Eight Hundred Twenty-seven (827.0) feet to point of a regular curve to the left; thence along arc of said curve having a 5,710-foot radius Sixteen and Nine-tenths (16.9) feet; thence South 00°03' East Eighty and Nine-tenths (80.9) feet, more or less, to point of beginning.

Based on the Utah Coordinate System, Central Zone, established by the United States Coast and Geodetic Survey the Northeast corner of said Section 33 has plane grid coordinates North 765,799.93 and East 1,908,157.98; the Northwest corner of said Section 33 has plane grid coordinates North 765,803.22 and East 1,902,847.67; the North quarter corner of said Section 33 has plane grid coordinates North 765,801.36 and East 1,905,502.72 and the South quarter corner of said Section 33 has plane grid coordinates North 760,507.90 and East 1,905,506.58.

Ground distances in the foregoing description can be converted to U.S.C. & G.S. grid distances by multiplying by the combination factor .999712.

Please be advised that the owner of the above-described land will be compensated under the provisions of the Act of September 2, 1964, (78 Stat. 808), as amended. A duplicate copy of this notice will be delivered to the landowner. No use should be made of the right-of-way by anyone for any purpose contrary to the use by the United States for the conduit. For information, contact the Regional Director, Attention: UC-420, of the United States Water and Power Resources Service, Federal Building, 125 South State Street, Salt Lake City, Utah 84147.




Acting Regional Supervisor of Water and Power
Water and Power Resources Service
Upper Colorado Region

ACKNOWLEDGMENT

STATE OF UTAH)
)
COUNTY OF SALT LAKE) ss.

On the 4th day of SEPTEMBER, 1980, personally appeared
before me DON H. BARNETT, the signer of the above instru-
ment, who duly acknowledged to me that he executed the same.



[Handwritten Signature]

Notary Public
Residing at GRANBY
State of Utah
My Commission Expires:
5-7-83

42111

4

BOOK 1881 PAGE 118