



ENT 94798:2016 PG 1 of 8
Jeffery Smith
Utah County Recorder
 2016 Sep 27 02:56 PM FEE 27.00 BY CS
 RECORDED FOR Cottonwood Title Insurance Ag
 ELECTRONICALLY RECORDED

UCC FINANCING STATEMENT

FOLLOW INSTRUCTIONS

A. NAME & PHONE OF CONTACT AT FILER (optional)

B. E-MAIL CONTACT AT FILER (optional)

C. SEND ACKNOWLEDGMENT TO: (Name and Address)

Ireland Bank
 386 North Main/PO Box 835
 Aberdeen, ID 83210

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1. DEBTOR'S NAME: Provide only one Debtor name (1a or 1b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 1b, leave all of item 1 blank, check here and provide the individual Debtor information in item 10 of the Financing Statement Addendum (Form UCC1Ad)

1a. ORGANIZATION'S NAME Stokes Brothers Real Estate, LLC				
OR	1b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
1c. MAILING ADDRESS 1310 Pomerelle Avenue		CITY Burley	STATE ID	POSTAL CODE 83318
			COUNTRY USA	

2. DEBTOR'S NAME: Provide only one Debtor name (2a or 2b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 2b, leave all of item 2 blank, check here and provide the Individual Debtor information in item 10 of the Financing Statement Addendum (Form UCC1Ad)

2a. ORGANIZATION'S NAME Stokes Salem Inc.				
OR	2b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
2c. MAILING ADDRESS 795 N State Road #198		CITY Salem	STATE UT	POSTAL CODE 84653
			COUNTRY USA	

3. SECURED PARTY'S NAME (or NAME of ASSIGNEE of ASSIGNOR SECURED PARTY): Provide only one Secured Party name (3a or 3b)

3a. ORGANIZATION'S NAME Ireland Bank				
OR	3b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
3c. MAILING ADDRESS 386 North Main/PO Box 835		CITY Aberdeen	STATE ID	POSTAL CODE 83210
			COUNTRY USA	

4. COLLATERAL: This financing statement covers the following collateral:

All the following which debtor owns now or in the future, together with all parts, accessories, repairs, replacements, improvements, and accessions, and wherever located:

All Fixtures and Equipment now or hereafter attached to real property, including but not limited to, see attached Exhibit "B", Equipment; Fixtures; All products and proceeds of the collateral;

5. Check only if applicable and check only one box: Collateral is held in a Trust (see UCC1Ad, item 17 and Instructions) being administered by a Decedent's Personal Representative

6a. Check only if applicable and check only one box:
 Public-Finance Transaction Manufactured-Home Transaction A Debtor is a Transmitting Utility

6b. Check only if applicable and check only one box:
 Agricultural Lien Non-UCC Filing

7. ALTERNATIVE DESIGNATION (if applicable): Lessee/Lessor Consignee/Consignor Seller/Buyer Bailee/Bailor Licensee/Licensor

8. OPTIONAL FILER REFERENCE DATA:

UCC FINANCING STATEMENT ADDENDUM

FOLLOW INSTRUCTIONS

9. NAME OF FIRST DEBTOR: Same as line 1a or 1b on Financing Statement; if line 1b was left blank because individual Debtor name did not fit, check here

9a. ORGANIZATION'S NAME Stokes Brothers Real Estate, LLC	
OR	
9b. INDIVIDUAL'S SURNAME	
FIRST PERSONAL NAME	
ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

10. DEBTOR'S NAME: Provide (10a or 10b) only one additional Debtor name or Debtor name that did not fit in line 1b or 2b of the Financing Statement (Form UCC1) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name) and enter the mailing address in line 10c

10a. ORGANIZATION'S NAME				
OR				
10b. INDIVIDUAL'S SURNAME				
INDIVIDUAL'S FIRST PERSONAL NAME				
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)				SUFFIX
10c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

11. ADDITIONAL SECURED PARTY'S NAME or ASSIGNOR SECURED PARTY'S NAME: Provide only one name (11a or 11b)

11a. ORGANIZATION'S NAME				
OR				
11b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
11c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

12. ADDITIONAL SPACE FOR ITEM 4 (Collateral):

<p>13. <input checked="" type="checkbox"/> This FINANCING STATEMENT is to be filed [for record] (or recorded) in the REAL ESTATE RECORDS (if applicable)</p> <p>15. Name and address of a RECORD OWNER of real estate described in item 16 (if Debtor does not have a record interest):</p>	<p>14. This FINANCING STATEMENT:</p> <p><input type="checkbox"/> covers timber to be cut <input type="checkbox"/> covers as-extracted collateral <input checked="" type="checkbox"/> is filed as a fixture filing</p> <p>16. Description of real estate:</p> <p>See legal description Exhibit "A" attached hereto and by this reference made a part hereof</p>
---	---

17. MISCELLANEOUS:

EXHIBIT 'A'

LEGAL DESCRIPTION:

Beginning at a fence corner which lies East 1495.22 feet and North 914.61 feet, according to Utah Coordinate Bearings, Central Zone, from the West one quarter corner of Section 1, Township 9 South, Range 2 East, Salt Lake Base and Meridian; and running thence South 89°14'50" East 580.64 feet along an existing fence to a fence on a Westerly line of State Road 198; thence North 23°02'16" East 387.85 feet along said fence; thence North 88°21'00" West 731.38 feet; thence South 00°12'00" West 370.35 feet to the point of beginning.

LESS AND EXCEPTING THEREFROM the following:

Beginning at a point which lies East 1495.22 feet and North 914.61 feet from the West quarter of Section 1, Township 9 South, Range 2 East, Salt Lake Base and Meridian and running thence South 89°14'50" East 580.64 feet; thence North 23°02'16" East 26.48 feet; thence North 55°05'46" West 4.75 feet; thence South 32°05'10" West 1.21 feet; thence 21.16 feet along a 15 foot radius curve to the right (chord bears: South 67°19'03" West 19.45 feet); thence North 70°35'42" West 3.5 feet; thence 102.32 feet along a 265 foot radius curve to the left (chord bears: North 78°11'11" West 101.69 feet); thence North 89°14'50" West 436.71 feet; thence 40.19 feet along a 25 foot radius curve to the right (chord bears: North 37°44'18" West 36 feet); thence West 6.69 feet; thence South 00°12'00" West 67.12 feet to the point of beginning.

ALSO LESS AND EXCEPTING THEREFROM the following:

A part of the Northwest quarter of Section 1, Township 9 South, Range 2 East, Salt Lake Base and Meridian, U.S. Survey: Beginning at a point 1012.45 feet North and 783.37 feet East from the West quarter corner of said section; and running thence North 00°13'36" East 78.014 feet; thence South 88°44'39" East 22.72 feet; thence Southeasterly along the arc of a 508.54 foot radius curve to the right a distance of 264.63 feet (long chord bears South 73°50'22" East 261.65 feet); thence Southeasterly along the arc of a 422.37 foot radius curve to the left a distance of 223.51 feet (long chord bears South 74°05'31" East 220.91 feet); thence South 89°15'06" East 143.29 feet; thence Northeasterly along the arc of a 21.00 foot radius curve to the left a distance of 33.19 feet (long chord bears North 45°28'27" East 29.84 feet); thence North 00°12'00" East 537.09 feet; thence South 88°30'00" East 66.02 feet; thence South 00°12'00" West 635.43 feet; thence North 89°15'06" West 231.24 feet; thence Northwesterly along the arc of a 500.37 foot radius curve to the right a distance of 264.78 feet (long chord bears North 74°05'32" West 261.70 feet); thence Northwesterly along the arc of a 430.54 foot radius curve to the left a distance of 224.04 feet (long chord bears North 73°50'22" West 221.52 feet); thence North 88°44'39" West 21.32 feet to the point of beginning.

The above-described property also being described of record as follows:

Commencing North 1284.81 feet and East 1501.79 feet from the West quarter corner of Section 1, Township 9 South, Range 2 East, Salt Lake Base and Meridian; thence South 88°21'00" East 726.1 feet; thence South 23°02'16" West 361.37 feet; thence North 55°05'46" West 4.75 feet; thence South 32°05'37" West 1.21 feet; thence along a 15.01 foot radius curve to the right (chord bears: South 67°19'02" West 19.45 feet); thence North 70°35'53" West 3.5 feet; thence along a 265.93 foot radius curve to the left (chord bears: North 78°11'11" West 101.69 feet); thence North 89°14'50" West 436.71 feet; thence along a 25 foot radius curve to the right (chord bears: North 37°44'19" West 36 feet); thence West 1.41 feet; thence North 00°12'00" East 308.08 feet to the point of beginning.

Initials: _____

EXHIBIT 'B'

Item Quantity Model # Description
Refrigerated Cases

A	1	O3UM8	8' HILL PHOENIX 3-DECK DELI CS.
B	2	NEBCH-12U	24' HILL PHOENIX SERVICE DELI CS.
C	4	O3UM8	36' HILL PHOENIX 3-DECK CHEESE ISLAND CS.
D	1	O3UM12	12' HILL PHOENIX 3-DECK BAKERY CS.
E	3	OHPH12	36' HILL PHOENIX WET RACK PRODUCE CS.
F	2	O5DM12	24' HILL PHOENIX M/D PRODUCE V/A CS.
G	1	D58LEU	8' HUSSMANN M/D END CAP PRODUCE JUICE
H	1	OWEZ/OWZ8	22' HILL PHOENIX ISLAND CS.
I	1	OWEZ/OWZ8	14' HILL PHOENIX ISLAND CS.
J	1	O5DM12	60' HILL PHOENIX M/D BEVERAGE CS.
K	2	ORZ3	6-DOORS HILL PHOENIX FROZEN FISH CS.
L	3	O5DM12	36' HILL PHOENIX M/D FRESH MEAT CS.
M	1	ORZ5	5-DOORS HILL PHOENIX FROZEN MEAT CS.
N	5	O5DM12/8	56' HILL PHOENIX M/D PACKAGED MEAT CS.
O	1	B101	ANTHONY 21 DAIRY DOORS W/ SHELIVING
P	1	ORZ5	5-DOORS HILL PHOENIX FROZEN FOOD CS.
Q	6	ORZ5	30-DOORS HILL PHOENIX FROZEN FOOD CS.
R	2	ORZ3	3-DOORS HILL PHOENIX FROZEN END CAPS CS.
S	6	ORZ	29-DOORS HILL PHOENIX FROZEN FOOD CS.
T	1		TRUE S/C FLORAL CASE 2 DOOR SLIDING

Walk-Ins & Coils

A	1	9'x9'	NATIONAL COOLER WALK-IN DELI COOLER
B	1	11'x11'	NATIONAL COOLER WALK-IN DELI FREEZER
C	1	12'x17'	NATIONAL COOLER WALK-IN BAKERY FREEZER
D	1	11'x11'	NATIONAL COOLER WALK-IN BAKERY COOLER
E	1	12'x29'	NATIONAL COOLER WALK-IN PRODUCE COOLER
F	1	14'x30'	NATIONAL COOLER WALK-IN MEAT COOLER
G	1	14'x56'	NATIONAL COOLER WALK-IN GR. & MT. FREEZER
H	1	14'x59'-8"	NATIONAL COOLER WALK-IN DAIRY COOLER
I	1		BOHN OFF-TM COIL 2-FAN DELI COOLER
J	1	LLE102BJ	BOHN GAS DEFROST COIL3-FAN DELI FRZ.
L	1		BOHN GAS DEFROST COIL5-FAN BKY. FRZ.
M	1	ADT156AF	BOHN OFF-TM COIL 3-FAN BKY. COOLER
N	2	XTW18-120	RUSSELL OFF-TM COIL 1-FAN PROD. COOLER
O	2	WK180AC	HEAT CRAFT OFF-TM COIL 3-FAN MEAT PREP
P	2	WK340AHC	HEAT CRAFT OFF-TM COIL 5-FAN MEAT COOLER
Q	4	HGT204BHJ	BOHN GAS DEFROST COIL6-FAN MEAT-GRY. FRZ.
R	3	ADT208QHJ	BOHN OFF-TM COIL 4-FAN DAIRY. COOLER

Refrigeration & Mechanical

PARALELL REFRIGERATION SYSTEM			
A	1	RACK- A	5 COMPRESSORS- PS522SLRAD HILL PHOENIX
B		LOW TEMP	4DL3-150L, 3DA3-060L, 3DA3-110L, 4DT3-220L, ?
C		RACK- B	4 COMPRESSORS- PS420MRADIS10 HILL PHOENIX
D			3DA3-075L, 3DB3-100L, 4DA3-200L, ?
E		RACK- C	6 COMPRESSORS- PS620SMRADIS8 HILL PHOENIX
F		MED. TEMP	2DA3-075L, 3DB3-100L, 2DL3-075L, 4DE3-200L,4DA3-200L
G	1		REFRIGERATION GAS & PARTS
H	1	AEK17-08-01-1	CALHOUN & POXON CONTROLLER
I			ADAP-KOOL DRIVE
J	2		THERMA-STORE TANK, 114GL.
K	1		HEAT RECLAIM TANK, BRADFORD WHITE 100GL.
L	1	JC-240	RECOLD WATER TOWER
Roof Top EQ.			
M	1	DD20FA	CAPTIVE AIRE FAN
N	4		CARRIER HVAC UNITS, 48PGDM24-B-60-BB Building Eq.
O	3	NCA8FA	CAPTIVE AIRE FANS

Initials: _____

P	3	NCA18HPFA	CAPTIVE AIRE FANS
Q	1	DD11FA	CAPTIVE AIRE FAN
R	3		CARRIER HVAC UNITS, 48PGDM08-A-60-BB Building Eq.
S	1		REZNOR AC, NO INFO Building Eq.
T	1		CARRIER HVAC UNITS, 48PGDM04-A-60-BB Building Eq.

Shelving

A	2	SALES FLOOR	60' WALL SECTION- 22", 84" TALL
B	1	LOZIER	6' END CAP- 19", 72" TALL, 12- 36" SHELVES
C	3	6 SHELVES	4' END CAP- 19", 72" TALL, 6 SHELVES
D	1		PER SECTION 64' ISLAND SECTION- 22"/22", 84" TALL
E	1		68' ISLAND SECTION- 19"/25", 84" TALL
F	1		68' ISLAND SECTION- 22"/22", 84" TALL
G	2		70' ISLAND SECTION- 22"/22", 84" TALL
H	1		70' ISLAND SECTION- 16"/31", 84" TALL, 9-16" SHLV.
I	1		68' MULTI FUNCTION RACK, 32" X 84"T
J	1		68' ISLAND SECTION- 19"/32", 84" TALL
K	6		SHARE BUILDER FRONT END CAPS
L	1		28' ISLAND SECTION- 19"/19", 48" TALL W/END PNL.
M	1		16' ISLAND SECTION- 19"/19", 60" TALL W/END PNL.
N	1		48" WALL SECTION 19", 72" TALL
O	2		10' ISLAND SECTION- 19"/19", 48" TALL, (2-4' & 2')
P	1		8' ISLAND SECTION- 19"/19", 48" TALL
Q	1		16' ISLAND SECTION- 19"/19", 48" TALL
R	1		3' END CAP- 19", 48" TALL, 4 SHELVES
S	1		12" WALL SECTION- 16", 72" TALL
T	1		16' WALL SECTION- 19", 72" TALL
U	1		4' END CAP- 19", 60" TALL, 4 SHELVES
V	2		8' ISLAND SECTION- 22"/22", 60" TALL
W	1		12' ISLAND SECTION- 19"/19", 48" TALL
X	2		16' ISLAND SECTION- 19"/19", 60" TALL
Y	4		3' END CAP- 19", 60" TALL, 5 SHELVES
Z	1		28' ISLAND SECTION- 19"/19", 72" TALL
AA	1		12' WALL SECTION- 19", 72" TALL

Hardware Shelving

BB	4	SALES FLOOR	40' ISLAND SECTION- 16"/16", 84" TALL
CC	3	LOZIER	28' ISLAND SECTION- 16"/16", 84" TALL
DD	16	6 SHELVES	3' END CAP- 16", 60" TALL, CONTOURED SHELVES
EE	1	PER SECTION	28' ISLAND SECTION- 22"/16", 96" TALL HRDW. HOOKS
FF	1		16' ISLAND SECTION- 16"/16", 84" TALL HRDW. HOOKS
GG	1		16' LOW WAREHOUSE RACKING- 32", 48" TALL, 3 SHLV.
HH	2		40' ISLAND SECTION- 16"/16", 84" TALL
II	1		28' ISLAND SECTION- 22"/22", 84" TALL HRDW. HOOKS
JJ	1		32' ISLAND SECTION- 16"/22", 84" TALL
KK	1		36' ISLAND SECTION- 16"/22", 84" TALL
LL	1		64' WALL SECTION- 22", 96" TALL
MM	1		8' ISLAND SECTION- 13"/13", 48" TALL, 2 END PNL.
NN	1		4' WALL SECTION- 19", 84" TALL, 7 SHELVES
OO	1		16' WALL SECTION- 22", 96" TALL
PP	1		21' WALL SECTION- 22", 84" TALL,
QQ	1		20' WALL SECTION- 16", 84" TALL, HRDW HOOKS
RR	2		32' ISLAND SECTION- 16"/16", 84" TALL HRDW. HOOKS
SS	1		4' WALL SECTION- 16", 72" TALL,
TT	1		12' WALL SECTION- 22", 96" TALL
UU	3		8' ISLAND SECTION- 16"/16", 84" TALL
VV	1		20' WALL SECTION- 22", 96" TALL
WW	1		16' WALL SECTION- 22", 84" TALL,
XX	1		8' ISLAND SECTION- 16"/16", 60" TALL

Front End

A	7	KCU5000	KILLION BELT & TURN TABLE CHECK STANDS
B	1		POS SYSTEM- ISS 45
C			7-SCANNER SCALES- DATA LOGIC
D			7-APG CAH DRAWERS
E			M147G 7-EPSON PRINTERS

Initials: _____

F			7-ACER MONITORS
G			7-FUJITSU SCREENS
H	1		SAFE- 24"Wx45"T
I	1		PRINTER/FAX MFC CANNON
J	75	6240	TECHNIBIT SHOPPING CARTS
K	40	5341	TECHNIBIT SHOPPING CARTS
L	2		MARTCART H/C
M	2		DOUBLE SHOPPING CART CORRALS
N	7	24" & 36"	LOZIER CHECK STAND MERCHANDISERS SHELVES
O	1		HAND BASKETS W/ STAND
P	1		POLAR TEMP 2-DOOR ICE MERCH. OUTDOORS

Produce Department

A	8		4'X8' DISPLAY BINS W/TOPS
B	1		30"x60" S/S TABLES W/ SHELF
C	1		HAND SINK
D	3	M40C/P	YAMATO PRODUCE SCALES & STANDS
E	1		30"x8' POLY TOP TABLE W/SHELF
F	1	A600	HEAT SEAL WRAPPER TABLE TOP
G	1		3-COMP SINK 36"x8'-8", 20"x28" TUBS, 2 D/B

Deli Department

A	1		MANITWOC ICE MACHINE & BIN- B570 W/FILTER
B	1		IMPERIAL OVEN 1-1/2 DOOR UNIT
C	1	600	HENNY PENNY FRYER
D	1	FKM-F	BKI FRYER
E	1	VGG-5	BKI ROTISSERIE OVEN
F	1		AMERICAN RANGE, 24" GRIDDLE & 2 BURNER
H	1		CAPTIVE-AIR HOOD 48"x14' W/ANSEL
I	1		1- COMP SINK 19"x20" AMERICAN DELPHI
K	1		HOBART PAN WASHER, 24"x26"
M	1		3-COMP SINK 36"x10' W/2 FAUCETS 20"x30" TUBS. W/ 2-24"
N	1		HAND SINK
O	1	EPT67	CONTINENTAL PIZZA PREP TABLE- 36" x 5'-8"
P	2		30"x72" POLY TOP TABLES W/ SHELF
Q	1	SE-12D	BIZERBA SLICER
R	1	SE-8	BIZERBA SLICER
S	1		BIRO TABLE TOP GRINDER
T	1		30"x72" S/S TABLES W/ SHELF
U	1		30"x9'-9" HALF POLY S/S TABLES W/ SHELF
V	1	D-300	HOBART MIXER
W	1		HEAT SEAL TABLE TOP WRAPPER 1 ROLL
X	2		36"x96" S/S TABLES W/ SHELF
Y	1	Y339-33	TAYLOR 3 HEAD SOFT SERVE ON STAND
Z	1	DP46	SUPERIOR PREP TABLE 36"x46"
AA	1		LONE PEAL LABEL SYSTEM W/DELL COMPUTER
BB	1		30"x48" S/S TABLES W/ SHELF
CC	1		POS SYSTEM REG.
DD	1	HMR-107	HENNY PENNY HOT CASE
EE	1	HMR-104	HENNY PENNY HOT CASE
FF	6		SEATING BOOTHS, 30"x44" TABLES
GG	3		TABLES, 36"x36"
HH	12		CHAIRS
II	1		PANASONIC SMALL MICROWAVE 900 WATT
JJ	1	T43R	VOLLRATH 3 WELL SOUP WARMER
KK	2		HOBART QUANTUM SCALES

Bakery Department

A	1		DONUT CASES, 3- 2 DOORS LOW PROFILE
B	1	649D-3D-3P	REVENT OVEN, DECK-TYPE, ELECTRIC, NEW
C	1		B/B TABLE, 36"x72"
D	1		30"x36" S/S TABLES W/ SHELF
E	1	DP-6200	YAMATO DIGITAL SCALE
F	1	SPL	SPRIAL MIXER
G	1	A200T	HOBART MIXER ON STAND

Initials: _____

H	1	797-32NC	OLIVER BREAD SLICER
I	1		30"x96" S/S TABLES W/ SHELF
J	1		HAND SINK
K	1		AMANA MICROWAVE
L	2		S/S BENCH STATION W/DRAWERS- 36"x10'
M	2		5' SELF-SERVE BAKERY CASE S/C
N	1		CAPTIVE AIRE HOOD, 36"x10'
O	1		CANDY COOKER W/COPPER KETTLE
P	1		BELSHAW DONUT FRYER 17"x24"
Q	1		BELSHAW DONUT GLAZER
R	1	PC101-1178	BAXTER PROOFER 1-DOOR
S	1	PB101-M80	BAXTER PROOFER 1-DOOR
T	1	EO210G-1	BAXTER OVEN
U	1	OV210G-M2B	HOBART OVEN
V	1		LUCKS SHEETER
W	1		B/B TABLE, 5'x12'
X	1		KEMPER ROUNDER FLOOR MODEL
Y	1		DUTCHESS ROUNDER, ON STAND
Z	1		B/B TABLE, 4'x8'
AA	1	125T	ACCU-WEIGHT BENCH SCALE
BB	1		30"x60" S/S TABLES W/ SHELF
CC	1		HAND SINK, EAGLE
DD	1	M-802	HOBART MIXER
EE	1		BAXTER WATER METER
FF	1	V-1401	HOBART MIXER
GG	1		LVO PAN WASHER W/ HOOD
HH	1		3-COMP SINK 36"x10'-6" W/LARGE PAN TUB, 24"DB
II	1		RHODES KOOKI KING
JJ	1		LONE PEAL LABEL SYSTEM W/DELL COMPUTER
KK	3		MARCO BAKERY ISLAND DISPLAYS W/ ENDS
LL	150		SHEET PANS & MISC. TRAYS
MM	1		NESTING TABLES SET OF 3

Meat Department

A	1		3-COMP SINK 36"x10', 24"x30" TUBS, 2-D/B 24"
B	2		HAND SINK 18"x18"
C	1		MANITWOC ICE MACHINE & BIN- B570 W/FILTER
D	1		HOBART QUANTUM SCALES
E	1	SE8	BISERBA SLICER
F	2		HOBART HWS W/QUANTUM SCALE
G	1		30"x48" S/S TABLES W/ SHELF
H	1		24"x24" S/S TABLE W/ SHELF
I	1		30"x8' POLY TOP TABLE W/SHELF
J	1		PATTY-O-MATIC PATTY MAKER
K	1		BIRO TUMBLER MARINATER
L	1		30"x8' S/S TABLE W/SHELF
M	1	403	HOBART CUBER
N	1		30"x8' POLY TOP TABLE W/SHELF
O	1	4346	HOBART GRINDER
P	1	5801	HOBART SAW

Back Room

A	1	2 ROWS	WAREHOUSE RACKING 63' RUN, 44"x12" TALL
B	1	OF BEAMS	WAREHOUSE RACKING 18' RUN, 44"x12" TALL
C	1	9' BEAMS	WAREHOUSE RACKING 45' RUN, 44"x12" TALL
D	1		TENANT FLOOR SCRUBBER
E	1		MOPIT 2 FLOOR CLEANER
F	1	N/A	AZTEC FLOOR BUFFER, GAS 13 HP
H	3		CROWN HAND PALLET JACKS
I	1	RAM JET	OUTDOOR COMPACTOR
J	1	M60STD	GPI BALER
K	1	V5-HD	SELCO BALER
L	1	MCP1F2A25LV	NISSON 50 FORK LIFT PROPANE
M	1		S/S TABLE 36"x72"
N	6		DUTRO HAND TRUCKS

Initials: _____

Office

A	6	HP OFFICE PC COMPUTERS
B	1	SHARP 4 DRAWER COPIER
C	1	CANNON LARGE PLOTTER
D	2	HP SMALL PRINTERS
E	1	LARGE CONFERENCE TABLE 36"X16'
F	1	40' FLAT SCREEN TV
G	1	DESK 30x52
H	20	CHAIRS

Miscellaneous EQ.

FREEZER SHELVING		
B	5	ALUM. 3 SHELF RACKS- 20x48
C	5	CANTILEVER 3 SHELF- 24"x48"
MEAT COOLER SHELVING		
E	6	CANTILEVER 3 SHELF- 24"x48"
F	17	ROLLING RACKS FOR PLATTER TRAYS- ALUM.
G	2	U-BOATS NEW
PRODUCE COOLER		
I	12	S/S DUNNAGE RACKS- 12"Tx30"x48"
J	3	WIRE METRO RACKS 3 SHELVES- 18"x60"
BAKERY COOLER/FREEZER		
L	6	ALUM. 3 SHELF RACKS- 20x48
M	14	BAKERY PAN RACKS ALUM.
N	5	CLOSED STORAGE RACKS
DELI COOLER/FREEZER		
P	2	WIRE METRO RACKS 4 SHELVES- 24"x60"
Q	5	ALUM. 4 SHELF RACKS- 20x48
R	1	ROLLING RACKS FOR PLATTER TRAYS- ALUM.

Initials: _____