

WHEN RECORDED RETURN TO:  
The Law Offices of Kirk A. Cullimore  
644 East Union Square  
Sandy, UT 84070

10408907  
4/24/2008 8:02:00 AM \$418.00  
Book - 9598 Pg - 5166-5185  
Gary W. Ott  
Recorder, Salt Lake County, UT  
KIRK A CULLIMORE PC  
BY: eCASH, DEPUTY - EF 20 P.

**AMENDMENT TO THE SECOND AMENDED AND RESTATED DECLARATION OF  
CONDOMINIUM AND BYLAWS FOR CEDAR POINTE**

**This Amendment to the Second Amended and Restated Declaration of Condominium and Bylaws is made this 18th day of April, 2008 by the Cedar Pointe Owners Association, Inc., (the "Association").**

RECITALS

A. The Second Amended Declaration of Condominium was recorded on April 12, 2000, in the Salt Lake County Recorders Office as Entry 7616291, as amended and supplemented (the "Declaration").

B. This amendment shall amend the Declaration and Bylaws as noted below and shall apply to the lands described in Exhibit "A" and shall be binding against all of the property described in the Declaration and any annexation, expansion or supplement thereto;

C. Pursuant to Article III, Section 21 of the Declaration, at least sixty percent (60%) of all the Percentage Interests of the Unit Owners have approved this amendment.

**NOW, THEREFORE**, the Association hereby amends the following sections of the Declaration, to read as follows:

**Article III, Section 15 of the Declaration shall be amended in its entirety to read as follows:**

15. Manager. The Committee may carry out any of its functions which are capable of delegation through its Manager. Any Manager retained for such purposes must be an individual or entity experienced and qualified in the field of property management. The Manager so engaged shall be responsible for managing the Project for the benefit of the Unit Owners and shall, to the extent permitted by law, the terms of the agreement with the Committee, and as directed by the Committee, be authorized to perform any of the functions or acts required or permitted to be performed by the Management Committee itself. The Committee may solicit bids, interview, and recommend a Manager to the owners. The Owners by majority vote shall approve or reject the Committee's selection of Manager. If the Committee desires to terminate the Manager, it shall first obtain a majority vote of the Owners approving the termination of the Manager.

**Article III, Section 16, first sentence of the Declaration shall be amended to read as follows:**

The Committee shall be composed of five (5) to nine (9) members, as determined by majority vote of the Percentage Interests of all Owners.

**Article III, Section 2, first sentence of the Bylaws shall be amended to read as follows:**

The Committee shall be composed of five (5) to nine (9) members, as determined by majority vote of the Percentage Interests of all Owners.

**Article III, Section 6, of the Bylaws shall be amended to read as follows:**

6. Committee's Quorum. At all meetings of the Committee, a majority of the Committee persons shall constitute a quorum for the transaction of business, and the acts of the majority of the Committee persons present at a meeting at which a quorum is present shall be the acts of the Committee. If, at any meeting of the Committee, there be less than a quorum present, the majority of those present may adjourn the meeting from time to time. Any adjourned meeting shall not reconvene for at least three (3) days. Notice of an adjourned meeting shall be given to all Committee members. At any such adjourned meeting, any business which might have been transacted at the meeting as originally called may be transacted without further notice.

IN WITNESS WHEREOF, CEDAR POINTE OWNERS ASSOCIATION, INC., by and through its Management Committee, has executed this Amendment to the Declaration as of the 18<sup>th</sup> day of April, 2008, in accordance with Article III of the Declaration.


**CEDAR POINTE OWNERS ASSOCIATION, INC.**

Jonathan H. Morse  
Chairman

STATE OF UTAH            )  
  :SS  
County of Salt Lake        )

On the 18 day of April, 2008, personally appeared Jonathan H. Morse who, being first duly sworn, did that say that he is the Chairman of the Association and that the seal affixed to the foregoing instrument is the seal of said Association and that said instrument was signed and sealed in behalf of said Association by authority of its Management Committee; and each of them acknowledged said instrument to be their voluntary act and deed.

4/18/08      Lindsey Clark



**EXHIBIT A  
LEGAL DESCRIPTION**

<u>16072110010000</u>	752 S 400 E	BEG N 0°02'16" W 495 FT FR SW COR BLK 8, PLAT B, SLC SUR; N
<u>16072110020000</u>	752 S 400 E # 101	UNIT G1A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110030000</u>	752 S 400 E # 102	UNIT G2A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110040000</u>	752 S 400 E # 103	UNIT G3A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110050000</u>	752 S 400 E # 104	UNIT G4A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110060000</u>	752 S 400 E # G105	UNIT G5A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110070000</u>	752 S 400 E # 106	UNIT G6A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110080000</u>	752 S 400 E # 107	UNIT G7A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110090000</u>	752 S 400 E # 108	UNIT G8A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110100000</u>	752 S 400 E # 109	UNIT G9A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110110000</u>	752 S 400 E # 110	UNIT G10A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8504%
<u>16072110120000</u>	752 S 400 E # 111	UNIT G11A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8177%
<u>16072110130000</u>	752 S 400 E # 112	UNIT G12A, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9814%
<u>16072110140000</u>	752 S 400 E # 201	UNIT G1B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110150000</u>	752 S 400 E # 202	UNIT G2B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110160000</u>	742 S 400 E # 203	UNIT G3B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110170000</u>	742 S 400 E # 204	UNIT G4B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT

<u>16072110180000</u>	752 S 400 E # 205	UNIT G5B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110190000</u>	752 S 400 E # 206	UNIT G6B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110200000</u>	752 S 400 E # 207	UNIT G7B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110210000</u>	752 S 400 E # 208	UNIT G8B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110220000</u>	752 S 400 E # 209	UNIT G9B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110230000</u>	742 S 400 E # 210	UNIT G10B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832%
<u>16072110240000</u>	752 S 400 E # 211	UNIT G11B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.8832%
<u>16072110250000</u>	752 S 400 E # 212	UNIT G12B, BLDG G, TROLLEY VILLAGE CONDM, PHASE I .2746% INT
<u>16072110260000</u>	752 S 400 E # 301	UNIT G1C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110270000</u>	752 S 400 E # 302	UNIT G2C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110280000</u>	752 S 400 E # 303	UNIT G3C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110290000</u>	752 S 400 E # 304	UNIT G4C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110300000</u>	752 S 400 E # 305	UNIT G5C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110310000</u>	752 S 400 E # 306	UNIT G6C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110320000</u>	752 S 400 E # 307	UNIT G7C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110330000</u>	752 S 400 E # 308	UNIT G8C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110340000</u>	752 S 400 E # 309	UNIT G9C, BLDG G, TROLLEY VILLAGE CONDM PHASE I 0.9161% INT.
<u>16072110350000</u>	752 S 400 E # G-310	UNIT G10C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072110360000</u>	752 S 400 E # 311	UNIT G11C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072110370000</u>	752 S 400 E # 312	UNIT G12C, BLDG G, TROLLEY VILLAGE CONDM, PHASE I. 5124- 194
<u>16072110380000</u>	742 S 400 E # 101	UNIT H1A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT

<u>16072110390000</u>	742 S 400 E # 102	UNIT H2A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504%
<u>16072110400000</u>	742 S 400 E # 103	UNIT H3A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110410000</u>	742 S 400 E # 104	UNIT H4A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110420000</u>	742 S 400 E # 105	UNIT H5A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110430000</u>	742 S 400 E # 106	UNIT H6A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110440000</u>	742 S 400 E # 107	UNIT H7A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9814%
<u>16072110450000</u>	742 S 400 E # 108	UNIT H8A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110460000</u>	742 S 400 E # 109	UNIT H9A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110470000</u>	742 S 400 E # 110	UNIT H10A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8504%
<u>16072110480000</u>	742 S 400 E # 111	UNIT H11A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8177%
<u>16072110490000</u>	742 S 400 E # 112	UNIT H12A, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9814%
<u>16072110500000</u>	742 S 400 E # 201	UNIT H1B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110510000</u>	742 S 400 E # 202	UNIT H2B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110520000</u>	752 S 400 E # 203	UNIT H3B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832%
<u>16072110530000</u>	752 S 400 E # 204	UNIT H4B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110540000</u>	742 S 400 E # 205	UNIT H5B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110550000</u>	742 S 400 E # 206	UNIT H6B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110560000</u>	742 S 400 E # 207	UNIT H7B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110570000</u>	742 S 400 E # 208	UNIT H8B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110580000</u>	742 S 400 E # 209	UNIT H9B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110590000</u>	752 S 400 E # 210	UNIT H10B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832%
<u>16072110600000</u>	742 S 400 E # 211	UNIT H11B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.8832%

<u>16072110610000</u>	742 S 400 E # 212	UNIT H12B, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0139%
<u>16072110620000</u>	742 S 400 E # 301	UNIT H1C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110630000</u>	742 S 400 E # 302	UNIT H2C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110640000</u>	742 S 400 E # 303	UNIT H3C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110650000</u>	742 S 400 E # 304	UNIT H4C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110660000</u>	742 S 400 E # 305	UNIT H5C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110670000</u>	742 S 400 E # 306	UNIT H6C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110680000</u>	742 S 400 E # 307	UNIT H7C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110690000</u>	742 S 400 E # 308	UNIT H8C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110700000</u>	742 S 400 E # 309	UNIT H9C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072110710000</u>	742 S 400 E # 310	UNIT H10C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072110720000</u>	742 S 400 E # 311	UNIT H11C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072110730000</u>	742 S 400 E # 312	UNIT H12C, BLDG H, TROLLEY VILLAGE CONDM, PHASE I 1.0468%
<u>16072110740000</u>	732 S 400 E # 101	UNIT J1A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110750000</u>	732 S 400 E # 102	UNIT J2A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110760000</u>	732 S 400 E # 103	UNIT J3A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110770000</u>	732 S 400 E # J104	UNIT J4A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110780000</u>	732 S 400 E # 105	UNIT J5A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110790000</u>	732 S 400 E # 106	UNIT J6A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110800000</u>	732 S 400 E # 107	UNIT J7A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9814% INT
<u>16072110810000</u>	732 S 400 E # 108	UNIT J8A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT
<u>16072110820000</u>	732 S 400 E # 109	UNIT J9A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504% INT



<u>16072110830000</u>	732 S 400 E # 110	UNIT J10A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8504%
<u>16072110840000</u>	732 S 400 E # J11A	UNIT J11A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8178%
<u>16072110850000</u>	732 S 400 E # 112	UNIT J12A, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9814%
<u>16072110860000</u>	732 S 400 E # 201	UNIT J1B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110870000</u>	732 S 400 E # 202	UNIT J2B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110880000</u>	732 S 400 E # 203	UNIT J3B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110890000</u>	732 S 400 E # 204	UNIT J4B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I. 0.8832%
<u>16072110900000</u>	732 S 400 E # 205	UNIT J5B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110910000</u>	732 S 400 E # 206	UNIT J6B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110920000</u>	732 S 400 E # 207	UNIT J7B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0139% INT
<u>16072110930000</u>	732 S 400 E # 208	UNIT J8B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110940000</u>	732 S 400 E # 209	UNIT J9B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8832% INT
<u>16072110950000</u>	732 S 400 E # 210	UNIT J10B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8832%
<u>16072110960000</u>	732 S 400 E # 211	UNIT J11B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.8832%
<u>16072110970000</u>	732 S 400 E # 212	UNIT J12B, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0139%
<u>16072110980000</u>	732 S 400 E # 301	UNIT J1C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072110990000</u>	732 S 400 E # 302	UNIT J2C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072111000000</u>	732 S 400 E # 303	UNIT J3C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072111010000</u>	732 S 400 E # 304	UNIT J4C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072111020000</u>	732 S 400 E # 305	UNIT J5C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072111030000</u>	732 S 400 E # 306	UNIT J6C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT
<u>16072111040000</u>	732 S 400 E # 307	UNIT J7C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 1.0468% INT

<u>16072111050000</u>	732 S 400 E # 308	UNIT J8C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072111060000</u>	732 S 400 E # 309	UNIT J9C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161% INT
<u>16072111070000</u>	732 S 400 E # 310	UNIT J10C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072111080000</u>	732 S 400 E # J11C	UNIT J11C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072111090000</u>	732 S 400 E # 312	UNIT J12C, BLDG J, TROLLEY VILLAGE CONDM, PHASE I 0.9161%
<u>16072120010000</u>	306 E 700 S	BEG N 0^02'16" W 495 FT FR SW COR OF BLK 8, PLAT B, SLC SUR;
<u>16072120020000</u>	306 E 700 S # 101	UNIT A1A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8756%
<u>16072120030000</u>	306 E 700 S # 102	UNIT A2A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120040000</u>	306 E 700 S # 103	UNIT A3A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120050000</u>	306 E 700 S # 104	UNIT A4A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120060000</u>	306 E 700 S # 105	UNIT A5A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120070000</u>	306 E 700 S # 106	UNIT A6A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8756%
<u>16072120080000</u>	306 E 700 S # 107	UNIT A7A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8756%
<u>16072120090000</u>	306 E 700 S # 108	UNIT A8A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120100000</u>	306 E 700 S # 109	UNIT A9A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120110000</u>	306 E 700 S # 110	UNIT A10A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120120000</u>	306 E 700 S # 111	UNIT A11A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7297%
<u>16072120130000</u>	306 E 700 S # 112	UNIT A12A, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8756%
<u>16072120140000</u>	306 E 700 S # 201	UNIT A1B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120150000</u>	306 E 700 S # 202	UNIT A2B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120160000</u>	306 E 700 S # 203	UNIT A3B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120170000</u>	306 E 700 S # 204	UNIT A4B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%



<u>16072120180000</u>	306 E 700 S # 205	UNIT A5B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120190000</u>	306 E 700 S # 206	UNIT A6B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120200000</u>	306 E 700 S # 207	UNIT A7B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120210000</u>	306 E 700 S # 208	UNIT A8B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120220000</u>	306 E 700 S # 209	UNIT A9B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120230000</u>	306 E 700 S # 210	UNIT A10B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120240000</u>	306 E 700 S # 211	UNIT A11B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120250000</u>	306 E 700 S # 212	UNIT A12B, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120260000</u>	306 E 700 S # 301	UNIT A1C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9338%
<u>16072120270000</u>	306 E 700 S # 302	UNIT A2C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120280000</u>	306 E 700 S # 303	UNIT A3C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120290000</u>	306 E 700 S # 304	UNIT A4C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120300000</u>	306 E 700 S # 305	UNIT A5C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120310000</u>	306 E 700 S # 306	UNIT A6C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9338%
<u>16072120320000</u>	306 E 700 S # 307	UNIT A7C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9338%
<u>16072120330000</u>	306 E 700 S # 308	UNIT A8C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120340000</u>	306 E 700 S # 309	UNIT A9C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120350000</u>	306 E 700 S # 310	UNIT A10C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120360000</u>	306 E 700 S # 311	UNIT A11C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.8172%
<u>16072120370000</u>	306 E 700 S # 312	UNIT A12C, BLDG A, TROLLEY VILLAGE CONDM, PHASE II 0.9338%
<u>16072120380000</u>	350 E 700 S # 101	UNIT K1A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1674%
<u>16072120390000</u>	350 E 700 S # 102	UNIT K2A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8458% INT

<u>16072120400000</u>	350 E 700 S # 103	UNIT K3A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8458%
<u>16072120410000</u>	350 E 700 S # 104	UNIT K4A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8458%
<u>16072120420000</u>	350 E 700 S # 105	UNIT K5A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1674%
<u>16072120430000</u>	350 E 700 S # 106	UNIT K6A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.9921%
<u>16072120440000</u>	350 E 700 S # 107	UNIT K7A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.9921%
<u>16072120450000</u>	350 E 700 S # 108	UNIT K8A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1674%
<u>16072120460000</u>	350 E 700 S # 109	UNIT K9A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1674%
<u>16072120470000</u>	350 E 700 S # 110	UNIT K10A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8173%
<u>16072120480000</u>	350 E 700 S # 111	UNIT K11A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.0211%
<u>16072120490000</u>	350 E 700 S # 112	UNIT K12A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.7879
<u>16072120500000</u>	350 E 700 S # 113	UNIT K13A, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1674%
<u>16072120510000</u>	350 E 700 S # 201	UNIT K1B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1964%
<u>16072120520000</u>	350 E 700 S # 202	UNIT K2B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8755%
<u>16072120530000</u>	350 E 700 S # 203	UNIT K3B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8755%
<u>16072120540000</u>	350 E 700 S # 204	UNIT K4B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8755%
<u>16072120550000</u>	350 E 700 S # 205	UNIT K5B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1964%
<u>16072120560000</u>	350 E 700 S # 206	UNIT K6B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.0211%
<u>16072120570000</u>	350 E 700 S # 207	UNIT K7B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.0211%
<u>16072120580000</u>	350 E 700 S # 208	UNIT K8B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1964%
<u>16072120590000</u>	350 E 700 S # 209	UNIT K9B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1964%
<u>16072120600000</u>	350 E 700 S # 210	UNIT K10B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8458%
<u>16072120610000</u>	350 E 700 S # 211	UNIT K11B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.0508%

<u>16072120620000</u>	350 E 700 S # 212	UNIT K12B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8173%
<u>16072120630000</u>	350 E 700 S # 213	UNIT K13B, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.1964%
<u>16072120640000</u>	350 E 700 S # 301	UNIT K1C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.2257%
<u>16072120650000</u>	350 E 700 S # 302	UNIT K2C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120660000</u>	350 E 700 S # 303	UNIT K3C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120670000</u>	350 E 700 S # 304	UNIT K4C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120680000</u>	350 E 700 S # 305	UNIT K5C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.2257%
<u>16072120690000</u>	350 E 700 S # 306	UNIT K6C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.0505%
<u>16072120700000</u>	350 E 700 S # 307	UNIT K7C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.0505%
<u>16072120710000</u>	350 E 700 S # 308	UNIT K8C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.2257%
<u>16072120720000</u>	350 E 700 S # 309	UNIT K9C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.2257%
<u>16072120730000</u>	350 E 700 S # 310	UNIT K10C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8755%
<u>16072120740000</u>	350 E 700 S # 311	UNIT K11C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.7510%
<u>16072120750000</u>	350 E 700 S # 312	UNIT K12C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.5172%
<u>16072120760000</u>	350 E 700 S # 313	UNIT K13C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 0.8458%
<u>16072120770000</u>	350 E 700 S # 314	UNIT K14C, BLDG K, TROLLEY VILLAGE CONDM, PHASE II 1.2257%
<u>16072120780000</u>	330 E 700 S # 101	UNIT L1A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120790000</u>	330 E 700 S # 102	UNIT L2A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120800000</u>	330 E 700 S # 103	UNIT L3A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072120810000</u>	330 E 700 S # 104	UNIT L4A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.7879%
<u>16072120820000</u>	330 E 700 S # 105	UNIT L5A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072120830000</u>	330 E 700 S # 106	UNIT L6A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9045%

<u>16072120840000</u>	330 E 700 S # 107	UNIT L7A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9045%
<u>16072120850000</u>	330 E 700 S # 108	UNIT L8A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072120860000</u>	330 E 700 S # 109	UNIT L9A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.7586%
<u>16072120870000</u>	330 E 700 S # 110	UNIT L10A, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072120880000</u>	330 E 700 S # 201	UNIT L1B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9339%
<u>16072120890000</u>	330 E 700 S # 202	UNIT L2B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9339%
<u>16072120900000</u>	330 E 700 S # 203	UNIT L3B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9921%
<u>16072120910000</u>	330 E 700 S # 204	UNIT L4B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.8173%
<u>16072120920000</u>	330 E 700 S # 205	UNIT L5B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9921%
<u>16072120930000</u>	330 E 700 S # 206	UNIT L6B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9339%
<u>16072120940000</u>	330 E 700 S # 207	UNIT L7B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9339%
<u>16072120950000</u>	330 E 700 S # 208	UNIT L8B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9921%
<u>16072120960000</u>	330 E 700 S # 209	UNIT L9B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.8173%
<u>16072120970000</u>	330 E 700 S # 210	UNIT L10B, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9921%
<u>16072120980000</u>	330 E 700 S # 301	UNIT L1C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072120990000</u>	330 E 700 S # 302	UNIT L2C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072121000000</u>	330 E 700 S # 303	UNIT L3C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 1.0211%
<u>16072121010000</u>	330 E 700 S # 304	UNIT L4C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.8459%
<u>16072121020000</u>	330 E 700 S # 305	UNIT L5C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 1.0211%
<u>16072121030000</u>	330 E 700 S # 306	UNIT L6C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072121040000</u>	330 E 700 S # 307	UNIT L7C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.9628%
<u>16072121050000</u>	330 E 700 S # 308	UNIT L8C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 1.0211%

<u>16072121060000</u>	330 E 700 S # 309	UNIT L9C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 0.8459%
<u>16072121070000</u>	330 E 700 S # 310	UNIT L10C, BLDG L, TROLLEY VILLAGE CONDM, PHASE II 1.0211%
<u>16072130010000</u>	731 S 300 E	BEG N 0°02'16" W 82.50 FT FR SW COR BLK 8, PLAT B, S.L.C SUR;
<u>16072130020000</u>	731 S 300 E # 101	UNIT B1A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130030000</u>	731 S 300 E # 102	UNIT B2A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130040000</u>	731 S 300 E # 103	UNIT B3A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130050000</u>	731 S 300 E # 104	UNIT B4A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130060000</u>	731 S 300 E # 105	UNIT B5A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8177%
<u>16072130070000</u>	731 S 300 E # 106	UNIT B6A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130080000</u>	731 S 300 E # 107	UNIT B7A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130090000</u>	731 S 300 E # 108	UNIT B8A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130100000</u>	731 S 300 E # 109	UNIT B9A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130110000</u>	731 S 300 E # 110	UNIT B10A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130120000</u>	731 S 300 E # 111	UNIT B11A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130130000</u>	731 S 300 E # 112	UNIT B12A, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130140000</u>	731 S 300 E # 201	UNIT B1B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130150000</u>	731 S 300 E # 202	UNIT B2B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130160000</u>	731 S 300 E # 203	UNIT B3B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130170000</u>	731 S 300 E # 204	UNIT B4B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130180000</u>	731 S 300 E # 205	UNIT B5B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130190000</u>	731 S 300 E # 206	UNIT B6B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130200000</u>	731 S 300 E # 207	UNIT B7B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0139%

<u>16072130210000</u>	731 S 300 E # 208	UNIT B8B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130220000</u>	731 S 300 E # 209	UNIT B9B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130230000</u>	731 S 300 E # 210	UNIT B10B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130240000</u>	731 S 300 E # 211	UNIT B11B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130250000</u>	731 S 300 E # 212	UNIT B12B, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130260000</u>	731 S 300 E # 301	UNIT B1C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130270000</u>	731 S 300 E # 302	UNIT B2C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130280000</u>	731 S 300 E # 303	UNIT B3C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130290000</u>	731 S 300 E # 304	UNIT B4C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130300000</u>	731 S 300 E # 305	UNIT B5C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130310000</u>	731 S 300 E # 306	UNIT B6C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130320000</u>	731 S 300 E # 307	UNIT B7C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130330000</u>	731 S 300 E # 308	UNIT B8C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130340000</u>	731 S 300 E # 309	UNIT B9C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130350000</u>	731 S 300 E # 310	UNIT B10C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130360000</u>	731 S 300 E # 311	UNIT B11C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130370000</u>	731 S 300 E # 312	UNIT B12C, BLDG B, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130380000</u>	741 S 300 E # 101	UNIT C1A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130390000</u>	741 S 300 E # 102	UNIT C2A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130400000</u>	741 S 300 E # 103	UNIT C3A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130410000</u>	741 S 300 E # 104	UNIT C4A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130420000</u>	741 S 300 E # 105	UNIT C5A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8177%



<u>16072130430000</u>	741 S 300 E # 106	UNIT C6A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130440000</u>	741 S 300 E # 107	UNIT C7A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130450000</u>	741 S 300 E # 108	UNIT C8A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130460000</u>	741 S 300 E # 109	UNIT C9A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130470000</u>	741 S 300 E # 110	UNIT C10A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130480000</u>	741 S 300 E # 111	UNIT C11A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130490000</u>	741 S 300 E # 112	UNIT C12A, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130500000</u>	741 S 300 E # 201	UNIT C1B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130510000</u>	741 S 300 E # 202	UNIT C2B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130520000</u>	741 S 300 E # 203	UNIT C3B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130530000</u>	741 S 300 E # 204	UNIT C4B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130540000</u>	741 S 300 E # 205	UNIT C5B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130550000</u>	741 S 300 E # 206	UNIT C6B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130560000</u>	741 S 300 E # 207	UNIT C7B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130570000</u>	741 S 300 E # 208	UNIT C8B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130580000</u>	741 S 300 E # 209	UNIT C9B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130590000</u>	741 S 300 E # 210	UNIT C10B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130600000</u>	741 S 300 E # 211	UNIT C11B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130610000</u>	741 S 300 E # 212	UNIT C12B, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130620000</u>	741 S 300 E # 301	UNIT C1C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130630000</u>	741 S 300 E # 302	UNIT C2C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130640000</u>	741 S 300 E # 303	UNIT C3C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%

<u>16072130650000</u>	741 S 300 E # 304	UNIT C4C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130660000</u>	741 S 300 E # 305	UNIT C5C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130670000</u>	741 S 300 E # 306	UNIT C6C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130680000</u>	741 S 300 E # 307	UNIT C7C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130690000</u>	741 S 300 E # 308	UNIT C8C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130700000</u>	741 S 300 E # 309	UNIT C9C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130710000</u>	741 S 300 E # 310	UNIT C10C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130720000</u>	741 S 300 E # 311	UNIT C11C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072130730000</u>	741 S 300 E # 312	UNIT C12C, BLDG C, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130740000</u>	751 S 300 E # 101	UNIT D1A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130750000</u>	751 S 300 E # 102	UNIT D2A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130760000</u>	751 S 300 E # 103	UNIT D3A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130770000</u>	751 S 300 E # 104	UNIT D4A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130780000</u>	751 S 300 E # 105	UNIT D5A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8178%
<u>16072130790000</u>	751 S 300 E # 106	UNIT D6A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130800000</u>	751 S 300 E # 107	UNIT D7A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130810000</u>	751 S 300 E # 108	UNIT D8A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130820000</u>	751 S 300 E # 109	UNIT D9A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130830000</u>	751 S 300 E # 110	UNIT D10A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130840000</u>	751 S 300 E # 111	UNIT D11A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8504%
<u>16072130850000</u>	751 S 300 E # 112	UNIT D12A, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9814%
<u>16072130860000</u>	751 S 300 E # 201	UNIT D1B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0139%

<u>16072130870000</u>	751 S 300 E # 202	UNIT D2B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130880000</u>	751 S 300 E # 203	UNIT D3B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130890000</u>	751 S 300 E # 204	UNIT D4B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130900000</u>	751 S 300 E # 205	UNIT D5B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0189%
<u>16072130910000</u>	751 S 300 E # 206	UNIT D6B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130920000</u>	751 S 300 E # 207	UNIT D7B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130930000</u>	751 S 300 E # 208	UNIT D8B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130940000</u>	751 S 300 E # 209	UNIT D9B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130950000</u>	751 S 300 E # 210	UNIT D10B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.8832%
<u>16072130960000</u>	751 S 300 E # 211	UNIT D11B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0139%
<u>16072130970000</u>	751 S 300 E # 212	UNIT D12B, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130980000</u>	751 S 300 E # 301	UNIT D1C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072130990000</u>	751 S 300 E # 302	UNIT D2C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131000000</u>	751 S 300 E # 303	UNIT D3C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131010000</u>	751 S 300 E # 304	UNIT D4C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131020000</u>	751 S 300 E # 305	UNIT D5C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131030000</u>	751 S 300 E # 306	UNIT D6C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072131040000</u>	751 S 300 E # 307	UNIT D7C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072131050000</u>	751 S 300 E # 308	UNIT D8C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131060000</u>	751 S 300 E # 309	UNIT D9C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131070000</u>	751 S 300 E # 310	UNIT D10C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%
<u>16072131080000</u>	751 S 300 E # 311	UNIT D11C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 0.9161%

<u>16072131090000</u>	751 S 300 E # 312	UNIT D12C, BLDG D, TROLLEY VILLAGE CONDM, PHASE III 1.0468%
<u>16072140010000</u>	361 E 800 S	BEG N 89^57'50" E 274.50 FT FR SW COR BLK 8, PLAT B, SLC
<u>16072140020000</u>	361 E 800 S # 101	UNIT E1A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.2901%
<u>16072140030000</u>	361 E 800 S # 102	UNIT E2A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140040000</u>	361 E 800 S # 103	UNIT E3A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140050000</u>	361 E 800 S # 104	UNIT E4A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140060000</u>	361 E 800 S # 105	UNIT E5A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140070000</u>	361 E 800 S # 106	UNIT E6A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140080000</u>	361 E 800 S # 107	UNIT E7A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140090000</u>	361 E 800 S # 108	UNIT E8A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.2901%
<u>16072140100000</u>	341 E 800 S # 109	UNIT E9A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1751%
<u>16072140110000</u>	341 E 800 S # 110	UNIT E10A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.8888%
<u>16072140120000</u>	341 E 800 S # 111	UNIT E11A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.888%
<u>16072140130000</u>	341 E 800 S # 112	UNIT E12A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.888%
<u>16072140140000</u>	341 E 800 S # 113	UNIT E13A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.4870%
<u>16072140150000</u>	341 E 800 S # 114	UNIT E14A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.888%
<u>16072140160000</u>	341 E 800 S # 115	UNIT E15A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.888%
<u>16072140170000</u>	341 E 800 S # 116	UNIT E16A, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1751%
<u>16072140180000</u>	361 E 800 S # 201	UNIT E1B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.4044%
<u>16072140190000</u>	361 E 800 S # 202	UNIT E2B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0607%
<u>16072140200000</u>	361 E 800 S # 203	UNIT E3B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0607%
<u>16072140210000</u>	361 E 800 S # 204	UNIT E4B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0607%

<u>16072140220000</u>	361 E 800 S # 205	UNIT E5B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0607%
<u>16072140230000</u>	361 E 800 S # 206	UNIT E6B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0607%
<u>16072140240000</u>	361 E 800 S # 207	UNIT E7B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0607%
<u>16072140250000</u>	361 E 800 S # 208	UNIT E8B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.4044%
<u>16072140260000</u>	341 E 800 S # 209	UNIT E9B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.3469%
<u>16072140270000</u>	341 E 800 S # 210	UNIT E10B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.9463%
<u>16072140280000</u>	341 E 800 S # 211	UNIT E11B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.9463%
<u>16072140290000</u>	341 E 800 S # 212	UNIT E12B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.9463%
<u>16072140300000</u>	341 E 800 S # 213	UNIT E13B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.9463%
<u>16072140310000</u>	341 E 800 S # 214	UNIT E14B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.9463%
<u>16072140320000</u>	341 E 800 S # 215	UNIT E15B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 1.9463%
<u>16072140330000</u>	341 E 800 S # 216	UNIT E16B, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.3469%
<u>16072140340000</u>	361 E 800 S # 301	UNIT E1C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.5188%
<u>16072140350000</u>	361 E 800 S # 302	UNIT E2C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1182%
<u>16072140360000</u>	361 E 800 S # 303	UNIT E3C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1182%
<u>16072140370000</u>	361 E 800 S # 304	UNIT E4C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1182%
<u>16072140380000</u>	361 E 800 S # 305	UNIT E5C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1182%
<u>16072140390000</u>	361 E 800 S # 306	UNIT E6C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1182%
<u>16072140400000</u>	361 E 800 S # 307	UNIT E7C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.1182%
<u>16072140410000</u>	361 E 800 S # 308	UNIT E8C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.5188%
<u>16072140420000</u>	341 E 800 S # 309	UNIT E9C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.4044%
<u>16072140430000</u>	341 E 800 S # 310	UNIT E10C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%

<u>16072140440000</u>	341 E 800 S # 311	UNIT E11C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140450000</u>	341 E 800 S # 312	UNIT E12C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140460000</u>	341 E 800 S # 313	UNIT E13C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140470000</u>	341 E 800 S # 314	UNIT E14C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140480000</u>	341 E 800 S # 315	UNIT E15C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.0032%
<u>16072140490000</u>	341 E 800 S # 316	UNIT E16C, BLDG E, TROLLEY VILLAGE CONDM, PHASE IV 2.4044%