

**UCC FINANCING STATEMENT**

FOLLOW INSTRUCTIONS

A. NAME & PHONE OF CONTACT AT FILER (optional) Phone: (800) 331-3282 Fax: (818) 662-4141	
B. E-MAIL CONTACT AT FILER (optional) CLS-CTLS_Glendale_Customer_Service@wolterskluwer.com	
C. SEND ACKNOWLEDGMENT TO: (Name and Address) 116406 - JULES AND	
Lien Solutions P.O. Box 29071 Glendale, CA 91209-9071	63527704  UTUT FIXTURE
File with: Cache, UT	

**THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY**

1. DEBTOR'S NAME: Provide only one Debtor name (1a or 1b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 1b, leave all of item 1 blank, check here  and provide the Individual Debtor information in item 10 of the Financing Statement Addendum (Form UCC1Ad)

1a. ORGANIZATION'S NAME Winger's USA, Inc.				
OR	1b. INDIVIDUAL'S SURNAME			
	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)		SUFFIX
1c. MAILING ADDRESS 404 East 4500 South, Suite #A-12		CITY Murray	STATE UT	POSTAL CODE 84107
			COUNTRY USA	

2. DEBTOR'S NAME: Provide only one Debtor name (2a or 2b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 2b, leave all of item 2 blank, check here  and provide the Individual Debtor information in item 10 of the Financing Statement Addendum (Form UCC1Ad)

2a. ORGANIZATION'S NAME				
OR	2b. INDIVIDUAL'S SURNAME			
	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)		SUFFIX
2c. MAILING ADDRESS		CITY	STATE	POSTAL CODE
				COUNTRY

3. SECURED PARTY'S NAME (or NAME of ASSIGNEE of ASSIGNOR SECURED PARTY): Provide only one Secured Party name (3a or 3b)

3a. ORGANIZATION'S NAME Hitachi Capital America Corp.				
OR	3b. INDIVIDUAL'S SURNAME			
	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)		SUFFIX
3c. MAILING ADDRESS 7808 Creekrige Circle, Suite 250		CITY Edina	STATE MN	POSTAL CODE 55439
			COUNTRY USA	

4. COLLATERAL: This financing statement covers the following collateral:  
 "SEE EXHIBIT "A" ATTACHED HERETO AND MADE A PART HEREOF"  
 EXHIBIT "A", JULES AND ASSOCIATES, INC., MASTER EQUIPMENT LEASE AGREEMENT NO: 20072640, SCHEDULE NO. 2  
 Equipment Location: 1300 N. Main St. #1300, Logan, UT 84341  
 Vendor: Restaurant & Store Equipment Company  
 Restaurant Equipment

ALONG WITH ALL ADDITIONS, SUBSTITUTIONS, ATTACHMENTS, REPLACEMENTS AND ACCESSIONS THEREOF, PLUS THE PROCEEDS OF ALL THE FOREGOING INCLUDING AMOUNTS PAYABLE UNDER ANY INSURANCE POLICY, THE FOREGOING EQUIPMENT IS ON LEASE TO THE ABOVE NAMED LESSEE (DEBTOR). THIS FILING IS FOR INFORMATIONAL PURPOSES ONLY.

5. Check only if applicable and check only one box: Collateral is  held in a Trust (see UCC1Ad, item 17 and Instructions)  being administered by a Decedent's Personal Representative

6a. Check only if applicable and check only one box:  
 Public-Finance Transaction  Manufactured-Home Transaction  A Debtor is a Transmitting Utility

6b. Check only if applicable and check only one box:  
 Agricultural Lien  Non-UCC Filing

7. ALTERNATIVE DESIGNATION (if applicable):  Lessee/Lessor  Consignee/Consignor  Seller/Buyer  Bailee/Bailor  Licensee/Licenser

8. OPTIONAL FILER REFERENCE DATA:  
 63527704 20072640-2FF 04/03/18

**UCC FINANCING STATEMENT ADDENDUM**

FOLLOW INSTRUCTIONS

9. NAME OF FIRST DEBTOR: Same as line 1a or 1b on Financing Statement; if line 1b was left blank because Individual Debtor name did not fit, check here

OR	9a. ORGANIZATION'S NAME	Winger's USA, Inc.		
	9b. INDIVIDUAL'S SURNAME			
	FIRST PERSONAL NAME			
	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX		

**THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY**

10. DEBTOR'S NAME: Provide (10a or 10b) only one additional Debtor name or Debtor name that did not fit in line 1b or 2b of the Financing Statement (Form UCC1) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name) and enter the mailing address in line 10c

OR	10a. ORGANIZATION'S NAME				
	10b. INDIVIDUAL'S SURNAME				
	INDIVIDUAL'S FIRST PERSONAL NAME				
	INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)				SUFFIX
10c. MAILING ADDRESS		CITY	STATE	POSTAL CODE	COUNTRY

11.  ADDITIONAL SECURED PARTY'S NAME or  ASSIGNOR SECURED PARTY'S NAME: Provide only one name (11a or 11b)

OR	11a. ORGANIZATION'S NAME				
	11b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
11c. MAILING ADDRESS		CITY	STATE	POSTAL CODE	COUNTRY

12. ADDITIONAL SPACE FOR ITEM 4 (Collateral):

13.  This FINANCING STATEMENT is to be filed [for record] (or recorded) in the REAL ESTATE RECORDS (if applicable)

14. This FINANCING STATEMENT:  
 covers timber to be cut  covers as-extracted collateral  is filed as a fixture filing

15. Name and address of a RECORD OWNER of real estate described in item 16 (if Debtor does not have a record interest):

Cache Valley Realty LLC C/O Namdar  
 Realty Group  
 150 Great Neck Road, Suite 304  
 Great Neck, New York 11021

16. Description of real estate:

Location commonly known as Cache Valley Mall -  
 1300 N. Main Street, Unit 1300, Logan, UT 84341



**JULES AND ASSOCIATES, INC.**  
**MASTER EQUIPMENT LEASE AGREEMENT NO: 20072640**  
**SCHEDULE NO. 2**

Equipment Location: Cache Valley Mall -- 1300 N. Main Street, #1300, Logan, UT 84341

Vendor Name  
 Restaurant & Store  
 Equipment Company

Description

Invoice No.884242

Restaurant Equipment

- (1) SHELVING, WALL-MOUNTED, Advance Tabco WS-12-84 Shelf, wall-mounted, 84"W x 12"D, 1-5/8" bullnose front edge, 1-1/2" rear upturn, 18/430 satin finish stainless steel, NSF (units 84" & longer have (3) support brackets)
- (1) TWO (2) COMPARTMENT SINK, Advance Tabco 93-2-36-36L Regaline Sink, 2-compartment, with left-hand drainboard, 20" front-to-back x 16"W sink compartment, 12" deep, with 8"H backsplash, stainless steel open frame base, side crossrails, 36" drainboard, 1" adjustable bullet feet, 16 gauge 304 stainless steel, overall 27" F/B x 76" L/R, NSF
- (1) WALL / SPLASH MOUNT FAUCET, T&S Brass B-0231-CC-CR Pantry Faucet, double, 12" swing nozzle, 8" centers, wall mount, (062X), 00CC inlets & ceramics
- (24) WIRE SHELVING, Metro 2448NC Erecta® Shelf, wire, 48"W x 24"D, chrome plated finish, plastic split sleeves are included in each carton, NSF
- (24) Centaur C86C Centaur® Stationary Post, 86-5/8"H, with leveling bolt & cap, chrome
- (1) ICE CUBER, Scotsman C1030MR-32, Prodigy Plus® Ice Maker, cube style, air-cooled, no condenser (remote), production up to 996 lb/24 hours at 70°/50° (851 lb AHRI certified at 90°/70°), stainless steel finish, medium cube size, 208-230v/60/1-ph, 15.8 amps, eULus, NSF, CE, ENERGY STAR®
- (1) ICE BIN FOR ICE MACHINES, Scotsman B842S, Ice Bin, top-hinged front-opening door, AHRI certified to 610 lb ice storage capacity, for top-mounted ice maker, polyethylene liner, metallic finish exterior, includes 6" legs, NSF
- (1) MOP SINK CABINET, Advance Tabco 9-OPC-84, Cabinet with Mop Sink, 25"W x 22-5/8"D x 84"H, mop sink base (bowl 16" x 20" x 12"), left hinged door, (2) mop holders, (1) fixed intermediate shelf, slotted side panels for ventilation, stainless steel construction (cabinet type 400, mop sink type 300) (right hinged door available on request)
- (9) CORNER GUARD, Advance Tabco CG-48, Corner guards, 48" long x 2" x 2", 16 gauge stainless steel, includes: adhesive tape backing
- (1) THREE (3) COMPARTMENT SINK, Turbo Air TSB-3-D2, Sink, Three Compartment, with 24" left & right-hand drainboards, 24" front-to-back x 24" wide sink compartments, 14" deep with 11" high splash, 16/304 stainless steel bowls, galvanized gussets & tubular legs with adjustable ABS feet, NSF approved
- (3) DRAIN, LEVER / TWIST WASTE, Krowne Metal 22-204, Krowne Twist Waste with 1-1/4" Overflow Outlet with Cap, 3-1/2" Sink Opening, 2" NPS Male Threaded with 1-1/2" Female Threaded Drain Outlet (No Adapter Required), 4-1/2" Flange, Stainless Steel Strainer, Flange & Handle
- (1) PRE-RINSE FAUCET ASSEMBLY, WITH ADD ON FAUCET, T&S Brass B-0133-12-CR-BC EasyInstall Pre-Rinse Unit, spring action gooseneck, 8" wall mount, low flow spray-valve (B-0107-C), 12" add-on faucet, ceramic faucet, wall bracket
- (1) WALL / SPLASH MOUNT FAUCET, T&S Brass B-0231-CC-CR, Pantry Faucet, double, 12" swing nozzle, 8" centers, wall mount, (062X), 00CC inlets & ceramics
- (1) OVERSHELF, Advance Tabco PS-18-72, Shelf with Pot Rack, wall-mounted, 72"W x 18"D, 18/430 stainless steel shelf, 2" x 1/4" stainless steel pot rack, includes: (9) plated double pot hooks
- (2) OVERSHELF, Advance Tabco PS-18-72, Shelf with Pot Rack, wall-mounted, 72"W x 18"D, 18/430 stainless steel shelf, 2" x 1/4" stainless steel pot rack, includes: (9) plated double pot hooks
- (10) WIRE SHELVING, Metro 2424NC, Super Erecta® Shelf, wire, 24"W x 24"D, chrome plated finish, plastic split sleeves are included in each carton, NSF
- (8) 86P Super Erecta® SiteSelect™ Post, 86-1/2"H, adjustable leveling bolt, posts are grooved at 1" increments & numbered at 2" increments, double grooved every 8", chrome finish
- (1) SHELVING, WALL-MOUNTED, Advance Tabco WS-10-36, Shelf, wall-mounted, 36"W x 10"D, 1-5/8" bullnose front edge, 1-1/2" rear upturn, 18/430 satin finish stainless steel, NSF
- (1) CLEAN DISHTABLE, Advance Tabco DTC-860-48R, Dishtable, clean, straight design, left-to-right operation, 10-1/2"H backsplash, 3" rolled front & side rims, galvanized legs, with no crossrails, 47"W x 30"D x 34"H, 16/304 stainless steel
- (1) VENDOR, Custom ES4400, Vendor
- (3) SHELVING, WIRE, Metro 1848NC, Super Erecta® Shelf, wire, 48"W x 18"D, chrome plated finish, plastic split sleeves are included in each carton, NSF, INCLUDES: (20) Centaur C1848C Centaur® Shelving C Series Shelving, wire, 48"W x 18"D, chrome plated finish, NSF and (16) Centaur C86C



- Centaur® Stationary Post, 86-5/8"H, with leveling bolt & cap, chrome
- (1) PRE-RINSE FAUCET, WALL MOUNT, T&S Brass B-0133, EasyInstall Pre-Rinse Unit, wall mount, base faucet, spring check cartridges & lever handles, 2" diameter flanges with 1/2" NPT female eccentric flanged inlets, 35-1/2"H, 15" overhang, 8-1/4" clearance, 18" riser, spray valve, flex stainless steel hose
- (1) U SHAPED SOILED DISH TABLE, Advance Tabco PER PLANS U shaped soiled dish table
- (3) HAND SINK, WALL MOUNT, Advance Tabco 7-PS-60, Hand Sink, wall model, 14" wide x 10" front-to-back x 5" deep bowl, 20 gauge 304 series stainless steel, with splash mounted faucet, basket drain, wall bracket, NSF, cCISAus
- (1) REACH-IN UNDERCOUNTER REFRIGERATOR, True Food Service Equipment TUC-27-ADA-HC, ADA Compliant Undercounter Refrigerator, 33-38° F, stainless steel top, & sides, (1) stainless steel door, (2) shelves, clear coated aluminum interior with stainless steel floor, 3" castors, front breathing, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1, 2.0 amps, NEMA 5-15P, 34" working height, cULus, UL EPH Classified, CE, MADE IN USA, (1) Self-contained refrigeration standard and (1) Warranty - 5 year compressor (self-contained only), (1) Warranty - 3 year parts and labor, (1) 3" castors, standard
- (1) SODA DISPENSER, By Vendor BY VENDOR, Soda Dispenser
- (1) WATER STATION, T&S Brass B-1230, Water Station, drop-in, 10-1/2" 18 ga. stainless steel drip pan, B-1210 push back glass filler with 8" clearance
- (1) COFFEE MAKER
- (1) TEA MAKER
- (1) MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR, True Food Service Equipment TSSU-60-24M-B-ST-HC, Mega Top Sandwich/Salad Unit, (24) 1/6 size (4"D) poly pans, (2) stainless steel insulated covers, 8-7/8"D cutting board, stainless steel top/front/sides, aluminum back, (2) full doors, (4) shelves, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1, 6.5 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA, (1) Warranty - 3 year parts and labor, (1) Self-contained refrigeration standard, (1) Warranty - 5 year compressor (self-contained only), (1) 5" Castors, standard
- (1) DROP-IN, HOT WELLS, TOP-MOUNT, Wells MOD-300TDN, Food Warmer, top-mount, built-in, electric, narrow width, (3) 12" x 20" openings with drains, wet/dry operation, thermostatic controls, stainless steel interior, insulated aluminized steel housing, cULus
- (1) COOKER, RICE Panasonic SR-42HZP, Commercial Rice Cooker, electric, 7.6 lbs raw rice capacity, serves approximately (94) 3 oz. portion servings, keep warm feature, push button start, automatic shut-off, built-in thermal fuse, dent resistant pan, 67" cord, silver exterior, 120v/60/1-ph, 12.9 amps, 1550 watts, UL, ETL, NSF
- (1) WARMER, FOOD OVERHEAD, Merco/Savory B2B, Warmer, Food Overhead
- (1) DIPPERWELL ASSEMBLY, T&S Brass B-2282-01, Dipperwell Faucet, 5/16" ID for sweat fitting or remove coupling 1/2" NPSM male shank, 1-1/2" brass tube, drain, polish chrome plated solid brass knob, stainless steel bowl & inner overflow cup
- (1) REACH-IN UNDERCOUNTER FREEZER, True Food Service Equipment TUC-27F-HC, Undercounter Freezer, -10° F, stainless steel top & sides, (1) stainless steel door, (2) shelves, clear coated aluminum interior with stainless steel floor, 5" castors, front breathing, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1, 2.3 amps, NEMA 5-15P, cULus, UP EPH Classified, CE, MADE IN USA, ENERGY STAR®, Self-contained refrigeration standard, Warranty - 5 year compressor (self-contained only), Warranty - 3 year parts and labor, 5" Castors, standard
- (1) ICE CREAM DIPPING CABINET, Master-Bilt Products DC-2S, Ice Cream Dipping Cabinet, dip (3) 3 gallon, store (1) 3 gallon, cold-wall evaporator, painted textured galvanized steel exterior, galvanized steel interior, stainless steel top with anti-condensate heater, flip lid, temperature range 10° to -10°F, 1/4 hp, 115v/60/1-ph, 5.7 amps, 9' cord, NEMA 5-15P, cULus, NSF
- (1) TABLE, FILLER, Advance Tabco TABLE\_ FILLER Table, Filler
- (1) TABLE, WORK, 16 GAUGE, BACK SPLASH W/ UNDERSHELF, Advance Tabco FMS-308, Work Table, 96"W x 30"D, 16 gauge 304 series stainless steel top with, 1-1/2" rear upturn, adjustable 18 gauge stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF
- (1) MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR, True Food Service Equipment TSSU-72-30M-B-ST-HC, Mega Top Sandwich/Salad Unit, (30) 1/6 size (4"D) poly pans, (2), stainless steel insulated covers, 8-7/8"D cutting board, stainless steel top, front and sides, aluminum back, (3) full doors, (6) shelves, aluminum interior with stainless steel floor, 5" castors, R290, Hydrocarbon refrigerant, 1/2 HP, 115v/60/1, 7.2 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA
- (1) CHECK MINDER, Advance Tabco CM-48, Special Value Check Minder, 48" L, mounts to wall or shelf, floating ball mechanism, individually packed, aluminum
- (1) BEVERAGE TABLE WITH DOORS, Advance Tabco FT-3018, Table, Filler
- (1) SERVING COUNTER, Custom SERVING COUNTER, Serving Counter
- (1) CUSTOM, Custom CUSTOM, S/S PASS SHELF 20" X 21" LONG
- (1) TIMER, Custom TNC9010 RECONDITIONED, TIMER
- (2) HEAT LAMP, Hatco GRAH-60D3, Glo-Ray® Infrared Foodwarmer, high wattage, tubular metal



- heater rod, double heater rod housing 3" spacing, aluminum construction, 2800 watts, NSF, cUL, UL, One year on-site parts and labor warranty, plus one additional year, parts only warranty on all Glo-Ray metal sheathed elements, 120v/60/1-ph, BLT TOG-2 (2) Built-in toggle controls (remote recommended), a STANDARD Clear Anodized Aluminum, standard (Available at time of purchase only)
- (1) EXHAUST HOOD, Custom MAKE-UP AIR UNIT EXHAUST HOOD
- (1) FRYER FILTER, MOBILE, Vulcan MF-1, Portable Fryer Filtration, 110 lb. oil capacity, 8 gallon/minute pump motor, 4' high temperature discard hose, stainless steel mesh filter screen assembly, no paper required (can be used with any manufacturers brand of free standing fryers), 6" casters, 1/3 HP motor/pump, 1 year limited parts & labor warranty, standard, 120v/60/1-ph, 1/3 hp, 5 amps (for MF-1 filter) requires a NEMA 5-15P, 14 gauge oil and grease rated extension cord (not supplied with mobile filter).
- (3) GAS CONNECTOR SYSTEM, Dormont Manufacturing 1675KIT48, Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue, antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty
- (3) FRYER, DEEP FAT, GAS, Pitco Frialator SG18-S, Solstice Fryer, gas, floor model, full frypot, 70-90 lb. oil capacity, millivolt control ONLY, stainless steel tank, front, door & sides, 140,000, BTU, NSF, CE, CSA Flame, CSA Star, AuGA (free standing, stand alone only fryer - special price)
- (1) MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR, True Food Service Equipment TFP-32-12M, Sandwich/Salad Unit, one section, self-contained, (12) 1/6 size (4"D) poly pans, stainless steel insulated cover, 8"D x 1/2" thick cutting board, stainless steel front/top/sides, aluminum back, (2) shelves, aluminum interior with stainless steel floor, rear mounted refrigeration, 2-1/2" castors, 1/5 HP, 115v/60/1, 3.3 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA, Warranty - 3 year parts and labor, please visit [www.Truemfg.com](http://www.Truemfg.com) for specifics, Warranty - 5 year compressor (self-contained only), Self-contained refrigeration standard
- (1) SALAMANDER BROILER, GAS, Vulcan 36IRB, Salamander Broiler, gas, 36" wide, 30,000 BTU heavy duty infrared burner, dual control, (6) grid positions, removable pan, stainless steel front, top and sides, 3/4" gas rear connection & pressure regulator, 1 year limited parts & labor warranty, standard, Gas type to be specified, Countertop
- (1) HOT PLATE, GAS, Vulcan VCRH36, Hotplate, gas, countertop, 36", (6) 25,000 BTU cast iron open burners with lift-off burner heads, infinite heat controls, crumb tray, (2) drawers, stainless steel front, sides & front top ledge, 4" adjustable legs, 150,000 BTU, CSA, NSF
- (1) GRIDDLE, GAS, Vulcan MSA48, Heavy Duty Griddle, countertop, gas, 48" W x 24" D cooking surface, 1" thick polished steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, manual ignition, low profile, stainless steel front, sides, front grease trough, 4" back & tapered side splashes, 4" adjustable legs, 108,000 BTU, CSA, NSF
- (1) TABLE, FILLER, Advance Tabco FT-3215, Table, Filler
- (1) REFRIGERATOR, SHORTY, True Food Service Equipment TRCB-96, Refrigerated Chef Base, 95-1/2"L base, one-piece 300 series 18 gauge stainless steel top with V edge, stainless steel front/sides, aluminum back, aluminum interior with stainless steel floor, (4) drawers [accommodates (3) 12"x20"x4" pans, NOT included], 4" castors, 1/3 HP, 115v/60/1, 10.4 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, MADE IN USA
- (1) BROILER, UNDER-FIRED/GAS, Wolf SCB25C, Broiler, Under-Fired/Gas
- (1) CHARBROILER, GAS, COUNTERTOP, Vulcan VACB25, Achiever Charbroiler, countertop, 25-1/8", (4) 17,000 BTU cast iron burners, infinite heat control valves, fully welded chassis, (1) drip tray, stainless steel front, sides & top trim, backsplash & grease trough, 4" adjustable legs, 68,000 BTU, CSA, NSF, 1 year limited parts & labor warranty, standard, Gas type to be specified
- (1) CONVECTION OVEN, GAS, Blodgett Oven ZEPH-100-G-ES BASE, Zephaire Convection Oven, gas, (base section only) single-deck, standard depth, capacity (5) 18" x 26" pans, (SSI-D) solid state infinite controls with digital timer, two speed fan, dependent glass doors, interior light, stainless steel front, sides and top, 45,000 BTU, ETL, NSF, ENERGY STAR®, 2 year parts, 2 year labor and 1 additional year door warranty (parts only), standard, Gas type to be determined, 115v/60/1-ph, 8.0 amps, 2-wire with ground, cord & plug, 3/4 hp, standard SSI-D Solid State infinite with digital timer, standard
- (1) GAS CONNECTOR SYSTEM, Dormont Manufacturing 1675KIT2S, GAS CONNECTOR SYSTEM
- (1) TABLE, WORK, 16 GA, BACK SPLASH W/SHELF, Advance Tabco FMG-303, Work Table, 36" W x 30"D, 16 gauge 304 series stainless steel top with 1-1/2" rear upturn, 18 gauge adjustable galvanized undershelf, galvanized legs with adjustable plastic bullet feet, NSF
- (2) KEG RACK Metro KR-60-X KEG RACK
- (1) BEVERAGE COOLING SYSTEM, REMOTE, Perlick Corporation 4414, Draft Beer System Power Pak, air-cooled, 24-1/4"W x 17-1/4"D x 25-1/2"H, (1) 100 gph circulating pump, 1.75 gallon capacity glycol bath, constant pressure expansion valve, adjustable electronic temperature control with digital readout, stainless steel cabinet, R134a, 3/4 HP, 120v/60/1-ph, 17.1 amps, cULus, NSF
- (1) WALK-IN, Custom WALK-IN FREEZER WALK-IN
- (1) WALK-IN, Custom FREEZER EVAPORATOR, WALK-IN
- (1) SHELVING, WIRE, Metro 2448NK3, Super Erecta® Shelf, wire, 48"W x 24"D, plastic split sleeves



are included in each carton, Metroseal 3™ epoxy-coated corrosion-resistant finish with Microban® antimicrobial protection, NSF

(1) SHELVING, WIRE, Metro 2442NK3, Super Erecta® Shelf, wire, 42"W x 24"D, plastic split sleeves are included in each carton, Metroseal 3™ epoxy-coated corrosion-resistant finish with Microban® antimicrobial protection, NSF

(1) ICE BIN, Advance Tabco PRI-19-30, Prestige Ice Chest, 30" wide, without cold plate, stainless steel construction with foam insulation, 7" backsplash, 1" drain, 20" front-to-back, 11" deep bin, 89 lbs ice capacity

(1) BOTTLE DISPLAY, Advance Tabco PRLR-24, Prestige Liquor Bottle Display Unit, (5) steps, 24"W x 25"D x 35-15/16"H, approximately (30) bottle capacity, 7" backsplash, stainless steel construction, stainless steel legs & adjustable bullet feet, NSF

(1) BLENDER STATION, Advance Tabco PRRS-19-12, Prestige Blender Station with Dump Sink, 12"W x 25"D x 36"H, dump sink with splash mounted faucet, 1-1/2" IPS drain, 7" backsplash, recessed blender shelf with grommet hole & removable perforated drainboard top, 15 amp 120v duplex receptacle hidden beneath shelf, stainless steel top, apron, sides & legs with adjustable side cross-bracing, adjustable stainless steel bullet feet, NSF

(1) GLASS AND PLATE CHILLER, True Food Service Equipment T-24-GC, Glass and Plate Chiller / Froster, 0° F & below, capacity: (90) 8" mugs or (85) 10" steins, (2) adjustable PVC coated shelves, stainless steel counter top & lid, deep well design, galvanized interior, black vinyl exterior, auto defrost, 134a refrigerant, 1/5 HP, 115v/60/1, 2.6 amps, NEMA 5-15P, MADE IN USA

(2) REFRIGERATED MERCHANDISER, True Food Service Equipment GDM-33SSL-56-HC-LD, Convenience Store Cooler, two-section, (4) wire shelves, laminated vinyl exterior, white interior with stainless steel floor, (2) Low-E thermal glass sliding doors, LED interior lights, leg levelers, R290, Hydrocarbon refrigerant, 1/5 HP, 115v/60/1, 3.0 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA, Self-contained refrigeration standard, Warranty - 5 year compressor (self-contained only), Warranty - 3 year parts and labor, Exterior: Permanent non-peel non-chip black vinyl, standard, Interior: White aluminum, standard, Decal: S-TS-01 "TRUE Stripe" graphic, standard

(1) BACK BAR CABINET, REFRIGERATED, True Food Service Equipment TBB-24-48-HC, Back Bar Cooler, two-section, 24" deep, 35-5/8" high, (48) 6-packs or (2) 1/2 keg capacity, (4) wire shelves, condensing unit on left, stainless steel top, galvanized interior with stainless steel floor, black vinyl exterior, (2) full doors, LED interior lights, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1, 2.1 amps, NEMA 5-15P, cULus, UL EPH Classified, MADE IN USA

(1) DROP-IN SINK, Advance Tabco DBS-1, Bar Sink, drop-in, 13"W x 19"D (overall), (1) 10"W x 14"D x 10" deep sink bowl with 1-1/2" I.P.S. drain, includes: (1) 4" deck mount faucet with 6" spout &

(1) 9" overflow pipe, 20 gauge 300 series stainless steel, NSF (cutout size 12-1/4" x 18-1/4")

(1) TABLE W/SINK, Advance Tabco TABLE 28" X 24" Table w/Sink

Invoice No: 884425

Restaurant Equipment – Small Wares

Various Kitchen and Restaurant Small Wares as per Invoice #884425 including but not limited to Kitchen Utensils, Knives, Glasses, Plates, Assorted Serving Ware, Assorted Kitchen Ware, Assorted Pans, Cutting Boards, and the like

Invoice No: 884524

(8) GROSFILLEX TABLE TOP, 36" X 36" TOKYO STONE, 99872102

(8) GROSFILLEX PEDESTAL TABLE BASE 2000, RESIN, CHARCOAL

(32) GROSFILLEX CHAIR, HAVANA STACHING, 45903002

Along with all additions, substitutions, attachments, replacements, and accessions thereof, plus the proceeds of all the foregoing including amounts payable under any insurance policy.

This Exhibit "A" is attached to and a part of Jules and Associates, Inc. Master Equipment Lease Agreement No. 20072640, Schedule No. 2 and constitutes a true and accurate description of the equipment.

LESSEE: Winger's USA, Inc.

ACKNOWLEDGED & ACCEPTED BY:

BY: \_\_\_\_\_  
Eric E. Slaymaker, Vice President