

11228490
08/16/2011 03:02 PM \$0.00
Book - 9943 Pg - 4381-4438
GARY W. OTT
RECORDER, SALT LAKE COUNTY, UTAH
PARSONS, BEHLE & LATIMER
201 S MAIN ST STE.1800
SLC UT 84145-0898
BY: HNP, DEPUTY - WI 58 P.

WHEN RECORDED, RETURN TO:
North Jordan Irrigation Company
4788 Hidden Cove
Taylorsville, Utah 84123

NOTICE OF EASEMENT


NOTICE IS HEREBY GIVEN that North Jordan Irrigation Company is the holder of an easement (the "Easement") established in part pursuant to Utah Code Annotated § 57-13a-102 for the location and operation of an irrigation canal known as the North Jordan Canal (the "Canal"). The existing Canal, maintenance road, and related easements are described on Exhibit A attached hereto and incorporated herein by this reference (the "Easement Area"). This notice is recorded pursuant to Utah Code Annotated § 57-13a-103. The Easement is held for the construction, use, operation, maintenance, repair, and replacement of the Canal, ditch laterals, headgates, weirs, diversions, maintenance and access roads, canal banks, toe drain ditches, pipelines, fences, and other related facilities and uses. In addition, North Jordan Irrigation Company has the right to operate and maintain the Canal in a manner consistent with its obligations under Utah law, including Utah Code Annotated § 73-1-8. Pursuant to Utah Code Annotated § 73-1-15, it is unlawful to encroach upon this Easement or to interfere with any of the water system located thereon.

Salt Lake County has contracted with North Jordan Irrigation Company to use the Canal to carry storm run off and flood waters as part of the county storm drainage and flood control system and the easement area is subject to the provisions relating to such facilities under Utah Code Ann. § 17-8-5.5 (1993) and Salt Lake County Code of Ordinances § 17.08.040. Salt Lake County may require a written permit before any use may be made of property within the flood control system, including the Easement Area.

This Notice does not alter the historic rights and interests of North Jordan Irrigation Company regarding its water rights, water facilities, its other assets, or its canals. This Notice is to provide record notice to the public of (1) the location of the Easement, and (2) North Jordan Irrigation Company's rights, privileges, and interests in the Easement, in addition to any other seepage easements, lateral and subjacent support easements, and other rights existing of record or from use. Any questions about this Notice shall be directed to North Jordan Irrigation Company at the above address.


IN WITNESS WHEREOF, North Jordan Irrigation Company has caused this Notice to be executed by persons duly authorized to execute the same as of this July 25, 2011.

NORTH JORDAN IRRIGATION COMPANY,
a Utah corporation

By 
Name Van F. King
Title President

STATE OF UTAH)
) :SS
COUNTY OF SALT LAKE)

On this July 25, 2011, personally appeared before me Van King, who duly acknowledged to me that he is the president of North Jordan Irrigation Company, is duly authorized to execute the foregoing Agreement on its behalf, and did so voluntarily for its stated purpose.



Annette A. Mabe
Notary Public

notary expires 11/22/2014

**EXHIBIT A
TO NOTICE OF EASEMENT**

[Please see attached legal description.]

**North Jordan Irrigation Company
Parcel List
April 13, 2011**

**Section 29, Township 1 South, Range 1 West,
SLB&M**

15294510350000
15294510340000
15294510330000
15294510150000
15294510140000
15294510130000
15294510120000
15294510110000
15294510100000
15294510090000
15294510020000
15294510010000
15294030250000
15294030250000
15294030050000
15294030040000
15294030030000
15294030020000
15294030010000
15294020080000
15294020030000
15294020020000
15294020010000
15294010270000
15294010110000
15294010260000
15294010080000
15294010090000
15294010030000
15294010010000

**Section 32, Township 1 South, Range 1 West,
SLB&M**

15324300530000
15324260170000
15324260160000
15324260210000
15324270190000
15324260200000
15324270130000
15324260140000
15324260130000
15324260120000
15324260110000
15324260100000
15324260090000
15324270130000
15324260080000
15324260070000
15324260060000
15324260050000
15324260040000
15324260030000
15324260020000
15324270040000
15324270270000
15324270010000
15324260010000
15322760370000
15322760210000
15322760390000
15322760480000
15322760470000
15322760490000
15322770470000
15322760460000
15322760010000
15322010240000
15322020120000
15322020210000
15322020210000
15322010670000
15322010660000

15322010652000
15322010660000
15322010860000
15322010800000
15322010570000
15322010590000
15322010580000
15322010770000

**Section 33, Township 1 South, Range 1 West,
SLB&M**

15333790220000
15333790190000
15333790180000
15333800130000
15333790170000
15333790160000
15333800180000
15333790150000
15333800090000
15333790140000
15333790130000
15333790120000
15333790110000
15333800190000
15333790100000
15333800210000
15333790090000
15333800040000
15333790010000
15333800030000
15333800020000
15333800010000
15333030290000
15333030280000
15333030270000
15333030260000
15333030250000
15333760010000
15333030240000
15333520080000
15333030230000
15333520070000
15333520060000
15333520050000
15333520040000
15333520030000
15333030220000
15333520020000
15333030210000
15333520010000

1533303020000
15333030190000
15333040310000
15333030180000
15333030110000
15333030120000
15333040300000
15333030020000
15333040290000
15333030100000
15333030050000
15333030060000
15333030040000
15333030010000

**Section 4, Township 2 South, Range 1 West,
SLB&M**

21042810850000
21042810860000
21042810760000
21042810890000
21042810750000
21042810530000
21042810670000
21042811010000
21042800100000
21042800060000
21042800050000
21042510060000
21042510060000
21042150280000
21042120040000
21042120040000
21042100010000
21042080090000
21042080080000
21042080020000
21042080010000
21042011070000
21042070140000

**Section 3, Township 2 South, Range 1 West,
SLB&M**

21034570010000
21034540080000
21034540070000
21034540060000
21034540050000
21034540040000
21034540030000
21034540020000
21034540010000
21034530010000
21034530010000
21034510070000
21034510220000
21034510220000
21034510200000
21034020090000
21034030110000
21034020080000
21034030100000
21034020050000
21034030090000
21034030080000
21034020040000
21034030070000
21034020030000
21034020020000
21034030130000
21034030120000
21034030050000
21034030040000
21034030030000
21034020010000
21034030010000
21034030020000
21033270060000
21033270120000
21033270130000
21033270070000
21033260020000
21033280080000

21031800060000
21031800050000
21033280080000
21031800030000
21031800040000
21031560110000
21031560050000
21031560040000
21031560030000
21031560020000
21031560080000
21031520200000

**Section 10, Township 2 South, Range 1 West,
SLB&M**

21104770010000
21104770100000
21104770080000
21104770030000
21104770020000
21104800080000
21104800190000
21104340050000
21104340040000
21104340030000
21104340020000
21104340010000
21104310090000
21104310010000
21104290090000
21104290100000
21104290080000
21104290040000
21104290030000
21104290010000
21102780270000
21102780270000
21102780240000
21102780110000
21102780230000
21102780100000
21102780290000
21102780290000
21102780210000
21102780080000
21102780260000
21102780260000
21102780260000
21102780300000
21102780300000
21102780180000
21102780050000
21102780280000
21102780280000
21102780030000

21102780160000
21102760270000
21102760260000
21102760340000
21102760230000
21102760220000
21102270010000
21102010240000
21102260480000
21102010100000
21102020050000
21102010160000
21102010260000
21102010020000
21102020040000

**Section 15, Township 2 South, Range 1 West,
SLB&M**

21152270030000
21152270040000
21152270050000
21152270060000
21152280050000
21152280060000
21152280060000
21152800050000
21152800070000
21152800080000
21152800090000
21154270080000
21154320300000
21154320300000
21154320300000
21154320300000
21154330010000
21154330010000
21154330010000
21154330020000
21154330020000
21154330020000
21154330020000
21154330020000
21154330080000
21154330090000
21154330140000
21154330150000
21154340020000
21154800030000
21154800260000

**Section 14, Township 2 South, Range 1 West,
SLB&M**

21141010580000
21141010594001
21141010594001
21141010594002
21141010594002
21141020030000
21141020160000
21141020170000
21141020230000
21141020230000
21141020240000
21141020260000
21141020270000
21141080010000
21141510030000
21141510060000
21141510070000
21141510080000
21141510090000
21141550010000
21143520110000
21143520120000
21143520130000
21143520140000
21143520150000
21143520160000
21143520170000
21143520180000
21143520190000
21143520250000
21143530010000
21143530020000
21143530030000
21143530040000
21143530050000
21143530060000
21143530090000
21143530130000
21143530140000
21143530150000

21143530160000
21143530170000
21143530180000
21143530190000
21143530200000
21143530210000
21143530220000

**Section 23, Township 2 South, Range 1 West,
SLB&M**

21233760150000
21233760140000
21233760130000
21233760120000
21233760110000
21233760100000
21233760090000
21233560120000
21233530220000
21233560110000
21233560100000
21233560090000
21233560080000
21233560070000
21233760200000
21233560060000
21233780050000
21233780040000
21233560040000
21233560030000
21233780030000
21233560020000
21233780020000
21233560010000
21233780010000
21233060100000
21233040150000
21233040140000
21233060090000
21233040130000
21233040120000
21233040110000
21233060080000
21233060070000
21233040100000
21233040090000
21233030230000
21233040080000
21233040070000
21233090390000

21233090380000
21233090370000
21233040060000
21233090360000
21233090350000
21233090340000
21233040050000
21233090430000
21233090430000
21233040040000
21233010110000
21233020010000
21233020040000
21233020030000
21233010100000
21231520140000
21231520130000
21231520120000
21231510150000
21231510210000
21231520110000
21231520100000
21231520090000
21231510200000
21231510320000
21231520080000
21231510310000
21231520070000
21231510300000
21231510260000
21231520150000
21231010260000
21231010120000
21231020120000
21231010080000
21231020230000
21231010300000
21231020200000
21231010280000
21231020180000
21231020170000
21231010230000
21231010230000

21231020150000
21231010240000
21231060020000
21231030040000
21231030030000
21231060010000
21231030020000

**Section 26, Township 2 South, Range 1 West,
SLB&M**

21263520030000
21263510200000
21263510210000
21263010220000
21263010230000
21263010240000
21263050010000
21263050020000
21263050030000
21263050040000
21263050050000
21263050060000
21261560150000
21261560140000
21261560070000
21263020070000
21263020070000
21261560060000
21261790120000
21261790100000
21261790090000
21261790080000
21261790070000
21261760050000
21261790060000
21261760060000
21261790050000
21261790040000
21261790030000
21261510460000
21261060120000
21261060110000
21261270090000
21261270090000
21261260020000
21261060070000
21261060020000
21261060010000
21261260010000
21261270080000

21261010270000
21261270080000

**Section 35, Township 2 South, Range 1 West,
SLB&M**

21354000220000
21353760020000
21354000200000
21354000200000
21353760010000
21353520190000
21353010160000
21351520030000
21353270110000
21351760050000
21351760020000
21351520040000
21351510050000
21351510050000
21351510040000
21351510040000
21351050050000
21351050050000
21351030070000
21351280090000
21351270054002
21351270054001
21351010060000
21351260060000
21351260070000
21351010040000

**Section 2, Township 3 South, Range 1 West,
SLB&M**

27024000620000
27024000620000
27023260240000
27024000010000
27024000400000
27022000210000
27022520020000
27022510110000
27022510050000
27022510060000
27022510070000
27022510080000
27022510100000
27022510090000
27022030150000
27022030120000
27022030110000
27022000070000
27022030100000
27022030090000
27022030080000
27022030070000
27022030060000
27022030050000
27022030040000
27022030030000
27022030020000
27022000130000
27022000060000
27022000080000
27022030140000
27111260030000

**Granger Lateral Parcel List
Section 32, Township 1 South, Range 1 West,
SLB&M**

15324020040000
15324020040000
15324260010000
15324020260000
15322760200000
15322760390000
15322570130000
15322760380000
15322570120000
15322540170000
15322570110000
15322540160000
15322570100000
15322540150000
15322570100000
15322570210000
15322540140000
15322570200000
15322570190000
15322540130000
15322570180000
15322570170000
15322540120000
15322570160000
15322570150000
15322570140000
15322540110000
15322540100000
15322540090000
15322540180000
15322570360000
15322540080000
15322540070000
15322540060000
15322570300000
15322540050000
15322540190000
15322540040000

15322540030000
15322540020000
15321780100000
15321780090000
15322540010000
15321780080000
15321780070000
15321780060000
15321780050000
15321780040000
15321780030000
15321780020000
15321780180000
15321780220000
15321780210000
15321780200000
15321780190000
15321780180000
15321760020000

SECTION 32, TOWNSHIP 1 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 1.38 FEET NORTH 89°58'09" EAST ALONG SECTION LINE FROM THE NORTH QUARTER CORNER OF SECTION 32, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE NORTH 89°58'09" EAST 44.26 FEET ALONG SAID NORTH LINE OF SECTION 32; THENCE LEAVING SAID NORTH SECTION LINE SOUTH 00°12'33" EAST 11.53 FEET; THENCE SOUTH 88°09'42" EAST 736.50 FEET; THENCE SOUTH 13°47'10" EAST 195.66 FEET; THENCE SOUTH 24°15'51" EAST 309.23 FEET; THENCE SOUTH 00°04'23" WEST 231.84 FEET; THENCE SOUTH 40°14'41" WEST 196.00 FEET; THENCE SOUTH 01°09'18" EAST 420.72 FEET; THENCE SOUTH 89°46'40" EAST 410.12 FEET; THENCE SOUTH 51°10'30" EAST 108.94 FEET; THENCE SOUTH 00°00'00" EAST 29.35 FEET; THENCE SOUTH 00°25'32" WEST 221.77 FEET; THENCE SOUTH 86°28'04" WEST 2.32 FEET; THENCE SOUTH 00°08'00" WEST 109.20 FEET; THENCE SOUTH 08°23'48" EAST 30.18 FEET; THENCE SOUTH 00°00'53" WEST 141.07 FEET; THENCE SOUTH 00°01'52" EAST 302.14 FEET; THENCE SOUTH 00°04'09" EAST 116.98 FEET; THENCE SOUTH 00°07'25" EAST 157.90 FEET; THENCE SOUTH 89°58'37" EAST 11.55 FEET; THENCE SOUTH 00°20'07" WEST 125.29 FEET; THENCE SOUTH 50°32'49" EAST 71.21 FEET; THENCE NORTH 90°00'00" EAST 47.38 FEET; THENCE SOUTH 69°03'40" EAST 24.73 FEET; THENCE SOUTH 55°48'47" EAST 29.05 FEET; THENCE SOUTH 48°56'34" EAST 19.77 FEET; THENCE SOUTH 42°14'57" EAST 58.79 FEET; THENCE SOUTH 40°52'18" EAST 92.24 FEET; THENCE SOUTH 40°59'04" EAST 61.11 FEET; THENCE SOUTH 45°12'03" EAST 61.67 FEET; THENCE SOUTH 39°56'59" EAST 62.80 FEET; THENCE SOUTH 40°21'26" EAST 53.36 FEET; THENCE SOUTH 41°37'56" EAST 25.36 FEET; THENCE SOUTH 53°52'34" EAST 27.28 FEET; THENCE SOUTH 56°50'49" EAST 41.14 FEET; THENCE SOUTH 52°31'49" EAST 28.66 FEET; THENCE SOUTH 47°48'41" EAST 40.90 FEET; THENCE SOUTH 38°38'15" EAST 25.68 FEET; THENCE ALONG A 174.44 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 116.84 FEET, (CHORD BEARS SOUTH 57°29'26" EAST 114.67 FEET); THENCE SOUTH 81°49'48" EAST 53.94 FEET; THENCE SOUTH 79°30'14" EAST 60.94 FEET; THENCE SOUTH 84°15'36" EAST 7.19 FEET; THENCE SOUTH 84°15'36" EAST 112.84 FEET; THENCE ALONG A 106.23 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 49.65 FEET, (CHORD BEARS SOUTH 74°24'47" EAST 49.20 FEET); THENCE SOUTH 62°07'40" EAST 69.59 FEET; THENCE SOUTH 64°56'57" EAST 92.31 FEET; THENCE SOUTH 64°20'27" EAST 21.09 FEET; THENCE SOUTH 00°00'00" EAST 11.22 FEET; THENCE SOUTH 64°46'56" EAST 71.38 FEET; THENCE SOUTH 63°19'16" EAST 55.66 FEET; THENCE SOUTH 76°13'29" EAST 85.15 FEET, MORE OR LESS, TO THE EAST LINE OF SAID SECTION 32, AT A POINT 741.48 FEET SOUTH 00°01'44" WEST ALONG SECTION LINE FROM THE EAST QUARTER CORNER OF SAID SECTION 32; THENCE ALONG THE EAST LINE OF SAID SECTION 32, SOUTH 00°01'44" WEST 61.55 FEET; THENCE LEAVING SAID EAST LINE OF SECTION 32, NORTH 73°35'16" WEST 107.66 FEET; THENCE NORTH 66°06'34" WEST 72.41 FEET; THENCE NORTH 61°22'00" WEST 31.29 FEET; THENCE NORTH 00°03'15" WEST 11.40 FEET; THENCE NORTH 66°39'29" WEST 85.54 FEET; THENCE NORTH 64°02'58" WEST 86.00 FEET; THENCE NORTH 59°04'05" WEST 41.35 FEET; THENCE ALONG A 197.79 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 80.43 FEET, (CHORD BEARS NORTH 81°20'00" WEST 79.88 FEET); THENCE NORTH 81°38'46" WEST 55.16 FEET; THENCE SOUTH 88°46'25" WEST 23.06 FEET; THENCE NORTH 82°52'21" WEST 47.12 FEET; THENCE NORTH 80°24'14" WEST 53.93 FEET; THENCE NORTH 79°11'26" WEST 36.77 FEET; THENCE ALONG A 151.48 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 67.33 FEET, (CHORD BEARS NORTH 61°48'51" WEST 66.77 FEET); THENCE NORTH 50°56'05" WEST 32.59 FEET; THENCE NORTH 40°44'22" WEST 33.37 FEET; THENCE NORTH 39°42'39" WEST 36.91 FEET; THENCE NORTH 52°31'37" WEST 38.43 FEET; THENCE NORTH 56°33'21" WEST 42.04 FEET; THENCE NORTH 50°21'18" WEST 35.65 FEET; THENCE NORTH 42°00'35" WEST 30.19 FEET; THENCE NORTH 40°56'10" WEST 58.39 FEET; THENCE NORTH 39°09'10" WEST 56.70 FEET; THENCE NORTH 42°38'14" WEST 35.93 FEET; THENCE NORTH 56°43'32" WEST 7.73 FEET; THENCE ALONG A 63.89 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 28.52 FEET, (CHORD BEARS NORTH 41°43'01" WEST 28.28 FEET); THENCE NORTH 37°00'00" WEST 20.07 FEET; THENCE NORTH 39°18'58" WEST 53.30 FEET; THENCE NORTH 44°00'33" WEST 127.38 FEET; THENCE ALONG A 119.36 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 39.64 FEET, (CHORD BEARS NORTH 49°41'54" WEST 39.46 FEET); THENCE NORTH 70°44'04" WEST 83.03 FEET; THENCE NORTH 03°24'37" EAST 19.84 FEET; THENCE NORTH 50°32'49" WEST 66.37 FEET; THENCE NORTH 00°00'00" EAST 22.09 FEET; THENCE NORTH 00°04'10" EAST 49.11 FEET; THENCE NORTH 00°12'13" WEST 71.49 FEET; THENCE NORTH 03°02'39" EAST 42.84 FEET; THENCE NORTH 00°01'57" EAST 227.00 FEET; THENCE NORTH 00°07'59" EAST 59.98 FEET; THENCE NORTH

00°17'15" WEST 160.12 FEET; THENCE NORTH 00°06'05" WEST 250.08 FEET; THENCE NORTH 00°10'01" EAST 328.18 FEET; THENCE NORTH 50°40'50" WEST 98.28 FEET; THENCE NORTH 89°51'03" WEST 460.80 FEET; THENCE NORTH 00°47'17" WEST 448.97 FEET; THENCE NORTH 40°16'03" EAST 231.10 FEET; THENCE NORTH 00°04'23" EAST 208.59 FEET; THENCE NORTH 24°15'51" WEST 304.27 FEET; THENCE NORTH 13°47'10" WEST 168.98 FEET; THENCE NORTH 88°09'42" WEST 749.01 FEET; THENCE NORTH 00°12'34" WEST 50.11 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 238,492.50 SQ. FT., OR 5.475 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 33, TOWNSHIP 1 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 1840.99 FEET NORTH 00°01'44" EAST ALONG SECTION LINE FROM THE SOUTHWEST CORNER OF SECTION 33, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE ALONG THE NORTH LINE OF SAID SECTION 33 NORTH 00°01'44" EAST 61.55 FEET; THENCE LEAVING SAID NORTH LINE, SOUTH 76°13'29" EAST 46.42 FEET; THENCE SOUTH 70°08'39" EAST 434.66 FEET; THENCE ALONG A 407.54 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 196.41 FEET, (CHORD BEARS SOUTH 78°54'32" EAST 194.51 FEET); THENCE ALONG A 2099.04 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 794.26 FEET, (CHORD BEARS SOUTH 77°47'51" EAST 789.53 FEET); THENCE SOUTH 62°27'03" EAST 158.40 FEET; THENCE SOUTH 71°55'11" EAST 140.61 FEET; THENCE ALONG A 699.58 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 71.96 FEET, (CHORD BEARS SOUTH 79°49'19" EAST 71.93 FEET); THENCE SOUTH 72°10'22" EAST 115.23 FEET; THENCE SOUTH 19°12'29" EAST 19.31 FEET; THENCE SOUTH 64°43'09" EAST 65.68 FEET; THENCE NORTH 74°40'22" EAST 14.53 FEET; THENCE SOUTH 57°06'33" EAST 69.09 FEET; THENCE SOUTH 52°16'25" EAST 92.11 FEET; THENCE SOUTH 49°11'15" EAST 197.42 FEET; THENCE SOUTH 46°17'52" EAST 116.71 FEET; THENCE ALONG A 476.99 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 336.46 FEET, (CHORD BEARS SOUTH 17°10'49" EAST 329.53 FEET); THENCE SOUTH 00°39'21" WEST 316.21 FEET; THENCE SOUTH 05°04'13" WEST 188.67 FEET; THENCE ALONG A 27.08 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 24.73 FEET, (CHORD BEARS SOUTH 05°21'39" EAST 23.88 FEET); THENCE SOUTH 46°25'24" EAST 151.90 FEET; THENCE SOUTH 58°03'18" EAST 144.59 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 33, AT A POINT 17.39 FEET SOUTH 89°53'48" WEST FROM THE SOUTH QUARTER CORNER OF SAID SECTION 33; THENCE ALONG SAID SOUTH LINE OF SECTION 33, SOUTH 89°53'48" WEST 125.39 FEET; THENCE LEAVING SAID SOUTH LINE, NORTH 55°20'32" WEST 90.94 FEET; THENCE NORTH 44°17'32" WEST 121.48 FEET; THENCE NORTH 23°17'05" WEST 40.70 FEET; THENCE NORTH 65°51'05" EAST 18.33 FEET; THENCE NORTH 01°26'52" EAST 37.07 FEET; THENCE

NORTH 53°47'07" WEST 18.27 FEET; THENCE NORTH 05°33'04" EAST 185.54 FEET; THENCE NORTH 00°28'51" WEST 211.90 FEET; THENCE ALONG A 492.94 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 388.80 FEET, (CHORD BEARS NORTH 14°11'09" WEST 378.80 FEET); THENCE NORTH 48°52'51" WEST 306.42 FEET; THENCE NORTH 55°16'20" WEST 83.62 FEET; THENCE ALONG A 610.84 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 319.33 FEET, (CHORD BEARS NORTH 68°16'12" WEST 315.71 FEET); THENCE ALONG A 688.46 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 276.38 FEET, (CHORD BEARS NORTH 67°05'50" WEST 274.53 FEET); THENCE NORTH 68°59'12" WEST 166.74 FEET; THENCE NORTH 72°47'10" WEST 148.26 FEET; THENCE NORTH 75°36'49" WEST 151.14 FEET; THENCE ALONG A 843.67 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 170.83 FEET, (CHORD BEARS NORTH 84°49'24" WEST 170.54 FEET); THENCE NORTH 86°28'59" WEST 195.90 FEET; THENCE ALONG A 377.31 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 185.16 FEET, (CHORD BEARS NORTH 74°55'53" WEST 183.30 FEET); THENCE NORTH 72°18'27" WEST 40.63 FEET; THENCE NORTH 31°23'09" WEST 23.05 FEET; THENCE NORTH 72°24'41" WEST 48.78 FEET; THENCE NORTH 69°07'11" WEST 36.76 FEET; THENCE NORTH 68°19'20" WEST 82.65 FEET; THENCE SOUTH 20°18'09" WEST 16.84 FEET; THENCE NORTH 69°26'41" WEST 220.77 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 233,510.63 SQ. FT., OR 5.361 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 4, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 17.39 FEET SOUTH 89°53'48" WEST ALONG SECTION LINE FROM THE NORTH QUARTER CORNER OF SECTION 4, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE SOUTH 58°03'18" EAST 131.74 FEET; THENCE ALONG A 1113.01 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 366.86 FEET, (CHORD BEARS SOUTH 60°50'09" EAST 365.20 FEET); THENCE ALONG A 401.15 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 177.13 FEET, (CHORD BEARS SOUTH 47°10'34" EAST 175.69 FEET); THENCE SOUTH 33°48'11" EAST 144.67 FEET; THENCE SOUTH 37°23'31" EAST 99.60 FEET; THENCE SOUTH 41°24'44" EAST 194.45 FEET; THENCE ALONG A 210.39 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 182.72 FEET, (CHORD BEARS SOUTH 20°33'46" EAST 177.04 FEET); THENCE SOUTH 05°02'51" WEST 117.18 FEET; THENCE SOUTH 00°47'29" WEST 74.65 FEET; THENCE SOUTH 08°38'16" EAST 151.77 FEET; THENCE SOUTH 06°48'22" EAST 96.50 FEET; THENCE ALONG A 574.25 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 231.00 FEET, (CHORD BEARS SOUTH 21°55'55" EAST 229.45 FEET); THENCE SOUTH 29°00'13" EAST 193.09 FEET; THENCE SOUTH 33°51'53" EAST 226.68 FEET; THENCE SOUTH 38°39'36" EAST 134.09 FEET; THENCE SOUTH 42°30'47" EAST 150.73 FEET; THENCE SOUTH 59°02'22" EAST 269.57 FEET; THENCE ALONG A 133.90 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 84.12 FEET, (CHORD BEARS SOUTH 72°38'36" EAST 82.75 FEET); THENCE SOUTH 66°52'00" EAST 344.88 FEET; THENCE SOUTH 69°24'20" EAST 175.10 FEET; THENCE SOUTH 88°42'56" EAST 91.05 FEET; THENCE ALONG A 308.16 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 132.27 FEET, (CHORD BEARS NORTH 89°45'21" EAST 131.25 FEET); THENCE NORTH 80°14'50" EAST 204.98 FEET; THENCE NORTH 72°15'26" EAST 45.17 FEET, MORE OR LESS, TO THE EAST LINE OF SAID SECTION 4; THENCE ALONG SAID EAST LINE OF SECTION 4 SOUTH 00°01'00" EAST 74.61 FEET, TO A POINT 156.92 FEET NORTH 00°01'00" WEST ALONG SECTION LINE FROM THE EAST QUARTER CORNER OF SAID SECTION 4; THENCE LEAVING SAID EAST LINE, SOUTH 79°38'05" WEST 202.97 FEET; THENCE ALONG A 756.56 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 388.86 FEET, (CHORD BEARS NORTH 85°33'13" WEST 384.59 FEET); THENCE NORTH 65°52'30" WEST 361.22 FEET; THENCE NORTH 72°34'16" WEST 116.95 FEET; THENCE NORTH 65°30'02" WEST 239.91 FEET; THENCE NORTH 48°32'56" WEST 91.29 FEET; THENCE NORTH 44°50'33" WEST 149.04 FEET; THENCE ALONG A 3401.49 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 631.86 FEET, (CHORD BEARS NORTH 33°00'13" WEST 630.95 FEET); THENCE ALONG A 321.71 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 148.95 FEET, (CHORD BEARS NORTH 19°40'07" WEST 147.62 FEET); THENCE ALONG A 800.55 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 175.01 FEET, (CHORD BEARS NORTH 11°23'58" WEST 174.66 FEET); THENCE ALONG A 540.42 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 241.32 FEET, (CHORD BEARS NORTH 00°54'53" WEST 239.32 FEET); THENCE ALONG A 320.64 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF

224.30 FEET, (CHORD BEARS NORTH 11°14'02" WEST 219.75 FEET); THENCE NORTH 39°58'15" WEST 242.07 FEET; THENCE NORTH 35°38'46" WEST 68.04 FEET; THENCE NORTH 33°23'21" WEST 139.37 FEET; THENCE NORTH 46°09'49" WEST 69.27 FEET; THENCE ALONG A 919.78 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 353.20 FEET, (CHORD BEARS NORTH 58°45'47" WEST 351.04 FEET); THENCE NORTH 65°19'04" WEST 100.34 FEET; THENCE NORTH 56°14'55" WEST 223.22 FEET, MORE OR LESS, TO THE NORTH LINE OF SAID SECTION 4; THENCE ALONG SAID NORTH LINE OF SECTION 4, NORTH 89°53'48" EAST ALONG SECTION LINE 125.39 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.
CONTAINS: 294,316.62 SQ. FT., OR 6.757 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 3, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 156.92 FEET NORTH 00°01'00" WEST ALONG SECTION LINE FROM THE WEST QUARTER CORNER OF SECTION 3, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE ALONG THE WEST LINE OF SAID SECTION 3, NORTH 00°01'00" WEST 74.61 FEET; THENCE LEAVING SAID WEST LINE, ALONG A 1253.61 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 325.28 FEET, (CHORD BEARS NORTH 83°32'42" EAST 324.37 FEET); THENCE SOUTH 82°10'24" EAST 383.42 FEET; THENCE NORTH 86°22'59" EAST 171.27 FEET; THENCE NORTH 89°11'59" EAST 103.39 FEET; THENCE ALONG A 396.61 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 118.88 FEET, (CHORD BEARS SOUTH 81°34'12" EAST 118.43 FEET); THENCE SOUTH 76°36'13" EAST 175.74 FEET; THENCE ALONG A 669.60 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 320.97 FEET, (CHORD BEARS SOUTH 65°59'28" EAST 317.90 FEET); THENCE SOUTH 55°25'46" EAST 89.68 FEET; THENCE SOUTH 63°39'10" EAST 113.29 FEET; THENCE SOUTH 79°59'21" EAST 363.90 FEET; THENCE ALONG A 422.56 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 294.41 FEET, (CHORD BEARS SOUTH 67°09'16" EAST 288.49 FEET); THENCE SOUTH 59°10'01" EAST 39.38 FEET; THENCE SOUTH 61°32'23" EAST 203.08 FEET; THENCE SOUTH 61°59'43" EAST 193.18 FEET; THENCE ALONG A 531.99 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 97.06 FEET, (CHORD BEARS SOUTH 48°31'17" EAST 96.93 FEET); THENCE SOUTH 40°28'36" EAST 229.36 FEET; THENCE ALONG A 150.08 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 137.00 FEET, (CHORD BEARS SOUTH 24°38'24" EAST 132.30 FEET); THENCE SOUTH 04°34'46" WEST 190.24 FEET; THENCE ALONG A 496.51 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 285.21 FEET, (CHORD BEARS SOUTH 17°38'35" WEST 281.30 FEET); THENCE ALONG A 1515.74 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 322.34 FEET, (CHORD BEARS SOUTH 30°57'15" WEST 321.73 FEET); THENCE SOUTH 04°18'08" WEST 160.11 FEET; THENCE SOUTH 06°59'10" EAST 159.82 FEET; THENCE SOUTH 15°26'32" EAST 61.07 FEET; THENCE SOUTH 18°22'15" EAST 244.57 FEET; THENCE SOUTH 23°42'12" EAST 177.40 FEET; THENCE SOUTH 31°41'33" EAST 296.98 FEET; THENCE SOUTH 38°46'14" EAST 107.97 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 3; THENCE ALONG SAID SOUTH LINE OF SECTION 3, NORTH 89°56'08" WEST 81.50 FEET, TO A POINT WHICH LIES 406.99 FEET SOUTH 89°56'08" EAST FROM THE SOUTH QUARTER CORNER OF SAID SECTION 3; THENCE LEAVING SAID SOUTH SECTION LINE, NORTH 35°09'56" WEST 82.28 FEET; THENCE NORTH 32°59'51" WEST 284.91 FEET; THENCE NORTH 24°26'50" WEST 124.88 FEET; THENCE NORTH 20°03'21" WEST 185.91 FEET; THENCE NORTH 18°20'47" WEST 165.49 FEET; THENCE NORTH 11°31'11" EAST 23.69 FEET; THENCE NORTH 06°59'10" WEST 173.87 FEET; THENCE NORTH 04°18'08" EAST 193.72 FEET; THENCE NORTH 35°11'04" EAST 160.66 FEET; THENCE NORTH 26°37'24" EAST 272.13 FEET; THENCE NORTH 12°07'47" EAST 112.92 FEET; THENCE NORTH 04°12'43" EAST 246.31 FEET; THENCE NORTH 39°41'00" WEST 235.16 FEET; THENCE NORTH 45°05'21" WEST 128.13 FEET; THENCE NORTH 63°31'05" WEST 263.25 FEET; THENCE ALONG A 2674.20 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 286.19 FEET, (CHORD BEARS NORTH 57°06'37" WEST 286.05 FEET); THENCE NORTH 70°38'20" WEST 62.96 FEET; THENCE NORTH 79°32'21" WEST 399.25 FEET; THENCE NORTH 76°05'53" WEST 63.70 FEET; THENCE NORTH 65°39'56" WEST 133.66 FEET; THENCE NORTH 58°13'59" WEST 204.75 FEET; THENCE ALONG A 429.31 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 169.17 FEET, (CHORD BEARS NORTH 69°45'26" WEST 168.08 FEET); THENCE NORTH 77°40'21" WEST 268.66 FEET; THENCE ALONG A 926.18 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 191.23 FEET, (CHORD BEARS SOUTH 88°12'50" WEST 190.89 FEET); THENCE SOUTH 88°27'16" WEST 146.00 FEET; THENCE NORTH 84°48'04" WEST 142.91 FEET; THENCE ALONG A 103.26 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 137.43 FEET, (CHORD BEARS NORTH 77°42'27" WEST 127.51 FEET); THENCE NORTH 84°49'23" WEST 104.82 FEET; THENCE ALONG A 337.38 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 130.37 FEET, (CHORD BEARS SOUTH 88°09'58" WEST 129.56 FEET); THENCE SOUTH 76°31'11" WEST 122.46 FEET; THENCE SOUTH 79°38'05" WEST 44.28 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 361,761.84 SQ. FT., OR 8.305 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 10, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 2163.01 FEET NORTH 89°56'08" WEST ALONG SECTION LINE FROM THE NORTHEAST CORNER OF SECTION 10, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE SOUTH 36°23'33" EAST 70.56 FEET; THENCE SOUTH 42°01'13" EAST 33.94 FEET; THENCE SOUTH 38°46'17" EAST 181.78 FEET; THENCE SOUTH 42°19'48" EAST 74.38 FEET; THENCE SOUTH 35°31'32" EAST 23.37 FEET; THENCE SOUTH 49°29'18" EAST 60.79 FEET; THENCE SOUTH 45°14'59" EAST 137.10 FEET; THENCE SOUTH 28°16'36" EAST 19.99 FEET; THENCE SOUTH 35°06'18" EAST 71.67 FEET; THENCE SOUTH 37°22'31" EAST 42.60 FEET; THENCE SOUTH 33°29'51" EAST 38.12 FEET; THENCE SOUTH 33°04'01" EAST 65.56 FEET; THENCE SOUTH 26°51'40" EAST 60.59 FEET; THENCE SOUTH 32°40'04" EAST 25.68 FEET; THENCE SOUTH 89°24'04" EAST 11.23 FEET; THENCE SOUTH 31°42'17" EAST 19.46 FEET; THENCE SOUTH 26°03'37" EAST 32.52 FEET; THENCE SOUTH 34°16'59" EAST 28.41 FEET; THENCE SOUTH 38°20'52" EAST 35.04 FEET; THENCE SOUTH 45°16'08" EAST 100.73 FEET; THENCE SOUTH 46°05'59" EAST 57.33 FEET; THENCE SOUTH 46°07'12" EAST 56.96 FEET; THENCE SOUTH 45°42'11" EAST 53.22 FEET; THENCE SOUTH 44°49'23" EAST 35.91 FEET; THENCE SOUTH 51°19'33" EAST 10.38 FEET; THENCE SOUTH 61°40'37" EAST 17.28 FEET; THENCE SOUTH 53°06'24" EAST 22.44 FEET; THENCE ALONG A 252.44 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 191.97 FEET, (CHORD BEARS SOUTH 28°15'16" EAST 187.37 FEET); THENCE SOUTH 12°42'05" EAST 213.42 FEET; THENCE SOUTH 11°49'26" EAST 63.65 FEET; THENCE SOUTH 52°24'09" WEST 14.39 FEET; THENCE SOUTH 11°52'25" EAST 60.82 FEET; THENCE SOUTH 83°00'22" EAST 14.01 FEET; THENCE SOUTH 11°22'44" EAST 64.39 FEET; THENCE SOUTH 10°08'32" EAST 150.21 FEET; THENCE SOUTH 12°47'00" EAST 224.49 FEET; THENCE SOUTH 12°32'08" EAST 60.08 FEET; THENCE SOUTH 15°47'31" EAST 57.46 FEET; THENCE SOUTH 16°16'08" EAST 45.23 FEET; THENCE SOUTH

20°13'42" EAST 60.19 FEET; THENCE SOUTH 18°51'58" EAST 52.14 FEET; THENCE SOUTH
 18°50'11" EAST 69.71 FEET; THENCE SOUTH 18°49'17" EAST 76.83 FEET; THENCE SOUTH
 18°12'40" EAST 87.20 FEET; THENCE SOUTH 19°10'30" EAST 54.02 FEET; THENCE SOUTH
 18°30'15" EAST 36.11 FEET; THENCE SOUTH 18°24'32" EAST 38.84 FEET; THENCE SOUTH
 23°15'41" EAST 43.26 FEET; THENCE SOUTH 29°21'43" EAST 28.73 FEET; THENCE SOUTH
 26°54'34" EAST 48.52 FEET; THENCE SOUTH 25°14'03" EAST 70.03 FEET; THENCE SOUTH
 26°10'17" EAST 105.08 FEET; THENCE SOUTH 26°30'06" EAST 63.27 FEET; THENCE SOUTH
 21°47'37" EAST 40.62 FEET; THENCE SOUTH 23°18'21" EAST 32.19 FEET; THENCE SOUTH
 27°53'51" EAST 68.22 FEET; THENCE SOUTH 24°32'04" EAST 57.52 FEET; THENCE SOUTH
 25°38'18" EAST 78.44 FEET; THENCE SOUTH 24°44'54" EAST 103.55 FEET; THENCE SOUTH
 28°37'33" EAST 36.89 FEET; THENCE SOUTH 26°30'31" EAST 30.28 FEET; THENCE SOUTH
 33°34'50" EAST 32.04 FEET; THENCE SOUTH 25°08'04" EAST 21.11 FEET; THENCE SOUTH
 29°28'53" EAST 37.99 FEET; THENCE SOUTH 25°04'27" EAST 30.52 FEET; THENCE SOUTH
 19°29'11" EAST 21.80 FEET; THENCE SOUTH 18°18'17" EAST 35.10 FEET; THENCE SOUTH
 25°24'39" EAST 26.80 FEET; THENCE SOUTH 20°47'58" EAST 30.49 FEET; THENCE SOUTH
 14°25'55" EAST 30.35 FEET; THENCE SOUTH 01°27'42" EAST 22.34 FEET; THENCE SOUTH
 06°02'36" WEST 31.87 FEET; THENCE SOUTH 07°14'12" WEST 33.62 FEET; THENCE SOUTH
 04°44'34" WEST 88.78 FEET; THENCE SOUTH 03°30'48" EAST 41.70 FEET; THENCE SOUTH
 06°54'48" EAST 39.73 FEET; THENCE SOUTH 01°41'08" EAST 87.63 FEET; THENCE SOUTH
 02°26'08" WEST 81.41 FEET; THENCE SOUTH 01°24'37" EAST 92.47 FEET; THENCE SOUTH
 11°28'20" EAST 35.48 FEET; THENCE SOUTH 02°04'28" EAST 109.45 FEET; THENCE SOUTH
 02°07'50" EAST 88.39 FEET; THENCE SOUTH 00°55'17" WEST 170.66 FEET; THENCE SOUTH
 09°13'53" EAST 68.61 FEET; THENCE SOUTH 10°28'45" EAST 87.05 FEET; THENCE SOUTH
 13°51'13" EAST 53.48 FEET; THENCE SOUTH 18°15'53" EAST 62.86 FEET; THENCE SOUTH
 13°17'30" EAST 33.48 FEET; THENCE SOUTH 23°51'40" EAST 34.66 FEET; THENCE SOUTH
 31°51'00" EAST 48.36 FEET; THENCE SOUTH 31°59'03" EAST 50.44 FEET; THENCE SOUTH
 30°37'16" EAST 53.48 FEET; THENCE SOUTH 30°03'05" EAST 55.46 FEET; THENCE SOUTH
 30°04'32" EAST 57.38 FEET; THENCE SOUTH 31°16'40" EAST 52.06 FEET; THENCE SOUTH
 26°05'57" EAST 52.31 FEET; THENCE SOUTH 16°48'37" EAST 49.82 FEET; THENCE SOUTH
 19°53'43" EAST 36.21 FEET; THENCE SOUTH 22°43'08" EAST 25.15 FEET; THENCE SOUTH
 17°47'15" EAST 67.37 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 10, AT A
 POINT WHICH LIES 32.66 FEET SOUTH 89°55'20" WEST FROM THE SOUTHEAST CORNER OF SAID
 SECTION 10; THENCE ALONG SAID SOUTH LINE OF SECTION 10, SOUTH 89°55'20" WEST 93.94
 FEET; THENCE LEAVING SAID SOUTH SECTION LINE, NORTH 24°58'08" WEST 37.71 FEET; THENCE
 NORTH 15°09'30" WEST 70.05 FEET; THENCE NORTH 27°06'40" WEST 168.79 FEET; THENCE NORTH
 23°10'05" WEST 53.76 FEET; THENCE NORTH 19°13'40" WEST 20.25 FEET; THENCE NORTH
 28°16'38" WEST 47.21 FEET; THENCE NORTH 48°17'35" WEST 33.28 FEET; THENCE NORTH
 27°01'08" WEST 69.16 FEET; THENCE NORTH 23°12'46" WEST 68.95 FEET; THENCE NORTH
 17°16'59" WEST 78.42 FEET; THENCE NORTH 11°56'55" WEST 41.85 FEET; THENCE NORTH
 16°24'39" EAST 16.47 FEET; THENCE ALONG A 777.66 FOOT RADIUS NON-TANGENT CURVE TO THE
 RIGHT A DISTANCE OF 217.55 FEET, (CHORD BEARS NORTH 07°34'27" WEST 216.84 FEET);
 THENCE NORTH 02°09'58" EAST 28.79 FEET; THENCE NORTH 03°37'55" EAST 41.55 FEET; THENCE
 NORTH 08°38'42" WEST 25.21 FEET; THENCE NORTH 05°27'29" WEST 26.53 FEET; THENCE NORTH
 08°32'15" WEST 109.13 FEET; THENCE NORTH 09°07'44" EAST 65.55 FEET; THENCE NORTH
 29°23'50" WEST 33.50 FEET; THENCE NORTH 17°34'15" WEST 20.64 FEET; THENCE NORTH
 03°40'00" WEST 68.90 FEET; THENCE NORTH 02°24'47" EAST 53.61 FEET; THENCE NORTH
 06°20'09" EAST 70.21 FEET; THENCE NORTH 07°15'40" WEST 84.35 FEET; THENCE NORTH
 02°50'42" EAST 75.09 FEET; THENCE NORTH 02°07'41" EAST 68.84 FEET; THENCE NORTH
 04°54'24" EAST 56.09 FEET; THENCE ALONG A 141.81 FOOT RADIUS NON-TANGENT CURVE TO THE
 LEFT A DISTANCE OF 64.61 FEET, (CHORD BEARS NORTH 03°24'10" WEST 64.06 FEET); THENCE
 NORTH 26°45'10" WEST 51.41 FEET; THENCE NORTH 28°50'57" WEST 59.30 FEET; THENCE NORTH
 34°52'48" WEST 45.77 FEET; THENCE NORTH 28°29'57" WEST 23.31 FEET; THENCE NORTH
 24°10'26" WEST 72.79 FEET; THENCE NORTH 25°13'17" WEST 98.47 FEET; THENCE NORTH
 22°20'36" WEST 104.40 FEET; THENCE NORTH 26°32'55" WEST 94.46 FEET; THENCE NORTH
 24°36'24" WEST 101.31 FEET; THENCE NORTH 20°46'32" WEST 32.27 FEET; THENCE NORTH
 40°27'24" WEST 21.41 FEET; THENCE NORTH 22°44'14" WEST 19.56 FEET; THENCE NORTH
 23°03'28" WEST 101.25 FEET; THENCE NORTH 24°54'31" WEST 95.89 FEET; THENCE NORTH
 25°17'19" WEST 74.18 FEET; THENCE NORTH 20°37'38" WEST 109.09 FEET; THENCE NORTH
 17°03'01" WEST 202.74 FEET; THENCE NORTH 17°26'07" WEST 95.43 FEET; THENCE NORTH
 19°00'26" WEST 106.67 FEET; THENCE NORTH 18°56'36" WEST 50.97 FEET; THENCE NORTH
 12°55'53" WEST 57.13 FEET; THENCE NORTH 15°45'07" WEST 59.36 FEET; THENCE NORTH
 11°13'58" WEST 57.70 FEET; THENCE NORTH 10°29'25" WEST 105.73 FEET; THENCE NORTH
 11°21'51" WEST 78.61 FEET; THENCE NORTH 09°41'42" WEST 263.70 FEET; THENCE NORTH

11°31'43" WEST 298.53 FEET; THENCE NORTH 78°40'27" EAST 15.62 FEET; THENCE NORTH 12°07'29" WEST 47.09 FEET; THENCE NORTH 65°11'41" WEST 22.28 FEET; THENCE NORTH 33°50'58" WEST 70.04 FEET; THENCE ALONG A 418.16 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 167.47 FEET, (CHORD BEARS NORTH 47°52'23" WEST 166.35 FEET); THENCE NORTH 48°19'21" WEST 202.25 FEET; THENCE ALONG A 958.64 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 276.17 FEET, (CHORD BEARS NORTH 32°13'32" WEST 275.21 FEET); THENCE NORTH 31°36'22" WEST 152.20 FEET; THENCE NORTH 38°11'21" WEST 63.41 FEET; THENCE NORTH 48°24'21" WEST 158.39 FEET; THENCE NORTH 44°13'55" WEST 62.05 FEET; THENCE NORTH 41°13'55" WEST 269.84 FEET; THENCE NORTH 38°04'51" WEST 50.28 FEET; THENCE NORTH 31°51'38" WEST 63.12 FEET, MORE OR LESS, TO THE NORTH LINE OF SAID SECTION 10; THENCE ALONG SAID NORTH LINE OF SECTION 10, SOUTH 89°56'08" EAST 81.50 FEET, MORE OR LESS, TO THE POINT OF BEGINNING. CONTAINS: 467,674.91 SQ. FT., OR 10.736 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 14 & 15, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 32.66 FEET SOUTH 89°55'20" WEST ALONG SECTION LINE FROM THE NORTHEAST CORNER OF SECTION 15, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE SOUTH 16°01'11" EAST 119.58 FEET; THENCE ALONG A 242.14 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 155.03 FEET, (CHORD BEARS SOUTH 38°47'54" EAST 152.40 FEET); THENCE SOUTH 15°12'11" EAST 43.85 FEET;

THENCE SOUTH 08°07'25" EAST 41.99 FEET; THENCE SOUTH 02°56'25" EAST 12.17 FEET; THENCE SOUTH 03°47'17" EAST 21.53 FEET; THENCE ALONG A 233.96 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 243.27 FEET, (CHORD BEARS SOUTH 25°07'27" WEST 232.46 FEET); THENCE ALONG A 124.70 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 112.09 FEET, (CHORD BEARS SOUTH 39°10'20" WEST 108.35 FEET); THENCE ALONG A 163.55 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 116.13 FEET, (CHORD BEARS SOUTH 10°16'07" EAST 113.71 FEET); THENCE SOUTH 28°53'51" EAST 96.32 FEET; THENCE SOUTH 35°01'55" EAST 36.61 FEET; THENCE SOUTH 39°58'50" EAST 70.07 FEET; THENCE ALONG A 152.57 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 83.35 FEET, (CHORD BEARS SOUTH 20°34'26" EAST 82.32 FEET); THENCE SOUTH 10°01'30" EAST 52.19 FEET; THENCE SOUTH 05°44'15" EAST 34.29 FEET; THENCE SOUTH 02°57'13" EAST 31.30 FEET; THENCE SOUTH 00°49'47" WEST 136.70 FEET; THENCE SOUTH 01°49'25" EAST 27.56 FEET; THENCE SOUTH 13°51'18" EAST 45.12 FEET; THENCE SOUTH 23°48'08" EAST 41.10 FEET; THENCE SOUTH 24°57'11" EAST 52.30 FEET; THENCE SOUTH 24°15'46" EAST 48.23 FEET; THENCE SOUTH 23°19'39" EAST 37.88 FEET; THENCE SOUTH 26°20'41" EAST 49.11 FEET; THENCE SOUTH 27°27'53" EAST 43.38 FEET; THENCE SOUTH 27°21'23" EAST 41.46 FEET; THENCE SOUTH 25°16'05" EAST 38.61 FEET; THENCE SOUTH 21°56'30" EAST 37.11 FEET; THENCE SOUTH 23°49'53" EAST 35.35 FEET; THENCE SOUTH 26°34'00" EAST 21.13 FEET; THENCE SOUTH 21°15'48" EAST 42.67 FEET; THENCE SOUTH 27°39'50" EAST 49.09 FEET; THENCE SOUTH 29°32'20" EAST 76.81 FEET; THENCE SOUTH 44°04'01" WEST 66.42 FEET; THENCE SOUTH 55°07'39" WEST 121.64 FEET; THENCE SOUTH 64°22'33" WEST 85.84 FEET; THENCE SOUTH 67°42'45" WEST 66.62 FEET; THENCE SOUTH 50°16'15" WEST 39.85 FEET; THENCE SOUTH 41°54'35" WEST 56.97 FEET; THENCE SOUTH 41°29'17" WEST 46.08 FEET; THENCE SOUTH 49°39'49" WEST 79.67 FEET; THENCE SOUTH 63°07'24" WEST 44.68 FEET; THENCE SOUTH 69°51'06" WEST 35.76 FEET; THENCE SOUTH 78°03'13" WEST 26.67 FEET; THENCE SOUTH 78°30'52" WEST 53.50 FEET; THENCE SOUTH 73°34'33" WEST 56.28 FEET; THENCE SOUTH 70°55'48" WEST 31.50 FEET; THENCE SOUTH 70°54'59" WEST 61.85 FEET; THENCE SOUTH 63°06'18" WEST 58.34 FEET; THENCE SOUTH 50°11'16" WEST 64.53 FEET; THENCE SOUTH 37°32'02" WEST 53.04 FEET; THENCE SOUTH 33°31'45" WEST 65.83 FEET; THENCE SOUTH 32°29'02" WEST 92.23 FEET; THENCE SOUTH 30°45'17" WEST 29.31 FEET; THENCE SOUTH 28°43'01" WEST 53.66 FEET; THENCE SOUTH 25°26'18" WEST 136.90 FEET; THENCE SOUTH 22°52'14" WEST 68.76 FEET; THENCE SOUTH 27°22'54" WEST 27.27 FEET; THENCE SOUTH 16°23'36" WEST 22.78 FEET; THENCE SOUTH 14°15'50" WEST 71.39 FEET; THENCE SOUTH 04°05'12" WEST 16.94 FEET; THENCE SOUTH 00°49'10" WEST 244.60 FEET; THENCE SOUTH 04°13'28" EAST 26.10 FEET; THENCE SOUTH 12°48'30" EAST 84.11 FEET; THENCE SOUTH 13°49'42" EAST 16.73 FEET; THENCE SOUTH 25°21'19" EAST 33.94 FEET; THENCE SOUTH 17°21'22" EAST 23.44 FEET; THENCE SOUTH 26°16'42" EAST 15.11 FEET; THENCE SOUTH 22°57'26" EAST 46.05 FEET; THENCE SOUTH 24°22'45" EAST 136.45 FEET; THENCE SOUTH 29°50'39" EAST 41.95 FEET; THENCE SOUTH 42°19'17" EAST 17.35 FEET; THENCE SOUTH 44°22'07" EAST 61.71 FEET; THENCE SOUTH 62°35'34" EAST 44.15 FEET; THENCE ALONG A 123.35 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 95.24 FEET, (CHORD BEARS SOUTH 85°15'31" EAST 92.90 FEET); THENCE NORTH 77°38'01" EAST 37.00 FEET; THENCE NORTH 74°44'28" EAST 136.76 FEET; THENCE ALONG A 104.06 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 106.28 FEET, (CHORD BEARS SOUTH 67°47'19" EAST 101.72 FEET); THENCE SOUTH 40°22'18" EAST 148.37 FEET; THENCE SOUTH 37°37'57" EAST 65.93 FEET; THENCE ALONG A 139.96 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 148.55 FEET, (CHORD BEARS SOUTH 09°34'32" EAST 141.68 FEET); THENCE SOUTH 22°09'25" WEST 58.13 FEET; THENCE SOUTH 31°00'23" WEST 121.26 FEET; THENCE SOUTH 30°07'03" WEST 127.87 FEET; THENCE SOUTH 24°37'57" WEST 49.75 FEET; THENCE ALONG A 152.64 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 84.56 FEET, (CHORD BEARS SOUTH 18°56'59" WEST 83.49 FEET); THENCE SOUTH 00°43'26" EAST 101.65 FEET; THENCE ALONG A 210.27 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 146.60 FEET, (CHORD BEARS SOUTH 13°14'29" EAST 143.65 FEET); THENCE SOUTH 25°58'10" EAST 108.58 FEET; THENCE ALONG A 251.51 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 185.25 FEET, (CHORD BEARS SOUTH 49°54'39" EAST 181.09 FEET); THENCE SOUTH 74°26'21" EAST 60.66 FEET; THENCE ALONG A 469.52 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 147.99 FEET, (CHORD BEARS SOUTH 86°14'23" EAST 147.37 FEET); THENCE SOUTH 87°19'43" EAST 55.61 FEET; THENCE NORTH 85°27'30" EAST 48.11 FEET; THENCE NORTH 73°54'20" EAST 50.64 FEET; THENCE NORTH 65°55'38" EAST 56.32 FEET; THENCE NORTH 73°38'37" EAST 48.53 FEET; THENCE ALONG A 105.74 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 101.19 FEET, (CHORD BEARS SOUTH 77°21'37" EAST 97.37 FEET); THENCE SOUTH 48°10'22" EAST 46.29 FEET; THENCE SOUTH 45°31'33" EAST 98.12 FEET; THENCE SOUTH 40°41'07" EAST 48.16 FEET; THENCE SOUTH 29°19'37" EAST 50.77 FEET; THENCE ALONG A 204.57 FOOT RADIUS NON-TANGENT

CURVE TO THE RIGHT A DISTANCE OF 103.23 FEET, (CHORD BEARS SOUTH 08°15'24" EAST 102.14 FEET); THENCE SOUTH 05°43'08" WEST 43.66 FEET; THENCE SOUTH 09°48'48" WEST 54.59 FEET; THENCE SOUTH 13°01'51" WEST 49.31 FEET; THENCE SOUTH 19°08'22" WEST 49.96 FEET; THENCE SOUTH 33°27'33" WEST 50.41 FEET; THENCE SOUTH 30°19'37" WEST 13.28 FEET, MORE OR LESS, TO THE SOUTH LINE OF SECTION 14, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN; THENCE ALONG SAID SOUTH LINE OF SECTION 14, SOUTH 89°41'45" WEST 82.92 FEET TO A POINT WHICH LIES 586.11 FEET NORTH 89° 41'45" EAST ALONG SECTION LINE FROM THE SOUTHWEST CORNER OF SAID SECTION 14; THENCE LEAVING SAID SECTION LINE, NORTH 29°08'27" EAST 24.57 FEET; THENCE NORTH 27°39'05" EAST 44.63 FEET; THENCE NORTH 37°23'28" EAST 47.23 FEET; THENCE NORTH 08°11'34" EAST 107.44 FEET; THENCE NORTH 09°56'34" EAST 51.92 FEET; THENCE ALONG A 159.10 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 147.77 FEET, (CHORD BEARS NORTH 26°41'51" WEST 142.51 FEET); THENCE NORTH 43°57'03" WEST 94.38 FEET; THENCE NORTH 59°26'35" WEST 26.33 FEET; THENCE ALONG A 79.08 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 86.21 FEET, (CHORD BEARS SOUTH 83°47'23" WEST 82.01 FEET); THENCE SOUTH 72°48'57" WEST 65.19 FEET; THENCE SOUTH 74°38'31" WEST 63.66 FEET; THENCE SOUTH 87°26'33" WEST 60.86 FEET; THENCE NORTH 87°48'50" WEST 55.83 FEET; THENCE NORTH 87°15'22" WEST 83.54 FEET; THENCE NORTH 82°18'00" WEST 52.37 FEET; THENCE SOUTH 85°19'22" WEST 16.23 FEET; THENCE NORTH 72°25'00" WEST 82.11 FEET; THENCE ALONG A 358.96 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 160.02 FEET, (CHORD BEARS NORTH 55°06'15" WEST 158.70 FEET); THENCE NORTH 28°48'44" WEST 72.13 FEET; THENCE NORTH 24°48'11" WEST 102.81 FEET; THENCE NORTH 20°37'49" WEST 91.17 FEET; THENCE NORTH 05°48'57" WEST 72.60 FEET; THENCE NORTH 00°55'57" EAST 119.93 FEET; THENCE NORTH 04°59'33" EAST 38.88 FEET; THENCE NORTH 23°04'05" EAST 56.40 FEET; THENCE NORTH 74°31'11" EAST 19.18 FEET; THENCE NORTH 23°04'05" EAST 6.74 FEET; THENCE NORTH 27°44'13" EAST 31.45 FEET; THENCE NORTH 21°49'19" EAST 19.71 FEET; THENCE NORTH 27°44'13" EAST 15.56 FEET; THENCE NORTH 29°40'54" EAST 226.58 FEET; THENCE NORTH 23°14'57" EAST 67.06 FEET; THENCE ALONG A 45.71 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 70.07 FEET, (CHORD BEARS NORTH 11°05'09" WEST 63.41 FEET); THENCE NORTH 37°28'14" WEST 93.94 FEET; THENCE NORTH 42°16'34" WEST 111.04 FEET; THENCE ALONG A 42.37 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 64.40 FEET, (CHORD BEARS NORTH 78°31'08" WEST 58.38 FEET); THENCE SOUTH 69°07'58" WEST 83.64 FEET; THENCE SOUTH 83°15'24" WEST 111.23 FEET; THENCE NORTH 87°35'54" WEST 40.31 FEET; THENCE ALONG A 123.92 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 81.71 FEET, (CHORD BEARS NORTH 69°40'42" WEST 80.23 FEET); THENCE NORTH 47°50'47" WEST 22.23 FEET; THENCE NORTH 51°50'38" WEST 74.44 FEET; THENCE NORTH 44°37'01" WEST 45.12 FEET; THENCE NORTH 26°44'01" WEST 156.62 FEET; THENCE NORTH 03°52'42" WEST 55.06 FEET; THENCE NORTH 33°49'34" WEST 12.60 FEET; THENCE NORTH 29°40'12" WEST 36.32 FEET; THENCE NORTH 17°09'20" WEST 38.80 FEET; THENCE NORTH 09°04'03" WEST 31.32 FEET; THENCE NORTH 12°17'49" WEST 52.80 FEET; THENCE NORTH 15°41'21" WEST 28.67 FEET; THENCE NORTH 02°07'14" EAST 273.62 FEET; THENCE NORTH 12°08'01" EAST 63.62 FEET; THENCE NORTH 14°23'08" EAST 45.07 FEET; THENCE NORTH 22°56'35" EAST 83.53 FEET; THENCE NORTH 25°33'03" EAST 139.37 FEET; THENCE NORTH 26°19'27" EAST 125.58 FEET; THENCE NORTH 35°02'14" EAST 113.07 FEET; THENCE NORTH 36°51'46" EAST 77.86 FEET; THENCE NORTH 45°45'10" EAST 71.06 FEET; THENCE NORTH 53°04'23" EAST 61.91 FEET; THENCE NORTH 65°42'20" EAST 67.94 FEET; THENCE NORTH 68°12'18" EAST 75.80 FEET; THENCE NORTH 73°47'44" EAST 207.87 FEET; THENCE NORTH 45°56'20" EAST 74.53 FEET; THENCE NORTH 32°04'46" EAST 89.66 FEET; THENCE NORTH 54°46'14" EAST 50.29 FEET; THENCE NORTH 67°27'33" EAST 81.44 FEET; THENCE NORTH 58°26'53" EAST 160.50 FEET; THENCE ALONG A 17.04 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 29.97 FEET, (CHORD BEARS NORTH 25°38'46" EAST 26.25 FEET); THENCE NORTH 26°41'29" WEST 69.51 FEET; THENCE SOUTH 68°33'58" WEST 14.54 FEET; THENCE NORTH 30°57'06" WEST 53.68 FEET; THENCE NORTH 46°03'08" WEST 28.36 FEET; THENCE NORTH 21°26'33" WEST 74.31 FEET; THENCE NORTH 23°40'12" WEST 105.46 FEET; THENCE NORTH 26°08'43" WEST 67.62 FEET; THENCE NORTH 21°19'02" WEST 53.88 FEET; THENCE NORTH 31°38'11" WEST 33.72 FEET; THENCE NORTH 19°52'17" WEST 63.39 FEET; THENCE NORTH 37°39'11" WEST 42.72 FEET; THENCE NORTH 03°59'29" WEST 83.95 FEET; THENCE NORTH 43°42'49" EAST 52.85 FEET; THENCE NORTH 00°15'48" WEST 86.40 FEET; THENCE NORTH 17°47'41" WEST 53.76 FEET; THENCE ALONG A 119.23 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 115.11 FEET, (CHORD BEARS NORTH 13°11'06" WEST 110.69 FEET); THENCE NORTH 28°55'26" WEST 11.22 FEET; THENCE NORTH 36°49'50" WEST 48.19 FEET; THENCE NORTH 41°16'44" WEST 66.07 FEET; THENCE ALONG A 272.63 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 89.29 FEET, (CHORD BEARS NORTH 24°46'30" WEST 88.90 FEET); THENCE NORTH 17°54'50" WEST 66.52 FEET; THENCE NORTH 07°22'11" WEST 41.15 FEET; THENCE ALONG

A 179.00 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 90.80 FEET, (CHORD BEARS NORTH 10°25'23" EAST 89.83 FEET); THENCE NORTH 22°27'47" EAST 43.15 FEET; THENCE NORTH 42°29'40" EAST 53.17 FEET; THENCE NORTH 50°05'14" EAST 61.79 FEET; THENCE NORTH 63°30'24" EAST 27.48 FEET; THENCE NORTH 06°44'54" EAST 16.50 FEET; THENCE ALONG A 240.94 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 164.26 FEET, (CHORD BEARS NORTH 06°09'46" EAST 161.09 FEET); THENCE NORTH 27°56'02" WEST 58.03 FEET; THENCE NORTH 27°56'02" WEST 19.39 FEET; THENCE NORTH 49°24'03" WEST 55.94 FEET; THENCE NORTH 13°03'28" WEST 26.16 FEET; THENCE NORTH 19°33'50" WEST 168.93 FEET; THENCE NORTH 89°55'20" EAST 93.94 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 614,045.37 SQ. FT., OR 14.097 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 29, TOWNSHIP 1 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 1.38 FEET NORTH 89°58'09" EAST ALONG SECTION LINE FROM THE SOUTH QUARTER CORNER OF SECTION 29, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE NORTH 00°12'34" WEST 58.15 FEET; THENCE NORTH 02°00'01" EAST 110.55 FEET; THENCE NORTH 00°12'33" WEST 1640.03 FEET; THENCE NORTH 00°38'18" WEST 469.00 FEET; THENCE NORTH 00°00'14" WEST 197.07 FEET; THENCE NORTH 01°45'08" WEST 107.67 FEET; THENCE NORTH 37°26'23" WEST 137.98 FEET; THENCE NORTH 52°33'37" EAST 40.00 FEET; THENCE SOUTH 37°26'23" EAST 150.86 FEET; THENCE SOUTH 01°45'08" EAST 121.15 FEET; THENCE SOUTH 00°00'14" EAST 195.46 FEET; THENCE SOUTH 00°38'08" EAST 470.93 FEET; THENCE SOUTH 00°12'33" EAST 1808.93 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 29; THENCE ALONG SAID SOUTH LINE OF SECTION 29, SOUTH 89°58'09" WEST 44.26 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 109,842.44 SQ. FT., OR 2.522 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 23, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 586.11 FEET NORTH 89°41'45" EAST ALONG SECTION LINE FROM THE NORTHWEST CORNER OF SECTION 23, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE

BASE AND MERIDIAN AND RUNNING THENCE ALONG SAID NORTH LINE OF SECTION 23, NORTH 89°41'45" EAST 82.92 FEET; THENCE LEAVING SAID NORTH SECTION LINE, ALONG A 192.83 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 150.53 FEET, (CHORD BEARS SOUTH 11°01'02" WEST 146.74 FEET); THENCE SOUTH 05°15'07" EAST 43.39 FEET; THENCE SOUTH 15°40'53" EAST 90.83 FEET; THENCE ALONG A 331.51 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 238.85 FEET, (CHORD BEARS SOUTH 12°57'40" WEST 233.72 FEET); THENCE SOUTH 30°25'47" WEST 238.25 FEET; THENCE ALONG A 618.35 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 298.41 FEET, (CHORD BEARS SOUTH 11°50'34" EAST 295.53 FEET); THENCE SOUTH 47°27'54" EAST 149.93 FEET; THENCE ALONG A 214.19 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 95.75 FEET, (CHORD BEARS SOUTH 29°16'36" EAST 94.96 FEET); THENCE SOUTH 15°16'10" EAST 252.85 FEET; THENCE ALONG A 164.97 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 155.72 FEET, (CHORD BEARS SOUTH 08°46'27" WEST 150.01 FEET); THENCE ALONG A 608.88 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 296.75 FEET, (CHORD BEARS SOUTH 28°55'29" WEST 293.82 FEET); THENCE SOUTH 01°49'44" WEST 275.93 FEET; THENCE SOUTH 11°57'55" WEST 102.90 FEET; THENCE ALONG A 443.12 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 180.41 FEET, (CHORD BEARS SOUTH 06°10'41" WEST 179.17 FEET); THENCE ALONG A 580.02 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 254.99 FEET, (CHORD BEARS SOUTH 30°10'14" EAST 252.95 FEET); THENCE ALONG A 529.61 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 316.35 FEET, (CHORD BEARS SOUTH 32°57'49" EAST 311.67 FEET); THENCE SOUTH 05°28'25" EAST 58.03 FEET; THENCE SOUTH 07°48'32" WEST 112.48 FEET; THENCE SOUTH 09°16'19" WEST 260.96 FEET; THENCE ALONG A 3220.79 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 405.47 FEET, (CHORD BEARS SOUTH 13°23'04" EAST 405.21 FEET); THENCE ALONG A 410.39 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 298.74 FEET, (CHORD BEARS SOUTH 43°16'22" EAST 292.19 FEET); THENCE SOUTH 63°40'11" EAST 328.66 FEET; THENCE ALONG A 338.78 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 195.52 FEET, (CHORD BEARS SOUTH 47°23'35" EAST 192.82 FEET); THENCE SOUTH 25°40'54" EAST 249.18 FEET; THENCE ALONG A 413.37 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 322.12 FEET, (CHORD BEARS SOUTH 05°29'55" EAST 314.03 FEET); THENCE ALONG A 309.59 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 141.26 FEET, (CHORD BEARS SOUTH 01°26'07" EAST 140.04 FEET); THENCE SOUTH 07°17'15" EAST 256.62 FEET; THENCE ALONG A 266.22 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 154.16 FEET, (CHORD BEARS SOUTH 12°03'57" WEST 152.02 FEET); THENCE SOUTH 28°28'44" WEST 19.00 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 23; THENCE ALONG SAID SOUTH SECTION LINE, SOUTH 89°23'30" WEST 116.20 FEET, TO A POINT WHICH LIES 1561.45 FEET NORTH 89°23'30" EAST FROM THE SOUTHWEST CORNER OF SAID SECTION 23; THENCE LEAVING SAID SOUTH SECTION LINE, NORTH 30°12'23" EAST 21.07 FEET; THENCE NORTH 27°58'22" EAST 21.84 FEET; THENCE NORTH 23°14'19" EAST 11.81 FEET; THENCE NORTH 19°43'37" EAST 70.99 FEET; THENCE NORTH 00°58'15" WEST 160.67 FEET; THENCE NORTH 17°30'51" WEST 101.63 FEET; THENCE NORTH 25°01'49" EAST 46.04 FEET; THENCE NORTH 01°14'40" WEST 104.43 FEET; THENCE NORTH 15°52'11" EAST 56.71 FEET; THENCE NORTH 06°51'46" EAST 40.95 FEET; THENCE NORTH 00°41'42" WEST 28.52 FEET; THENCE NORTH 02°05'44" WEST 27.73 FEET; THENCE NORTH 20°18'41" EAST 26.59 FEET; THENCE NORTH 08°08'38" WEST 58.23 FEET; THENCE NORTH 19°52'19" WEST 44.91 FEET; THENCE NORTH 25°47'33" WEST 95.91 FEET; THENCE NORTH 25°03'45" WEST 67.32 FEET; THENCE NORTH 27°02'28" WEST 61.04 FEET; THENCE NORTH 28°29'05" WEST 57.79 FEET; THENCE NORTH 26°01'30" WEST 47.35 FEET; THENCE NORTH 46°15'06" WEST 57.96 FEET; THENCE NORTH 58°50'58" WEST 118.97 FEET; THENCE NORTH 64°10'12" WEST 63.78 FEET; THENCE NORTH 68°39'31" WEST 89.83 FEET; THENCE NORTH 64°37'08" WEST 55.34 FEET; THENCE NORTH 66°58'13" WEST 58.91 FEET; THENCE NORTH 57°23'04" WEST 66.27 FEET; THENCE NORTH 49°06'56" WEST 83.72 FEET; THENCE NORTH 37°00'55" WEST 57.52 FEET; THENCE NORTH 31°40'27" WEST 42.74 FEET; THENCE NORTH 39°17'17" WEST 103.71 FEET; THENCE NORTH 17°17'35" WEST 63.93 FEET; THENCE NORTH 24°03'16" WEST 58.27 FEET; THENCE NORTH 02°52'57" WEST 99.37 FEET; THENCE NORTH 20°13'59" WEST 40.53 FEET; THENCE NORTH 16°31'31" WEST 51.17 FEET; THENCE NORTH 10°00'03" WEST 37.27 FEET; THENCE NORTH 00°08'21" EAST 137.12 FEET; THENCE NORTH 90°00'00" EAST 4.21 FEET; THENCE NORTH 02°47'21" EAST 29.02 FEET; THENCE NORTH 10°45'59" EAST 115.64 FEET; THENCE NORTH 06°38'59" EAST 225.38 FEET; THENCE ALONG A 529.82 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 197.81 FEET, (CHORD BEARS NORTH 28°52'31" WEST 196.67 FEET); THENCE ALONG A 548.52 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 486.99 FEET, (CHORD BEARS NORTH 28°04'58" WEST 471.16 FEET); THENCE ALONG A 417.35 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 234.06 FEET, (CHORD BEARS NORTH 09°09'34" EAST 231.01 FEET); THENCE ALONG A 135.93 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A

DISTANCE OF 70.85 FEET, (CHORD BEARS NORTH 18°06'48" WEST 70.05 FEET); THENCE ALONG A 102.50 FOOT RADIUS REVERSE CURVE TO THE RIGHT A DISTANCE OF 115.04 FEET, (CHORD BEARS NORTH 00°53'36" WEST 109.10 FEET); THENCE NORTH 37°28'25" EAST 38.22 FEET; THENCE ALONG A 276.91 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 140.95 FEET, (CHORD BEARS NORTH 10°36'21" EAST 139.43 FEET); THENCE ALONG A 461.44 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 235.72 FEET, (CHORD BEARS NORTH 37°08'45" EAST 233.17 FEET); THENCE NORTH 51°04'36" EAST 0.00 FEET; THENCE ALONG A 28.43 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 42.91 FEET, (CHORD BEARS NORTH 46°50'36" EAST 38.96 FEET); THENCE NORTH 10°41'55" WEST 231.60 FEET; THENCE NORTH 15°09'37" WEST 68.33 FEET; THENCE ALONG A 131.65 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 96.47 FEET, (CHORD BEARS NORTH 30°47'37" WEST 94.33 FEET); THENCE ALONG A 268.63 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 196.74 FEET, (CHORD BEARS NORTH 41°25'03" WEST 192.37 FEET); THENCE ALONG A 422.39 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 475.12 FEET, (CHORD BEARS NORTH 03°52'44" EAST 450.46 FEET); THENCE ALONG A 347.19 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 95.29 FEET, (CHORD BEARS NORTH 38°06'53" EAST 94.99 FEET); THENCE NORTH 54°03'26" WEST 22.14 FEET; THENCE NORTH 23°58'10" EAST 48.06 FEET; THENCE NORTH 18°48'59" EAST 76.80 FEET; THENCE NORTH 01°29'55" EAST 61.03 FEET; THENCE NORTH 13°36'50" WEST 97.69 FEET; THENCE ALONG A 276.37 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 185.14 FEET, (CHORD BEARS NORTH 07°20'46" EAST 181.70 FEET), MORE OR LESS, TO THE POINT OF BEGINNING.

SECTION 26, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 1561.45 FEET NORTH 89°23'30" EAST ALONG SECTION LINE FROM THE NORTHWEST CORNER OF SECTION 26, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE ALONG THE NORTH LINE OF SAID SECTION 26, NORTH 89°23'30" EAST 116.20 FEET; THENCE LEAVING SAID NORTH SECTION LINE, ALONG A 383.30 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 95.79 FEET, (CHORD BEARS SOUTH 19°53'52" WEST 95.54 FEET); THENCE SOUTH 17°32'12" WEST 160.11 FEET; THENCE SOUTH 27°29'30" WEST 58.18 FEET; THENCE SOUTH 35°49'43" WEST 56.71 FEET; THENCE ALONG A 155.89 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 89.83 FEET, (CHORD BEARS SOUTH 23°26'55" WEST 88.59 FEET); THENCE SOUTH 02°39'05" WEST 44.73 FEET; THENCE SOUTH 04°09'02" EAST 45.13 FEET; THENCE SOUTH 08°47'17" EAST 48.71 FEET; THENCE SOUTH 05°40'39" EAST 59.56 FEET; THENCE SOUTH 02°25'05" EAST 52.55 FEET; THENCE SOUTH 06°13'05" WEST 56.38 FEET; THENCE SOUTH 14°31'04" WEST 54.12 FEET; THENCE SOUTH 17°25'29" WEST 48.16 FEET; THENCE ALONG A 459.70 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 91.91 FEET, (CHORD BEARS SOUTH 03°31'56" EAST 91.76 FEET); THENCE SOUTH 19°46'27" EAST 45.37 FEET; THENCE SOUTH 21°21'15" EAST 44.86 FEET; THENCE SOUTH 26°58'06" EAST 49.67 FEET; THENCE ALONG A 131.50 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 116.23 FEET, (CHORD BEARS SOUTH 53°52'52" EAST 112.48 FEET); THENCE SOUTH 76°24'13" EAST 47.51 FEET; THENCE SOUTH 79°20'53" EAST 44.98 FEET; THENCE SOUTH 76°36'24" EAST 52.07 FEET; THENCE SOUTH 75°17'26" EAST 44.97 FEET; THENCE ALONG A 183.07 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 163.33 FEET, (CHORD BEARS SOUTH 47°39'00" EAST 157.96 FEET); THENCE SOUTH 21°39'05" EAST 49.25 FEET; THENCE SOUTH 17°12'07" EAST 93.14 FEET; THENCE ALONG A 118.75 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 121.43 FEET, (CHORD BEARS SOUTH 15°30'16" WEST 116.21 FEET); THENCE SOUTH 45°21'41" WEST 43.59 FEET; THENCE SOUTH 39°48'42" WEST 47.33 FEET; THENCE SOUTH 52°00'10" WEST 25.50 FEET; THENCE SOUTH 46°53'06" WEST 54.63 FEET; THENCE SOUTH 38°37'39" WEST 43.93 FEET; THENCE ALONG A 290.23 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 183.03 FEET, (CHORD BEARS SOUTH 20°21'02" WEST 180.01 FEET); THENCE SOUTH 01°50'09" EAST 49.88 FEET; THENCE SOUTH 01°01'46" EAST 100.91 FEET; THENCE SOUTH 00°52'17" EAST 49.25 FEET; THENCE SOUTH 02°49'44" WEST 49.66 FEET; THENCE SOUTH 08°53'09" WEST 55.36 FEET; THENCE SOUTH 15°18'07" WEST 58.23 FEET; THENCE ALONG A 251.21 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 118.86 FEET, (CHORD BEARS SOUTH 34°17'46" WEST 117.75 FEET); THENCE SOUTH 48°35'26" WEST 53.57 FEET; THENCE ALONG A 187.06 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 74.19 FEET, (CHORD BEARS SOUTH 42°21'31" WEST 73.71 FEET); THENCE SOUTH 11°11'42" WEST 27.33 FEET; THENCE SOUTH 14°36'57" WEST 54.83 FEET; THENCE SOUTH 17°12'45" WEST 47.39 FEET;

THENCE SOUTH 20°39'14" WEST 50.06 FEET; THENCE SOUTH 21°55'24" WEST 48.85 FEET; THENCE SOUTH 23°22'06" WEST 51.14 FEET; THENCE SOUTH 20°32'23" WEST 51.19 FEET; THENCE SOUTH 24°41'32" WEST 57.19 FEET; THENCE SOUTH 29°27'39" WEST 51.41 FEET; THENCE SOUTH 33°05'21" WEST 49.10 FEET; THENCE SOUTH 31°38'43" WEST 59.49 FEET; THENCE SOUTH 33°38'23" WEST 49.69 FEET; THENCE SOUTH 34°06'53" WEST 52.06 FEET; THENCE SOUTH 40°04'23" WEST 49.95 FEET; THENCE SOUTH 44°56'19" WEST 47.25 FEET; THENCE SOUTH 52°41'11" WEST 54.67 FEET; THENCE SOUTH 68°54'40" WEST 52.23 FEET; THENCE SOUTH 75°57'07" WEST 46.10 FEET; THENCE SOUTH 78°21'55" WEST 47.68 FEET; THENCE SOUTH 71°40'15" WEST 45.44 FEET; THENCE SOUTH 65°32'28" WEST 44.32 FEET; THENCE SOUTH 64°04'40" WEST 46.00 FEET; THENCE SOUTH 65°02'09" WEST 52.83 FEET; THENCE SOUTH 61°01'56" WEST 40.58 FEET; THENCE SOUTH 66°58'24" WEST 67.87 FEET; THENCE SOUTH 67°58'47" WEST 57.60 FEET; THENCE SOUTH 74°07'04" WEST 37.16 FEET; THENCE SOUTH 67°51'07" WEST 28.63 FEET; THENCE SOUTH 31°50'21" WEST 57.40 FEET; THENCE SOUTH 11°54'52" WEST 13.05 FEET; THENCE SOUTH 09°18'08" WEST 31.50 FEET; THENCE SOUTH 01°11'02" WEST 49.92 FEET; THENCE SOUTH 01°49'36" EAST 47.49 FEET; THENCE SOUTH 03°56'43" EAST 48.13 FEET; THENCE SOUTH 09°08'18" EAST 46.76 FEET; THENCE SOUTH 08°00'35" EAST 47.00 FEET; THENCE SOUTH 04°25'31" EAST 239.62 FEET; THENCE SOUTH 12°36'52" EAST 42.63 FEET; THENCE SOUTH 09°08'03" EAST 38.78 FEET; THENCE SOUTH 26°44'28" EAST 37.61 FEET; THENCE SOUTH 25°13'00" EAST 91.39 FEET; THENCE SOUTH 31°47'13" EAST 86.96 FEET; THENCE SOUTH 25°58'42" EAST 90.96 FEET; THENCE SOUTH 16°37'14" EAST 44.86 FEET; THENCE SOUTH 13°55'56" EAST 38.95 FEET; THENCE SOUTH 10°58'00" EAST 8.71 FEET; THENCE SOUTH 22°07'31" EAST 41.55 FEET; THENCE SOUTH 28°44'02" EAST 84.16 FEET; THENCE SOUTH 36°09'56" EAST 98.71 FEET; THENCE SOUTH 24°14'08" EAST 49.18 FEET; THENCE SOUTH 16°43'06" EAST 41.23 FEET; THENCE SOUTH 08°51'59" EAST 39.90 FEET; THENCE SOUTH 00°29'57" WEST 55.27 FEET; THENCE SOUTH 43°18'40" WEST 3.34 FEET; THENCE SOUTH 01°50'38" WEST 54.84 FEET; THENCE SOUTH 10°57'38" WEST 43.83 FEET; THENCE SOUTH 17°08'24" WEST 50.78 FEET; THENCE SOUTH 18°31'04" WEST 43.47 FEET; THENCE SOUTH 18°09'55" WEST 48.04 FEET; THENCE SOUTH 18°50'13" WEST 45.99 FEET; THENCE SOUTH 16°53'38" WEST 44.82 FEET; THENCE SOUTH 22°21'25" WEST 53.84 FEET; THENCE SOUTH 20°09'20" WEST 41.34 FEET; THENCE SOUTH 19°14'51" WEST 44.03 FEET; THENCE SOUTH 13°28'02" WEST 18.10 FEET; THENCE SOUTH 12°00'52" WEST 38.97 FEET; THENCE SOUTH 07°08'21" WEST 44.32 FEET; THENCE SOUTH 00°33'35" EAST 37.45 FEET; THENCE SOUTH 13°28'50" EAST 42.48 FEET; THENCE SOUTH 20°15'51" EAST 34.91 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 26; THENCE ALONG SAID SOUTH SECTION LINE, SOUTH 89°57'44" WEST 136.63 FEET, TO A POINT WHICH LIES 719.05 FEET NORTH 89°57'44" EAST FROM THE SOUTHWEST CORNER OF SAID SECTION 26; THENCE LEAVING SAID SOUTH SECTION LINE, NORTH 02°41'28" WEST 25.10 FEET; THENCE NORTH 35°26'44" EAST 53.07 FEET; THENCE NORTH 04°42'06" EAST 144.25 FEET; THENCE NORTH 18°31'55" EAST 147.09 FEET; THENCE NORTH 20°01'34" EAST 143.12 FEET; THENCE NORTH 20°47'32" EAST 105.87 FEET; THENCE NORTH 08°13'41" EAST 145.11 FEET; THENCE ALONG A 316.62 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 181.02 FEET, (CHORD BEARS NORTH 34°24'02" WEST 178.56 FEET); THENCE NORTH 30°21'49" WEST 92.15 FEET; THENCE NORTH 15°01'54" WEST 121.78 FEET; THENCE NORTH 22°19'38" WEST 78.93 FEET; THENCE NORTH 37°08'39" WEST 93.09 FEET; THENCE NORTH 30°39'31" WEST 101.62 FEET; THENCE NORTH 06°23'30" WEST 72.53 FEET; THENCE NORTH 11°08'31" WEST 85.26 FEET; THENCE NORTH 03°03'23" WEST 70.90 FEET; THENCE NORTH 04°01'00" WEST 109.98 FEET; THENCE NORTH 01°08'06" EAST 37.30 FEET; THENCE NORTH 09°01'59" WEST 47.42 FEET; THENCE NORTH 06°57'05" WEST 42.35 FEET; THENCE NORTH 07°57'29" WEST 64.26 FEET; THENCE NORTH 00°51'29" WEST 54.16 FEET; THENCE NORTH 04°52'48" EAST 48.09 FEET; THENCE NORTH 03°32'45" EAST 64.10 FEET; THENCE NORTH 00°36'16" EAST 11.00 FEET; THENCE ALONG A 177.75 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 154.08 FEET, (CHORD BEARS NORTH 40°15'30" EAST 149.30 FEET); THENCE NORTH 69°24'02" EAST 58.64 FEET; THENCE NORTH 66°52'29" EAST 120.43 FEET; THENCE NORTH 62°54'37" EAST 120.79 FEET; THENCE NORTH 71°02'01" EAST 90.69 FEET; THENCE NORTH 73°49'57" EAST 79.58 FEET; THENCE ALONG A 172.05 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 142.42 FEET, (CHORD BEARS NORTH 58°08'24" EAST 138.39 FEET); THENCE NORTH 36°01'53" EAST 118.88 FEET; THENCE NORTH 34°54'31" EAST 125.63 FEET; THENCE NORTH 23°56'19" EAST 118.85 FEET; THENCE NORTH 21°06'02" EAST 151.71 FEET; THENCE NORTH 16°34'41" EAST 129.99 FEET; THENCE ALONG A 267.56 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 183.12 FEET, (CHORD BEARS NORTH 39°37'54" EAST 179.57 FEET); THENCE ALONG A 82.69 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 101.44 FEET, (CHORD BEARS NORTH 32°12'42" EAST 95.20 FEET); THENCE NORTH 20°34'10" EAST 70.52 FEET; THENCE NORTH 01°58'15" EAST 50.16 FEET; THENCE NORTH 02°11'22" WEST 160.13 FEET; THENCE NORTH

00°03'12" EAST 52.54 FEET; THENCE NORTH 03°29'37" EAST 55.09 FEET; THENCE NORTH 16°43'59" EAST 52.45 FEET; THENCE NORTH 21°17'38" EAST 53.26 FEET; THENCE NORTH 33°19'35" EAST 55.28 FEET; THENCE NORTH 39°48'50" EAST 67.70 FEET; THENCE NORTH 48°27'12" EAST 60.55 FEET; THENCE NORTH 56°05'43" EAST 53.08 FEET; THENCE ALONG A 117.29 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 118.45 FEET, (CHORD BEARS NORTH 16°09'04" EAST 113.48 FEET); THENCE NORTH 22°49'09" WEST 58.54 FEET; THENCE NORTH 18°01'32" WEST 54.00 FEET; THENCE NORTH 54°57'53" WEST 33.06 FEET; THENCE NORTH 51°17'56" WEST 20.56 FEET; THENCE SOUTH 73°07'26" WEST 59.87 FEET; THENCE SOUTH 82°38'49" WEST 126.41 FEET; THENCE NORTH 60°43'54" WEST 66.66 FEET; THENCE NORTH 71°33'25" WEST 73.16 FEET; THENCE NORTH 74°05'38" WEST 57.25 FEET; THENCE NORTH 29°03'48" WEST 51.34 FEET; THENCE NORTH 31°35'21" WEST 66.47 FEET; THENCE NORTH 25°01'05" WEST 129.05 FEET; THENCE NORTH 18°30'33" WEST 72.90 FEET; THENCE NORTH 23°49'04" EAST 37.75 FEET; THENCE NORTH 15°49'30" EAST 46.92 FEET; THENCE NORTH 06°01'54" EAST 80.93 FEET; THENCE NORTH 54°39'07" EAST 50.93 FEET; THENCE NORTH 32°10'55" EAST 42.32 FEET; THENCE NORTH 00°52'08" WEST 81.04 FEET; THENCE NORTH 22°13'59" WEST 76.59 FEET; THENCE NORTH 34°37'18" WEST 48.17 FEET; THENCE NORTH 16°56'25" WEST 48.85 FEET; THENCE NORTH 00°10'11" EAST 66.01 FEET; THENCE NORTH 28°29'53" EAST 36.69 FEET; THENCE NORTH 24°26'53" EAST 43.94 FEET; THENCE NORTH 31°19'23" EAST 101.71 FEET; THENCE NORTH 58°07'31" EAST 49.56 FEET; THENCE NORTH 54°08'29" EAST 46.42 FEET; THENCE SOUTH 82°52'12" EAST 39.04 FEET; THENCE NORTH 12°57'15" EAST 127.29 FEET; THENCE NORTH 51°35'51" WEST 48.22 FEET; THENCE NORTH 30°12'23" EAST 42.56 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 604,048.92 SQ. FT., OR 13.867 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 35, TOWNSHIP 2 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 719.05 FEET NORTH 89°57'44" EAST ALONG SECTION LINE FROM THE NORTHWEST CORNER OF SECTION 35, TOWNSHIP 2 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN, AND RUNNING THENCE ALONG THE NORTH LINE OF SAID SECTION 35, NORTH 89°57'44" EAST 136.63 FEET; THENCE LEAVING SAID NORTH SECTION LINE, SOUTH 20°14'34" EAST 86.94 FEET; THENCE ALONG A 47.11 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 50.82 FEET, (CHORD BEARS SOUTH 64°50'30" EAST 48.39 FEET); THENCE NORTH 87°53'17" EAST 341.48 FEET; THENCE NORTH 84°17'34" EAST 96.04 FEET; THENCE NORTH 88°33'17" EAST 87.50 FEET; THENCE ALONG A 118.77 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 74.09 FEET, (CHORD BEARS SOUTH 62°35'05" EAST 72.89 FEET); THENCE SOUTH 18°36'30" EAST 133.71 FEET; THENCE SOUTH 08°19'53" WEST 56.62 FEET; THENCE SOUTH 22°41'37" WEST 336.75 FEET; THENCE SOUTH 37°52'11" WEST 43.41 FEET; THENCE SOUTH 31°39'02" WEST 92.32 FEET; THENCE SOUTH 20°25'41" WEST 92.45 FEET; THENCE ALONG A 289.14 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 91.06 FEET, (CHORD BEARS SOUTH 01°20'16" WEST 90.69 FEET); THENCE SOUTH 07°56'02" EAST 62.18 FEET; THENCE SOUTH 11°19'32" EAST 41.73 FEET; THENCE SOUTH 10°06'03" EAST 53.01 FEET; THENCE SOUTH 08°14'02" EAST 14.20 FEET; THENCE SOUTH 11°19'23" EAST 42.10 FEET; THENCE SOUTH 10°46'36" EAST 52.72 FEET; THENCE SOUTH 10°33'06" EAST 51.76 FEET; THENCE SOUTH

10°34'42" EAST 103.88 FEET; THENCE SOUTH 09°55'22" EAST 51.31 FEET; THENCE SOUTH 10°43'56" EAST 126.97 FEET; THENCE SOUTH 66°08'20" WEST 1.60 FEET; THENCE SOUTH 06°24'25" EAST 84.42 FEET; THENCE SOUTH 05°35'03" EAST 54.18 FEET; THENCE SOUTH 04°44'26" EAST 46.84 FEET; THENCE SOUTH 00°22'44" WEST 57.36 FEET; THENCE SOUTH 18°37'48" WEST 29.78 FEET; THENCE SOUTH 15°23'51" WEST 87.89 FEET; THENCE SOUTH 22°12'40" WEST 51.01 FEET; THENCE SOUTH 17°49'20" WEST 64.65 FEET; THENCE SOUTH 19°49'20" WEST 55.11 FEET; THENCE SOUTH 11°43'21" WEST 65.21 FEET; THENCE SOUTH 11°21'16" WEST 48.91 FEET; THENCE SOUTH 09°04'40" WEST 95.72 FEET; THENCE SOUTH 14°05'43" WEST 94.26 FEET; THENCE SOUTH 19°04'54" WEST 50.67 FEET; THENCE SOUTH 12°23'36" WEST 25.76 FEET; THENCE SOUTH 15°37'15" WEST 109.47 FEET; THENCE SOUTH 13°01'03" WEST 50.01 FEET; THENCE ALONG A 99.29 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 58.32 FEET, (CHORD BEARS SOUTH 06°25'50" EAST 57.49 FEET); THENCE SOUTH 41°06'41" EAST 31.22 FEET; THENCE SOUTH 51°36'23" EAST 31.73 FEET; THENCE SOUTH 51°36'23" EAST 70.59 FEET; THENCE SOUTH 46°43'32" EAST 54.57 FEET; THENCE SOUTH 49°00'36" EAST 101.06 FEET; THENCE SOUTH 41°25'17" EAST 89.50 FEET; THENCE ALONG A 217.87 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 83.67 FEET, (CHORD BEARS SOUTH 16°50'53" EAST 83.16 FEET); THENCE SOUTH 07°42'09" WEST 74.76 FEET; THENCE SOUTH 17°34'45" WEST 73.41 FEET; THENCE SOUTH 25°27'34" WEST 34.90 FEET; THENCE SOUTH 19°06'28" WEST 40.46 FEET; THENCE SOUTH 08°05'14" WEST 45.48 FEET; THENCE ALONG A 202.52 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 84.34 FEET, (CHORD BEARS SOUTH 12°31'36" EAST 83.74 FEET); THENCE SOUTH 36°45'38" EAST 102.26 FEET; THENCE ALONG A 260.72 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 105.59 FEET, (CHORD BEARS SOUTH 31°33'36" EAST 104.87 FEET); THENCE SOUTH 04°12'59" EAST 110.55 FEET; THENCE SOUTH 10°40'56" WEST 54.74 FEET; THENCE SOUTH 13°48'26" WEST 53.94 FEET; THENCE SOUTH 02°40'29" WEST 41.91 FEET; THENCE ALONG A 251.86 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 93.47 FEET, (CHORD BEARS SOUTH 25°49'18" EAST 92.93 FEET); THENCE SOUTH 45°02'12" EAST 99.39 FEET; THENCE SOUTH 48°44'11" EAST 55.13 FEET; THENCE SOUTH 44°54'56" EAST 50.42 FEET; THENCE SOUTH 43°12'27" EAST 51.53 FEET; THENCE SOUTH 44°29'54" EAST 47.38 FEET; THENCE SOUTH 45°34'26" EAST 78.52 FEET; THENCE SOUTH 39°08'38" EAST 55.18 FEET; THENCE SOUTH 35°40'20" EAST 53.18 FEET; THENCE ALONG A 404.88 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 229.18 FEET, (CHORD BEARS SOUTH 26°04'20" EAST 226.13 FEET); THENCE SOUTH 15°17'24" EAST 54.73 FEET; THENCE SOUTH 17°38'53" EAST 53.37 FEET; THENCE SOUTH 23°10'34" EAST 50.17 FEET; THENCE SOUTH 30°21'09" EAST 114.90 FEET; THENCE ALONG A 386.68 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 143.36 FEET, (CHORD BEARS SOUTH 41°05'57" EAST 142.54 FEET); THENCE SOUTH 53°14'55" EAST 58.60 FEET; THENCE SOUTH 46°45'07" EAST 49.24 FEET; THENCE SOUTH 49°31'47" EAST 57.72 FEET; THENCE SOUTH 45°28'09" EAST 53.72 FEET; THENCE SOUTH 47°04'55" EAST 51.34 FEET; THENCE SOUTH 50°51'31" EAST 110.86 FEET; THENCE SOUTH 53°57'02" EAST 46.73 FEET; THENCE SOUTH 67°10'00" EAST 103.40 FEET; THENCE SOUTH 69°01'31" EAST 59.02 FEET; THENCE ALONG A 380.84 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 119.33 FEET, (CHORD BEARS SOUTH 57°23'05" EAST 118.84 FEET); THENCE ALONG A 371.24 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 142.67 FEET, (CHORD BEARS SOUTH 37°57'43" EAST 141.79 FEET); THENCE SOUTH 18°40'01" EAST 20.26 FEET; THENCE SOUTH 27°59'14" EAST 41.02 FEET; THENCE SOUTH 19°29'07" EAST 37.92 FEET, MORE OR LESS, TO THE SOUTH LINE OF SAID SECTION 35, AT A POINT 2301.82 FEET NORTH 89°59'20" WEST ALONG SECTION LINE FROM THE SOUTHEAST CORNER OF SAID SECTION 35; THENCE ALONG SAID SOUTH SECTION LINE, NORTH 89°59'20" WEST 84.63 FEET; THENCE LEAVING SAID SOUTH SECTION LINE, ALONG A 342.66 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 267.88 FEET, (CHORD BEARS NORTH 42°30'45" WEST 261.11 FEET); THENCE ALONG A 598.49 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 185.45 FEET, (CHORD BEARS NORTH 64°14'56" WEST 184.71 FEET); THENCE NORTH 52°49'07" WEST 182.86 FEET; THENCE NORTH 43°00'26" WEST 104.07 FEET; THENCE NORTH 49°50'42" WEST 151.28 FEET; THENCE NORTH 44°12'18" WEST 117.96 FEET; THENCE ALONG A 793.25 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 385.34 FEET, (CHORD BEARS NORTH 23°19'56" WEST 381.57 FEET); THENCE NORTH 27°17'10" WEST 80.40 FEET; THENCE NORTH 34°16'28" WEST 122.11 FEET; THENCE ALONG A 459.20 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 184.85 FEET, (CHORD BEARS NORTH 42°55'39" WEST 183.61 FEET); THENCE ALONG A 34.57 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 47.85 FEET, (CHORD BEARS NORTH 44°28'55" WEST 44.12 FEET); THENCE NORTH 48°44'48" WEST 135.02 FEET; THENCE NORTH 40°30'46" WEST 152.15 FEET; THENCE ALONG A 142.44 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 171.69 FEET, (CHORD BEARS NORTH 01°28'49" EAST 161.48 FEET); THENCE NORTH 33°16'18" EAST 30.84 FEET; THENCE NORTH 06°49'00" WEST 49.26 FEET; THENCE NORTH 09°01'45" EAST 61.03 FEET; THENCE NORTH 20°45'16" WEST 43.31 FEET; THENCE NORTH

38°48'05" WEST 42.23 FEET; THENCE NORTH 45°17'47" WEST 29.47 FEET; THENCE NORTH 25°30'27" WEST 24.93 FEET; THENCE NORTH 38°06'54" WEST 30.73 FEET; THENCE NORTH 30°32'27" WEST 29.79 FEET; THENCE NORTH 36°55'10" WEST 30.11 FEET; THENCE NORTH 12°33'31" WEST 35.11 FEET; THENCE ALONG A 213.23 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 128.66 FEET, (CHORD BEARS NORTH 02°44'15" EAST 126.72 FEET); THENCE NORTH 14°39'06" EAST 57.85 FEET; THENCE NORTH 22°24'17" EAST 33.89 FEET; THENCE NORTH 16°48'45" EAST 50.27 FEET; THENCE NORTH 07°55'14" EAST 46.03 FEET; THENCE ALONG A 395.52 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 58.39 FEET, (CHORD BEARS NORTH 16°44'49" WEST 58.33 FEET); THENCE NORTH 40°37'08" WEST 27.22 FEET; THENCE NORTH 49°55'51" WEST 27.47 FEET; THENCE NORTH 51°13'57" WEST 30.44 FEET; THENCE NORTH 51°00'43" WEST 52.29 FEET; THENCE NORTH 47°18'16" WEST 53.29 FEET; THENCE NORTH 49°01'32" WEST 50.07 FEET; THENCE NORTH 49°37'52" WEST 75.53 FEET; THENCE NORTH 36°41'16" WEST 63.35 FEET; THENCE NORTH 12°47'56" WEST 53.17 FEET; THENCE NORTH 04°26'03" EAST 54.22 FEET; THENCE NORTH 12°28'18" EAST 49.93 FEET; THENCE NORTH 16°00'07" EAST 208.74 FEET; THENCE NORTH 12°21'18" EAST 108.91 FEET; THENCE NORTH 05°58'09" EAST 68.39 FEET; THENCE NORTH 08°18'57" EAST 51.82 FEET; THENCE NORTH 14°52'54" EAST 54.80 FEET; THENCE NORTH 23°04'54" EAST 54.56 FEET; THENCE NORTH 14°24'16" EAST 31.89 FEET; THENCE NORTH 18°39'34" EAST 55.35 FEET; THENCE NORTH 25°22'02" EAST 43.56 FEET; THENCE NORTH 17°05'23" EAST 29.06 FEET; THENCE NORTH 04°19'09" EAST 42.61 FEET; THENCE NORTH 01°07'28" EAST 94.41 FEET; THENCE NORTH 05°16'36" WEST 102.64 FEET; THENCE NORTH 06°11'38" WEST 75.43 FEET; THENCE NORTH 09°10'45" WEST 112.87 FEET; THENCE NORTH 09°28'13" WEST 93.96 FEET; THENCE NORTH 08°36'13" WEST 171.34 FEET; THENCE NORTH 13°43'42" WEST 55.08 FEET; THENCE NORTH 16°09'11" WEST 64.61 FEET; THENCE NORTH 15°19'05" WEST 64.36 FEET; THENCE ALONG A 386.58 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 246.14 FEET, (CHORD BEARS NORTH 11°58'28" EAST 242.00 FEET); THENCE NORTH 29°21'29" EAST 65.53 FEET; THENCE NORTH 36°48'01" EAST 30.28 FEET; THENCE NORTH 22°48'13" EAST 383.81 FEET; THENCE NORTH 07°16'32" WEST 96.52 FEET; THENCE ALONG A 433.39 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 97.56 FEET, (CHORD BEARS NORTH 88°42'40" WEST 97.35 FEET); THENCE ALONG A 47.26 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 59.68 FEET, (CHORD BEARS SOUTH 64°03'08" WEST 55.79 FEET); THENCE ALONG A 2196.05 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 258.11 FEET, (CHORD BEARS SOUTH 87°33'28" WEST 257.96 FEET); THENCE SOUTH 46°38'38" WEST 85.34 FEET; THENCE ALONG A 268.59 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 212.05 FEET, (CHORD BEARS NORTH 74°19'52" WEST 206.59 FEET); THENCE ALONG A 179.96 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 212.02 FEET, (CHORD BEARS NORTH 24°35'24" WEST 199.97 FEET), MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 551,149.48 SQ. FT., OR 12.653 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 2, TOWNSHIP 3 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 2301.82 FEET NORTH 89°59'20" WEST ALONG SECTION LINE FROM THE NORTHEAST CORNER OF SECTION 2, TOWNSHIP 3 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN,
AND RUNNING THENCE SOUTH 31°20'35" EAST 20.34 FEET; THENCE SOUTH 15°46'09" EAST 100.82 FEET; THENCE SOUTH 09°35'50" EAST 93.40 FEET; THENCE SOUTH 09°19'26" EAST 97.98 FEET; THENCE SOUTH 08°34'50" EAST 109.79 FEET; THENCE ALONG A 213.34 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 172.77 FEET, (CHORD BEARS SOUTH 27°05'02" EAST 168.08 FEET); THENCE SOUTH 45°54'44" EAST 49.31 FEET; THENCE SOUTH 34°30'18" EAST 58.41 FEET; THENCE SOUTH 32°16'40" EAST 47.10 FEET; THENCE SOUTH 26°45'55" EAST 49.14 FEET; THENCE SOUTH 14°48'48" EAST 105.80 FEET; THENCE SOUTH 05°32'43" EAST 95.04 FEET; THENCE SOUTH 03°32'38" WEST 48.20 FEET; THENCE SOUTH 09°17'26" WEST 47.59 FEET; THENCE SOUTH 17°17'25" WEST 53.47 FEET; THENCE SOUTH 20°42'07" WEST 49.29 FEET; THENCE SOUTH 25°27'11" WEST 57.08 FEET; THENCE SOUTH 27°47'57" WEST 104.02 FEET; THENCE SOUTH 24°42'54" WEST 50.43 FEET; THENCE SOUTH 28°41'48" WEST 48.03 FEET; THENCE SOUTH 31°05'10" WEST 101.61 FEET; THENCE SOUTH 33°58'00" WEST 105.12 FEET; THENCE SOUTH 31°10'20" WEST 102.17 FEET; THENCE SOUTH 28°27'40" WEST 99.76 FEET; THENCE SOUTH 23°25'29" WEST 84.70 FEET; THENCE SOUTH 17°08'40" WEST 113.38 FEET; THENCE SOUTH 50°04'43" EAST 22.75 FEET; THENCE SOUTH 37°51'51" EAST 93.35 FEET; THENCE SOUTH 28°43'37" EAST 91.73 FEET; THENCE SOUTH 27°11'11" EAST 88.55 FEET; THENCE ALONG A 246.75 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 99.08 FEET, (CHORD BEARS SOUTH 07°22'14" EAST 98.42 FEET); THENCE SOUTH 05°21'02" WEST 40.83 FEET; THENCE SOUTH 07°06'55" WEST 33.79 FEET; THENCE SOUTH 02°57'31" WEST 75.96 FEET; THENCE ALONG A 521.92 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 201.72 FEET, (CHORD BEARS SOUTH 16°15'37" WEST 200.46 FEET); THENCE SOUTH 16°10'06" WEST 259.68 FEET; THENCE SOUTH 01°42'19" WEST 28.94 FEET; THENCE SOUTH 07°35'39" WEST 127.62 FEET; THENCE SOUTH 05°27'53" WEST 110.54 FEET; THENCE SOUTH 04°40'40" WEST 160.56 FEET; THENCE SOUTH 04°46'29" WEST 162.83 FEET; THENCE SOUTH 01°40'01" EAST 167.31 FEET; THENCE SOUTH 00°14'43" WEST 112.70 FEET; THENCE SOUTH 03°08'01" WEST 56.94 FEET; THENCE ALONG A 919.18 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 174.76 FEET, (CHORD BEARS SOUTH 12°50'49" WEST 174.50 FEET); THENCE SOUTH 18°28'39" WEST 119.19 FEET; THENCE ALONG A 216.30 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 88.38 FEET, (CHORD BEARS SOUTH 08°08'22" WEST 87.77 FEET); THENCE ALONG A 719.47 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 148.72 FEET, (CHORD BEARS SOUTH 09°37'27" EAST 148.45 FEET); THENCE SOUTH 18°02'56" EAST 113.61 FEET; THENCE SOUTH 20°50'01" EAST 114.83 FEET; THENCE SOUTH 19°00'15" EAST 54.24 FEET; THENCE SOUTH 20°52'01" EAST 58.13 FEET; THENCE SOUTH 16°20'39" EAST 50.33 FEET; THENCE ALONG A 125.93 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 96.81 FEET, (CHORD BEARS SOUTH 04°56'34" WEST 94.44 FEET); THENCE SOUTH 23°55'46" WEST 88.50 FEET; THENCE SOUTH 29°30'27" WEST 61.28 FEET; THENCE SOUTH 26°14'27" WEST 56.65 FEET; THENCE SOUTH 36°38'15" WEST 21.84 FEET; THENCE SOUTH 30°12'14" WEST 85.78 FEET; THENCE SOUTH 32°16'46" WEST 55.53 FEET; THENCE SOUTH 29°00'04" WEST 108.94 FEET; THENCE SOUTH 34°50'27" WEST 59.86 FEET; THENCE SOUTH 26°48'42" WEST 62.77 FEET, MORE OR LESS, TO A POINT WHICH LIES 2581.56 FEET NORTH 89°43'30" EAST AND 39.35 FEET NORTH FROM THE SOUTHWEST CORNER OF SAID SECTION 2; THENCE NORTH 60°59'06" WEST 103.17 FEET; THENCE NORTH 37°14'18" EAST 171.88 FEET; THENCE NORTH 34°16'19" EAST 43.79 FEET; THENCE NORTH 28°20'25" EAST 56.15 FEET; THENCE NORTH 29°38'38" EAST 54.58 FEET; THENCE NORTH 32°32'49" EAST 45.65 FEET; THENCE NORTH 40°03'34" EAST 17.65 FEET; THENCE NORTH 22°57'40" EAST 53.25 FEET; THENCE NORTH 28°09'25" EAST 69.70 FEET; THENCE NORTH 27°40'32" EAST 47.86 FEET; THENCE NORTH 23°52'36" EAST 42.03 FEET; THENCE NORTH 03°01'02" EAST 47.77 FEET; THENCE NORTH 21°11'21" WEST 58.05 FEET; THENCE NORTH 21°16'53" WEST 162.61 FEET; THENCE NORTH 16°31'39" WEST 210.86 FEET; THENCE ALONG A 407.37 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 226.93 FEET, (CHORD BEARS NORTH 00°29'45" WEST 224.00 FEET); THENCE NORTH 22°59'39" EAST 82.63 FEET; THENCE NORTH 11°26'02" EAST 217.74 FEET; THENCE NORTH 00°11'38" EAST 344.41 FEET; THENCE NORTH 04°49'55" EAST 296.54 FEET; THENCE NORTH 05°49'39" EAST 217.92 FEET; THENCE NORTH 06°39'16" EAST 65.04 FEET; THENCE NORTH 16°31'05" EAST 288.49 FEET; THENCE NORTH 20°14'52" EAST 109.11 FEET; THENCE NORTH 04°51'06" EAST 154.08 FEET; THENCE ALONG A 155.94 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 112.41 FEET, (CHORD BEARS NORTH 01°39'25" WEST 109.99 FEET); THENCE NORTH 28°11'41" WEST 209.40 FEET; THENCE ALONG A 125.03 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 160.73 FEET, (CHORD BEARS NORTH 19°16'51" WEST 149.89 FEET); THENCE NORTH 13°52'58" EAST 59.63 FEET; THENCE NORTH 25°13'14" EAST 119.07 FEET; THENCE NORTH

29°49'40" EAST 211.15 FEET; THENCE NORTH 33°07'36" EAST 206.78 FEET; THENCE NORTH 23°10'56" EAST 97.38 FEET; THENCE NORTH 26°32'30" EAST 193.63 FEET; THENCE ALONG A 438.73 FOOT RADIUS NON-TANGENT CURVE TO THE LEFT A DISTANCE OF 441.52 FEET, (CHORD BEARS NORTH 13°59'54" WEST 423.13 FEET); THENCE ALONG A 304.59 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 227.35 FEET, (CHORD BEARS NORTH 30°03'57" WEST 222.11 FEET); THENCE NORTH 07°34'42" WEST 270.57 FEET; THENCE NORTH 12°05'22" WEST 56.13 FEET; THENCE NORTH 19°45'22" WEST 123.68 FEET, MORE OR LESS, TO THE NORTH LINE OF SAID SECTION 2; THENCE ALONG SAID NORTH SECTION LINE, SOUTH 89°59'20" EAST 84.63 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 447,298.25 SQ. FT., OR 10.269 ACRES, MORE OR LESS, AS DESCRIBED.

GRANGER LATERAL DESCRIPTION

SECTION 32, TOWNSHIP 1 SOUTH, RANGE 1 WEST, DESCRIPTION:

A CANAL EASEMENT FOR THE CONTINUED ACCESS AND MAINTENANCE ALONG THE NORTH JORDAN IRRIGATION CANAL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH LIES 618.73 FEET NORTH 00°00'11" WEST ALONG SECTION LINE FROM THE CENTER OF SECTION 32, TOWNSHIP 1 SOUTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN AND RUNNING THENCE NORTH 66°17'54" WEST 74.18 FEET; THENCE NORTH 72°15'26" WEST 97.27 FEET; THENCE NORTH 68°27'35" WEST 53.48 FEET; THENCE NORTH 69°30'39" WEST 36.37 FEET; THENCE NORTH 69°23'19" WEST 75.22 FEET; THENCE NORTH 69°21'30" WEST 76.04 FEET; THENCE NORTH 69°25'17" WEST 74.70 FEET; THENCE NORTH 69°00'36" WEST 55.90 FEET; THENCE NORTH 62°49'44" WEST 24.83 FEET; THENCE NORTH 61°48'16" WEST 82.86 FEET; THENCE NORTH 61°43'57" WEST 81.16 FEET; THENCE NORTH 61°59'38" WEST 79.35 FEET; THENCE NORTH 62°45'34" WEST 80.84 FEET; THENCE NORTH 62°45'13" WEST 81.12 FEET; THENCE NORTH 62°26'10" WEST 95.31 FEET; THENCE NORTH 62°53'01" WEST 202.82 FEET; THENCE NORTH 78°54'14" WEST 21.05 FEET; THENCE NORTH 26°34'35" WEST 22.76 FEET; THENCE NORTH 04°23'59" EAST 49.67 FEET; THENCE SOUTH 60°32'52" EAST 125.92 FEET; THENCE SOUTH 62°35'05" EAST 79.24 FEET; THENCE SOUTH 63°26'19" EAST 61.98 FEET; THENCE SOUTH 62°43'05" EAST 89.91 FEET; THENCE SOUTH 61°09'09" EAST 106.68 FEET; THENCE SOUTH 63°47'09" EAST 167.45 FEET; THENCE SOUTH 63°16'44" EAST 53.11 FEET; THENCE SOUTH 60°16'45" EAST 95.97 FEET; THENCE SOUTH 65°01'14" EAST 45.22 FEET; THENCE SOUTH 66°58'12" EAST 26.87 FEET; THENCE SOUTH 72°05'57" EAST 19.24 FEET; THENCE SOUTH 70°23'48" EAST 36.00 FEET; THENCE SOUTH 69°32'28" EAST 57.27 FEET; THENCE SOUTH 69°15'49" EAST 61.36 FEET; THENCE SOUTH 69°00'52" EAST 58.95 FEET; THENCE SOUTH 68°12'29" EAST 54.63 FEET; THENCE SOUTH 67°00'27" EAST 124.42 FEET; THENCE SOUTH 72°30'17" EAST 80.77 FEET; THENCE SOUTH 71°21'50" EAST 122.59 FEET; THENCE SOUTH 70°21'53" EAST 71.70 FEET; THENCE SOUTH 70°51'22" EAST 73.64 FEET; THENCE SOUTH 68°24'44" EAST 83.72 FEET; THENCE SOUTH 70°36'09" EAST 70.79 FEET; THENCE SOUTH 71°15'27" EAST 147.69 FEET; THENCE SOUTH 66°42'30" EAST 28.79 FEET; THENCE SOUTH 60°15'16" EAST 59.86 FEET; THENCE SOUTH 62°38'45" EAST 117.43 FEET; THENCE SOUTH

63°14'41" EAST 89.57 FEET; THENCE SOUTH 60°46'59" EAST 68.55 FEET; THENCE SOUTH 66°44'15" EAST 130.10 FEET; THENCE SOUTH 61°12'35" EAST 16.33 FEET; THENCE ALONG A 65.28 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT A DISTANCE OF 65.93 FEET, (CHORD BEARS SOUTH 24°48'33" EAST 63.17 FEET); THENCE SOUTH 01°55'14" EAST 50.81 FEET; THENCE SOUTH 01°39'23" EAST 98.83 FEET; THENCE SOUTH 61°31'48" WEST 6.33 FEET; THENCE SOUTH 00°37'24" EAST 29.22 FEET; THENCE NORTH 89°15'00" EAST 188.21 FEET; THENCE SOUTH 89°15'28" EAST 76.88 FEET; THENCE EAST 13.63 FEET; THENCE SOUTH 50°32'49" EAST 31.02 FEET; THENCE SOUTH 03°24'37" WEST 19.84 FEET; THENCE NORTH 81°30'24" WEST 75.11 FEET; THENCE NORTH 89°55'42" WEST 245.39 FEET; THENCE NORTH 01°21'13" EAST 3.51 FEET; THENCE NORTH 88°59'16" WEST 13.64 FEET; THENCE NORTH 00°37'24" WEST 76.78 FEET; THENCE NORTH 78°42'04" EAST 7.66 FEET; THENCE NORTH 02°16'51" WEST 54.90 FEET; THENCE NORTH 13°50'52" WEST 27.60 FEET; THENCE NORTH 69°38'34" WEST 9.48 FEET; THENCE NORTH 06°28'57" WEST 38.22 FEET; THENCE NORTH 08°37'30" WEST 15.72 FEET; THENCE NORTH 46°46'44" WEST 13.15 FEET; THENCE NORTH 66°14'43" WEST 134.10 FEET; THENCE NORTH 59°04'36" WEST 68.08 FEET; THENCE NORTH 64°30'59" WEST 89.75 FEET; THENCE NORTH 61°26'19" WEST 142.95 FEET; THENCE NORTH 60°29'41" WEST 53.83 FEET; THENCE NORTH 68°37'09" WEST 26.61 FEET; THENCE NORTH 72°30'27" WEST 198.41 FEET; THENCE NORTH 69°26'51" WEST 155.88 FEET; THENCE NORTH 70°43'31" WEST 188.61 FEET; THENCE NORTH 66°17'54" WEST 25.89 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.

CONTAINS: 130,883.83 SQ. FT., OR 3.005 ACRES, MORE OR LESS, AS DESCRIBED.

SECTION 35, T-2-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011
 JOB NO. 10419

PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-735-1101 FAX 801-735-1102
 3225 WEST CALIFORNIA AVENUE, SUITE 202 WEST VALLEY CITY, UTAH 84116

AN EASEMENT DESCRIPTION FOR
 NORTH JORDAN IRRIGATION COMPANY
 SHEET 10 OF 12

SECTION 35, T-2-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011
 JOB NO. 10419

PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-735-1101 FAX 801-735-1102
 3225 WEST CALIFORNIA AVENUE, SUITE 202 WEST VALLEY CITY, UTAH 84116



SECTION 35, T-2-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011
 JOB NO. 10419

PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-735-1101 FAX 801-735-1102
 3225 WEST CALIFORNIA AVENUE, SUITE 202 WEST VALLEY CITY, UTAH 84116

Curve Table

Curve #	Length	Radius	Delta	Chord Distance	Chord Length
C1	546.82	4711	61.86	584.50	367.48
C2	74.08	118.77	33.74	107.35	72.89
C3	81.08	289.14	18.04	81.30	80.89
C4	53.32	86.28	33.63	59.20	57.49
C5	83.97	271.87	23.00	81.50	81.19
C6	84.34	292.32	23.06	81.71	81.34
C7	83.47	252.88	21.26	82.74	81.83
C8	143.38	368.48	21.74	141.02	142.54
C9	118.33	300.24	17.85	117.27	118.84
C10	113.93	371.24	22.03	112.67	117.78
C11	84.85	458.20	13.28	84.27	84.81
C12	47.85	34.37	78.28	16.67	14.12
C13	178.96	213.23	24.51	174.47	182.72
C14	34.36	303.52	8.46	34.47	34.33
C15	248.14	388.58	18.48	247.20	249.00
C16	87.58	433.39	13.90	86.97	87.35
C17	58.00	47.28	72.38	16.67	14.12
C18	234.11	218.03	6.73	237.33	231.88
C19	215.05	288.38	6.24	214.18	216.58



SECTION 35, T-2-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011
 JOB NO. 10419

PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-735-1101 FAX 801-735-1102
 3225 WEST CALIFORNIA AVENUE, SUITE 202 WEST VALLEY CITY, UTAH 84116

SECTION 26, T-2-S, R-1-W, S.L.B. & M. SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011

PREPARED BY: MILLER ASSOCIATES, INC. PROFESSIONAL LAND SURVEYORS 3225 WEST CALDWELL, UOUCB, SUITE 202 SALT LAKE CITY, UTAH, 84119

JOB NO. 10419

AN EASEMENT DESCRIPTION FOR NORTH JORDAN IRRIGATION COMPANY SHEET 9 OF 12

SECTION 26, T-2-S, R-1-W, S.L.B. & M. SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011


PREPARED BY: MILLER ASSOCIATES, INC. PROFESSIONAL LAND SURVEYORS 3225 WEST CALDWELL, UOUCB, SUITE 202 SALT LAKE CITY, UTAH, 84119

JOB NO. 10419

DATE: APRIL 12, 2011

PREPARED BY: MILLER ASSOCIATES, INC. PROFESSIONAL LAND SURVEYORS 3225 WEST CALDWELL, UOUCB, SUITE 202 SALT LAKE CITY, UTAH, 84119

JOB NO. 10419



SECTION 23, T-2-S, R-1-W, S.L.B. & M.
SHEET 8 OF 12


DATE: APRIL 12, 2011 JOB NO. 10419

PREPARED BY MILLER ASSOCIATES, INC.
PROFESSIONAL LAND SURVEYORS
3225 WEST CALDWELL AVENUE, SUITE 202 SALT LAKE CITY, UT 84119

SECTION 23, T-2-S, R-1-W, S.L.B. & M.
SHEET 8 OF 12

DATE: APRIL 12, 2011 JOB NO. 10419

PREPARED BY MILLER ASSOCIATES, INC.
PROFESSIONAL LAND SURVEYORS
3225 WEST CALDWELL AVENUE, SUITE 202 SALT LAKE CITY, UT 84119



SECTION 14 & 15, T-2-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

AN EASEMENT RESCRIPTION FOR:
NORTH JORDAN IRRIGATION COMPANY
 SHEET 7 OF 12

DATE: APRIL 12, 2011
 JOB NO. 10410

PREPARED BY: **MILLER ASSOCIATES, INC.**
 2225 WEST CALIFORNIA AVENUE, SUITE 202
 SALT LAKE CITY, UTAH, 84119
 PHONE 801-972-1033 FAX 879-1001

THIS EASEMENT RESCRIPTION IS TO BE CONSIDERED AN AMENDMENT TO THE EASEMENT RESCRIPTION OF RECORD IN THE PUBLIC RECORDS OF SALT LAKE COUNTY, UTAH, IN THE NAME OF THE SALT LAKE COUNTY RECORDER, BOOK 10410, PAGE 10410.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.


THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.

THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED AMENDED BY THIS EASEMENT RESCRIPTION AND THE EASEMENT RESCRIPTION OF RECORD IS TO BE CONSIDERED VOID AND INEFFECTIVE TO THE EXTENT OF THIS EASEMENT RESCRIPTION.




Line Table		Curve Table	
Line #	Direction	Curve #	Radius
11	78.87° 54' 38" 48" W	C1	153.03
12	58.78° 58' 51" 00" W	C2	112.12
13	53.80° 31' 30" 52" W	C3	61.35
14	31.50° 37' 35" 48" W	C4	95.24
15	58.19° 08' 18" W	C5	108.28
16	81.77° 54' 22" 07" E	C6	186.60
17	44.12° 58' 25" 31" E	C7	185.25
18	68.66° 51' 28" 21" E	C8	147.68
19	28.31° 48' 28" 33" W	C9	101.18
20	63.19° 37' 48" 57" W	C10	147.77
21	63.86° 31' 38" 31" W	C11	86.21
22	55.26° 18' 15" 22" W	C12	70.02
23	58.77° 18' 22" W	C13	64.40
24	82.11° 37' 25" 00" W	C14	62.11
25	111.04° 14' 12" 19" SW	C15	28.87
26	83.84° 08' 07" 58" W	C16	115.11
27	88.31° 10' 11" 59" W	C17	184.20

SECTION 3, T-2-S, R-1-W, S.L.B. & M.
 NORTH JORDAN IRRIGATION COMPANY
 SHEET 5 OF 12
 DATE: APRIL 12, 2011
 PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYOR, LICENSE NO. 3027
 2020 WEST 100 SOUTH, SUITE 302, SALT LAKE CITY, UTAH, 84119

REVISIONS
 NO. DATE BY REVISIONS

GRAPHIC SCALE
 (IN FEET)
 1 INCH = 200 FT

SECTION 3, T-2-S, R-1-W, S.L.B. & M.
 NORTH JORDAN IRRIGATION COMPANY
 SHEET 5 OF 12
 DATE: APRIL 12, 2011
 PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYOR, LICENSE NO. 3027
 2020 WEST 100 SOUTH, SUITE 302, SALT LAKE CITY, UTAH, 84119



Curve Table

Curve #	Length	Radius	Delta	Chord Direction	Chord Length
C1	118.88	266.81	17.17	S81° 34' 12" E	118.43
C2	181.23	878.16	11.83	S88° 17' 30" W	180.89
C3	137.43	163.28	78.25	N77° 42' 27" W	127.31
C4	135.37	337.28	23.14	S88° 09' 30" W	133.98

SECTION 4, T-2-S, R-1-W, S-1-B & M.
 AN ALIGNMENT FOR THE CONTIGUOUS JORDAN AND MILLER TRACTS, ALONG THE WESTERN CORNER OF THE SOUTH HALF OF SECTION 4, T-2-S, R-1-W, S-1-B & M. THE ALIGNMENT SHALL BE LOCATED IN ACCORDANCE WITH THE ATTACHED PLANS AND SHALL BE SUBJECT TO THE REQUIREMENTS OF THE UTAH WATER CONTROL ACT AND THE UTAH WATER RESOURCES ACT. THE ALIGNMENT SHALL BE LOCATED IN ACCORDANCE WITH THE ATTACHED PLANS AND SHALL BE SUBJECT TO THE REQUIREMENTS OF THE UTAH WATER CONTROL ACT AND THE UTAH WATER RESOURCES ACT.


CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND LOCAL GOVERNMENTS.

LEGEND

- TOP OF CANAL
- CHANNEL LINE
- RIGHT BANK LINE
- LEFT BANK LINE
- RIGHT OF WAY
- UTAH WATER CONTROL ACT
- UTAH WATER RESOURCES ACT
- UTAH WATER CONTROL ACT PERMIT
- UTAH WATER RESOURCES ACT PERMIT
- UTAH WATER CONTROL ACT PERMIT AND UTAH WATER RESOURCES ACT PERMIT
- UTAH WATER CONTROL ACT PERMIT AND UTAH WATER RESOURCES ACT PERMIT

GRAPHIC SCALE
 (IN FEET)
 1 INCH = 500 FT.

DATE	BY	REVISED
APRIL 12, 2011	W. E. BUDG	REVISED
AN ALIGNMENT DESCRIPTION FOR: NORTH JORDAN IRRIGATION COMPANY SHEET 4 OF 12 SECTION 4, T-2-S, R-1-W, S-1-B & M. SALT LAKE COUNTY, UTAH		
DATE	JOB NO. 10419	
APRIL 12, 2011	PREPARED BY: MILLER ASSOCIATES, INC. PROFESSIONAL LAND SURVEYORS 225 WEST CALIFORNIA AVENUE, SUITE 302 SALT LAKE CITY, UTAH, 84119	



SECTION 32, T-1-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH


DATE: APRIL 12, 2011
 JOB NO. 10418
 PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-972-1041 FAX 801-972-1042
 3225 WEST CALIFORNIA AVENUE, SUITE 302 SALT LAKE CITY, UTAH 84119

SECTION 32, T-1-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011
 JOB NO. 10418
 PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-972-1041 FAX 801-972-1042
 3225 WEST CALIFORNIA AVENUE, SUITE 302 SALT LAKE CITY, UTAH 84119

SECTION 32, T-1-S, R-1-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH

DATE: APRIL 12, 2011
 JOB NO. 10418
 PREPARED BY MILLER ASSOCIATES, INC.
 PROFESSIONAL LAND SURVEYORS PHONE 801-972-1041 FAX 801-972-1042
 3225 WEST CALIFORNIA AVENUE, SUITE 302 SALT LAKE CITY, UTAH 84119



DESIGNED BY: ENGINEERING & SURVEYING, INC., 215 WEST 2000 SOUTH, SALT LAKE CITY, UT 84119
 DRAWN BY: M. J. HARRIS, P.E., 215 WEST 2000 SOUTH, SALT LAKE CITY, UT 84119
 CHECKED BY: M. J. HARRIS, P.E., 215 WEST 2000 SOUTH, SALT LAKE CITY, UT 84119
 DATE: APRIL 12, 2011

THE DESIGN OF THIS PROJECT IS THE PROPERTY OF ENGINEERING & SURVEYING, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF ENGINEERING & SURVEYING, INC.

- LEGEND**
- CONCRETE
 - METAL
 - ◇ WOOD
 - △ BRICK
 - ▽ GLASS
 - STONE
 - EXISTING CURB AND GUTTER
 - EXISTING DRIVEWAY
 - EXISTING SIDEWALK
 - EXISTING PAVEMENT
 - EXISTING LOT
 - EXISTING UTILITY

GRAPHIC SCALE

(IN FEET)

1 Inch = 200 Ft.

TITLE BLOCK

PROJECT NO.	11-0112
DATE	APR 12 2011
DRAWN BY	M. J. HARRIS
CHECKED BY	M. J. HARRIS

AN EASEMENT ASSIGNMENT FOR:
NORTH JORDAN IRRIGATION COMPANY
 SHEET 1 OF 12
SECTION 20, T-4-S, R-4-W, S.L.B. & M.
 SALT LAKE COUNTY, UTAH
 JOB NO. 10418


PREPARED BY: **MILLER ASSOCIATES, INC.**
 200 WEST CALIFORNIA AVENUE, SUITE 300, SALT LAKE CITY, UTAH, 84102
 PHONE: 313-384-1043 FAX: 313-384-1081



CHANGELINE LATERAL (C/L) DESCRIPTION: LATERAL 12, NORTH JORDAN IRRIGATION COMPANY. THE C/L IS LOCATED UNDER THE HIGHWAY RIGHT-OF-WAY (ROW) AND RUNS NORTH-SOUTH THROUGH THE ROW. THE C/L IS 12 INCHES IN DIAMETER AND IS LOCATED AT THE CENTER OF THE ROW. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE.


CHANGELINE LATERAL (C/L) DESCRIPTION: LATERAL 12, NORTH JORDAN IRRIGATION COMPANY. THE C/L IS LOCATED UNDER THE HIGHWAY ROW AND RUNS NORTH-SOUTH THROUGH THE ROW. THE C/L IS 12 INCHES IN DIAMETER AND IS LOCATED AT THE CENTER OF THE ROW. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE.

CHANGELINE LATERAL (C/L) DESCRIPTION: LATERAL 12, NORTH JORDAN IRRIGATION COMPANY. THE C/L IS LOCATED UNDER THE HIGHWAY ROW AND RUNS NORTH-SOUTH THROUGH THE ROW. THE C/L IS 12 INCHES IN DIAMETER AND IS LOCATED AT THE CENTER OF THE ROW. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE. THE C/L IS TO BE OPENED UP FOR 12 INCHES OF DIAMETER AT THE POINT OF ENCLOSURE.



NORTH JORDAN IRRIGATION COMPANY
SHEET 12 OF 12
SECTION 12, T-4-S, R-14-W, S-1-B & M
SALT LAKE COUNTY, UTAH
DATE: APRIL 2011
JOB NO. 10419

PREPARED BY: MILLER ASSOCIATES, INC.
PROFESSIONAL LAND SURVEYOR
2025 WEST CALIFORNIA AVENUE, SUITE 200
SALT LAKE CITY, UTAH 84119
PHONE: (801) 487-1000
FAX: (801) 487-1001




SECTION 2, T-3-S, R-1-W, S.L.B. & M.

AN EASEMENT DESCRIPTION FOR:
NORTH JORDAN IRRIGATION COMPANY
 SHEET 11 OF 12

DATE: APRIL 2011

PREPARED BY: **MILLER ASSOCIATES, INC.**

3030 WEST CALTAWAY AVENUE, SUITE 202
 SALT LAKE CITY, UTAH 84119




SECTION 2, T-3-S, R-1-W, S.L.B. & M.
 SHEET 11 OF 12

DATE: APRIL 2011

PREPARED BY: **MILLER ASSOCIATES, INC.**

3030 WEST CALTAWAY AVENUE, SUITE 202
 SALT LAKE CITY, UTAH 84119



SECTION 2, T-3-S, R-1-W, S.L.B. & M.

AN EASEMENT DESCRIPTION FOR:
NORTH JORDAN IRRIGATION COMPANY
 SHEET 11 OF 12

DATE: APRIL 2011

PREPARED BY: **MILLER ASSOCIATES, INC.**
 3030 WEST CALTAWAY AVENUE, SUITE 202
 SALT LAKE CITY, UTAH 84119