

14

13771031
09/13/2021 12:40 PM \$0.00
Book - 11237 Pg - 7676-7689
RASHELLE HOBBS
RECORDER, SALT LAKE COUNTY, UTAH
WEST VALLEY CITY
3600 CONSTITUTION BLVD
WVC UT 84119-3720
BY: GGA, DEPUTY - MA 14 P.

DEVELOPMENT AGREEMENT

THIS DEVELOPMENT AGREEMENT (herein the "Agreement") is entered into this 4 day of AUG, 2021, by and between Antworx, Inc., a Utah corporation, (herein "Developer") for the land to be included in or affected by the project located at approximately 3540 West 4700 South in West Valley City, Utah, and West Valley City, a municipal corporation and political subdivision of the State of Utah (herein the "City").

RECITALS

WHEREAS, Developer owns or is under contract to acquire approximately 1.08 acres of real property located at approximately 3540 West 4700 South in West Valley City, Utah, as described in Exhibit "A" (the "Property"), on which Developer proposes to establish minimum standards for a new residential development (the "Project"); and

WHEREAS, Developer has voluntarily represented to the West Valley City Council that it will enter into this binding Agreement; and

WHEREAS, Developer is willing to restrict the property in a manner that is in harmony with the objectives of the City's master plan and long-range development objectives, and which addresses the more specific development issues set forth in this Agreement, and is willing to abide by the terms of this Agreement; and

WHEREAS, the City, acting pursuant to its authority under the Utah Municipal Land Use, Development, and Management Act, U.C.A. §10-9a-101, *et seq.*, and its ordinances, resolutions, and regulations, and in furtherance of its land-use policies, has made certain determinations with respect to the proposed Project, and, in the exercise of its legislative discretion, has elected to approve this Agreement;

NOW, THEREFORE, in consideration of the mutual covenants and conditions contained herein, the parties agree as follows:

1. **Affected Property.** The legal description of the Property contained within the Project boundaries is attached as Exhibit "A". No additional property may be added to or removed from this description for the purposes of this Agreement except by written amendment to this Agreement executed and approved by Developer and the City.

2. **Reserved Legislative Powers.** Nothing in this Agreement shall limit the future exercise of police power by the City in enacting zoning, subdivision, development, transportation,

environmental, open space, and related land-use plans, policies, ordinances and regulations after the date of this Agreement, provided that the adoption and exercise of such power shall not restrict Developer's vested rights to develop the Project as provided herein. This Agreement is not intended to and does not bind the West Valley City Council in the independent exercise of its legislative discretion with respect to such zoning regulations.

3. **Compliance with City Design and Construction Standards.** Developer acknowledges and agrees that nothing in this Agreement shall be deemed to relieve it from the obligation to comply with all applicable laws and requirements of the City necessary for development of the Project, including the payment of fees, and compliance with the City's design and construction standards.

4. **Specific Design Conditions.** The Project shall be developed and constructed as set forth in the specific design conditions set forth in Exhibit "B". The Project shall also comply with all requirements set forth in the minutes of the City Council hearings on this matter.

5. **Agreement to Run With the Land.** This Agreement shall be recorded in the Office of the Salt Lake County Recorder, shall be deemed to run with the Property, and shall encumber the same; and shall be binding on and inure to the benefit of all successors and assigns of Developer in the ownership or development of any portion of the Property.

6. **Assignment.** Neither this Agreement nor any of the provisions, terms or conditions hereof can be assigned to any other party, individual or entity without assigning also the responsibilities arising hereunder. This restriction on assignment is not intended to prohibit or impede the sale by Developer.

7. **No Joint Venture, Partnership or Third Party Rights.** This Agreement neither creates any joint venture, partnership, undertaking or business arrangement between the parties hereto nor conveys any rights or benefits to third parties, except as expressly provided herein.

8. **Integration, Modification, and Entire Agreement.** This Agreement contains the entire agreement between the parties with respect to the subject matter hereof and integrates all prior conversations, discussions, or understandings of whatever kind or nature and may only be modified by a subsequent writing duly executed and approved by the parties hereto. Exhibits "A" and "B" are hereby incorporated into this Agreement.

9. **Notices.** Any notices, requests, or demands required or desired to be given hereunder shall be in writing and should be delivered personally to the party for whom intended, or, if mailed by certified mail, return receipt requested, postage prepaid to the parties as follows:

TO DEVELOPER:	Antworx, Inc. P.O. Box 9474 Salt Lake City, UT 84109
TO CITY:	West Valley City Wayne Pyle, City Manager 3600 Constitution Blvd. West Valley City, Utah 84119
WITH A COPY TO:	West Valley City Attorney's Office Attn: Brandon Hill 3600 Constitution Blvd. West Valley City, Utah 84119

Any party may change its address by giving written notice to the other party in accordance with the provisions of this section.


10. **Choice of Law and Venue.** Any dispute regarding this Agreement shall be heard and settled under the laws of the State of Utah. Any Utah litigation regarding this Agreement shall be filed in the Third District Court in Salt Lake City, Utah. Any federal litigation regarding this Agreement shall be filed in the United States District Court for the District of Utah in Salt Lake City, Utah.

11. **Court Costs.** In the event of any litigation between the parties arising out of or related to this Agreement, the prevailing party shall be entitled to an award of reasonable court costs, including reasonable attorney's fees.

12. **Severability.** In the event any provision of this Agreement is held to be invalid or unenforceable, the remaining provisions shall remain valid and binding upon the parties. One or more waivers of any term, condition, or other provision of this Agreement by either party shall not be construed as a waiver of a subsequent breach of the same or any other provision.

IN WITNESS WHEREOF, the parties have executed this Agreement on the day and year first above written.

WEST VALLEY CITY



Ron Bigler
MAYOR

ATTEST:

Neuhale Co
CITY RECORDER

APPROVED AS TO FORM
WVC Attorney's Office
By: _____
Date: _____

DEVELOPER

By: Rogelio Franco

Its: President of Antworx

State of UTAH)

County of Salt Lake) :SS

On this 4th day of August, 2021, personally appeared before me Rogelio Franco, whose identity is personally known to me or proved to me on the basis of satisfactory evidence to be the person whose name is subscribed to this instrument, and affirmed that he or she is the President of Antworx, Inc., a Utah corporation, and that said document was signed by him or her in behalf of said corporation by authority of its bylaws or a Resolution of its Board of Directors, and he or she acknowledged to me that said entity executed the same.

Carrie Croyer
Notary Public




EXHIBIT A
LEGAL DESCRIPTION

Parcel #: 21-05-454-026
Lot 2, Cyprus-Woodbury Subdivision

EXHIBIT B
DEVELOPMENT STANDARDS

Number of Units

1. The maximum number of townhomes shall be 12.

Unit Sizes

2. The minimum unit size shall be 1,750 square feet. The average unit size shall be 1,900 square feet. Minimum and average unit sizes shall be for finished square feet above grade excluding the garage. All units shall include basements.

Architecture

3. Each building shall be constructed substantially like the renderings in Exhibit C. All requirements in the "Other Standards" section of Exhibit B shall be met. This means that the renderings in Exhibit C may need to be revised to meet these standards.
4. Exterior materials shall consist of a mix of brick, fiber cement siding, and stucco. At least 20% of all building exteriors shall be brick.
5. Each unit shall have a 2-car garage.

Project Amenities

6. The site shall include an outdoor fire pit and pavilions.
7. The existing masonry wall along part of the north side of the property shall be extended to the east boundary of the property.
8. A 6' tall, vinyl fence shall be installed along the east property line.
9. The total amount of landscaping and recreation space may be reduced to 46%.

Other Standards

10. All units shall have driveways that are at least 18' deep.
11. Upon completion of all of the on-site improvements, the Developer shall provide a letter to the City from an independent engineering firm which certifies that all of the on-site improvements are completed as shown on the plans approved by the City. For the purposes of this provision, on-site improvements shall include landscaping, irrigation, private streets, sidewalks, parking, lighting, entrance features, fencing, and any other outdoor recreational amenity.

PEDESTRIAN ACCESS AND CIRCULATION.

The Developer shall submit a detailed pedestrian circulation plan with all Development applications that demonstrates compliance with the following guidelines and standards:

- (1) *Required pedestrian connections.* An on-site system of pedestrian walkways shall be designed to provide direct access and connections to and between the following:
 - a. The primary Entrance or Entrances to each residential Building, including clubhouses where applicable;
 - b. Any Sidewalks or walkways on adjacent properties that extend to the boundaries shared with the residential Development;
 - c. Any public Sidewalk system along the perimeter Streets adjacent to the residential Development;
 - d. Where applicable, adjacent Uses and Developments, including but not limited to adjacent residential Developments, Shopping Centers, office Buildings, or Restaurants; and
 - e. Where applicable, any adjacent Public Park, greenway, trail network, or other public or civic Use including but not limited to schools, places of worship, public recreational facilities, or government offices.
- (2) *Pedestrian connections from Buildings to parking areas and amenities.* In addition to the connections required above, on-site pedestrian walkways shall connect each primary Entrance(s) of residential Buildings to:
 - a. All parking areas or Parking Structures that serve such Buildings;
 - b. Site amenities or Gathering Places; and
 - c. *Transit stops and transit stations.* UTA shall be contacted by the Developer during the design process to identify existing and potential transit stops. These stops shall be incorporated into the Landscaping and circulation plans for the site. When recommended by City staff and UTA staff, a concrete pad shall be included for future transit stop improvements. The pad will measure a minimum of 6' x 20' with a minimum thickness of 8". All ADA requirements shall be met as part of the design.
- (3) *Walkways Along Buildings.* Continuous pedestrian walkways no less than four feet (4') wide shall be provided along any Façade featuring an Entrance and along any Façade abutting resident or visitor parking areas. Pedestrian circulation shall not be obstructed.
- (4) *Walkways Through Vehicle Areas.* At each point that the on-site pedestrian walkway system crosses a Parking Lot or internal Street or driveway, the walkway or crosswalk shall be clearly marked through the use of a change in elevation or paving materials distinguished by their color, texture, or height. A walkway through the Parking Lot connecting to a walkway(s) along an adjoining Building(s) shall be required and include a four feet (4') minimum Sidewalk and planting areas for a combined minimum width of nine (9) feet. The Planning Commission may consider a shared walkway through parking areas on two adjoining parcels.
- (5) *Bicycle Racks.*
 - a. Bicycle parking shall be provided at a ratio of one (1) space for every twenty (20) Dwelling Units.
 - b. Bicycle parking shall not be located where it will obstruct pedestrian movement and circulation. It shall be located at a maximum distance of one-hundred (100) feet of a

central Building Entrance or at least as close as the closest automobile space, excluding handicapped Parking Spaces.

c. All bicycle racks, lockers, or other facilities shall be securely anchored to the ground or to the Structure.

GENERAL REQUIREMENTS.

All Developments with multi-unit residential Buildings shall meet the following standards:

- (1) Except for stairways leading to the first level of a Building, exterior stairways shall only be used on Secondary Façades to access decks on the second level of the Building.
- (2) Off-Street parking areas shall not comprise more than 50 percent of the elements along a Development's Street Frontage.
- (3) All Façades of a Building shall be built with consistent architectural style, detail and trim features of the Primary Façade. Accessory Buildings such as clubhouses and garages shall be built with similar colors, materials and architectural features as the multi-unit residential Buildings within the same Development.
- (4) In residential Developments with more than four Buildings with Dwelling Units, the architectural features shall vary between Buildings using different treatments and/or other Building variations as determined by the Planning Commission.
- (5) All mechanical equipment shall be screened from view through the Use of solid visual barrier fencing or Landscaping. Screening of utility meters is encouraged.
- (6) Trash dumpsters shall be completely screened from surrounding properties by use of a concrete or masonry wall or shall be enclosed within a Building. Trash dumpsters shall be located at least 20 feet from any adjacent residential property line and at least 20 feet from any Dwelling Unit.
- (7) All multi-unit residential Developments shall include washer and dryer hook-ups for each Dwelling Unit .
- (8) Each Dwelling Unit shall have its own kitchen and bathroom.
- (9) Each Dwelling Unit shall have its own patio or balcony of at least 60 square feet. Patios and balconies shall be kept neat and orderly at all times. Nothing shall be kept, stored, or left on balconies except for patio furniture that is designed and constructed for outdoor use and living and well maintained potted plants. Patio furniture may include tables and chairs and must be constructed primarily of metal, glass, or wood. Patio furniture primarily constructed of plastic, resin, or similar materials is not permitted. Sunshades and hanging fabrics are not permitted. Bathing suits, brooms, mops, rugs, clothing, towels, or similar materials may not be hung on balconies.
- (10) All Developments shall include an entry feature.

ASSESSMENT OF RELIEF, WINDOW, AND DESIGN TREATMENTS.

A Building relief treatment, window treatment or Building design treatment from the following three sections shall only be counted once when assessing compliance with the minimum number of treatments required.

BUILDING RELIEF TREATMENTS.

In order to prevent blank or plain walls with little or no relief, and to ensure excellence in architecture and design, Primary Façades shall include at least two of the following relief treatments. Two different relief treatments shall be utilized at least once per Dwelling Unit. Secondary Façades shall include at least one of the following relief treatments utilized at least once per two Dwelling Units, or once for a Secondary Façade with only one Dwelling Unit.

- (1) Bay windows
- (2) Box windows
- (3) Building offsets or projections with a minimum depth of 2' and a minimum width of 4'
- (4) Balconies, covered porches or prominent covered entryway
- (5) Any other treatment that, at the discretion of the Planning Commission, meets the intent of this Section.

WINDOW TREATMENTS.

Primary Façades shall include at least three of the following window treatments with at least two window treatments per window. All other Façades shall utilize at least two of the following window treatments, with at least one window treatment per window. At least 25% of the Primary Façade shall be Fenestration.

- (1) Varying the size and/or style of windows
- (2) Windows sills
- (3) Window grids
- (4) Window trim
- (5) Window headers
- (6) Window railing
- (7) Shutters
- (8) Any other treatment that, at the discretion of the Planning Commission, meets the intent of this Section.

BUILDING DESIGN TREATMENTS.

Primary Façades shall include at least two of the following Building design treatments. Secondary Façades shall include at least one of the following Building design treatments.

- (1) Ornamental details such as Quoins, Knee Braces and exposed joists
- (2) A change of material applied to at least 20% of the Façade
- (3) A change of color applied to at least 20% of the Façade
- (4) Decorative Parapet
- (5) Architectural Banding
- (6) Cornice other than that at the top of the Building
- (7) A change of pattern applied to at least 20% of the Façade (Example: changing brick work from face brick to a Soldier Course or Basket Weave Brick Pattern.)
- (8) A distinguished upper floor for Buildings with at least four floors
- (9) Any other treatment that, at the discretion of the Planning Commission, meets the intent of this Section.

GARAGE TREATMENTS.

- (1) No more than 50% of the first floor of the Primary Façade shall be devoted to garage doors or Carports. This percentage may be increased to a maximum of 60% for garage doors if: windows are used in the garage doors, the garages are recessed at least two feet from the rest of the Primary Façade or other enhancements are made to the garage doors. Examples of other enhancements include using decorative wood or breaking up the mass of two car garage doors by using two separate single car doors or by using panels or other treatments to make the door appear to be divided into two sections.
- (2) The color of garage doors shall be coordinated with the primary colors of the Buildings they serve.

ROOF TREATMENTS.

- (1) There shall be at least one roof articulation per Dwelling Unit. Roof articulation shall be achieved by changes in plane and/or the use of traditional roof forms such as gables, hips and dormers. Vertical or horizontal roof articulation is required on all primary and Secondary Façades with pitched roofs.
- (2) Where pitched roofs are not used, a Decorative Parapet shall be included on the Primary and Secondary Façades. On the Primary and Secondary Façades, at least one variation in the Decorative Parapet shall occur once per two Dwelling Units. All Façades shall include a Parapet wall that is tall enough to block the view from the adjacent Street(s) of roof mounted equipment. Noise issues related to roof mounted equipment may require the Parapet wall to be at least as tall as the roof mounted equipment.
- (3) Roof mounted air conditioning units are prohibited on pitched roofs. Roof mounted air conditioning units are allowed on flat roofs if a Parapet wall is provided to screen the units.
- (4) Gable ends must have a minimum 6-inch overhang at the eaves.
- (5) Where asphalt shingles are proposed as roofing materials on pitched roofs, laminated architectural shingles shall be used.

FENCING.

Within the required setback along any property side adjacent to a Minor Street or Collector Street, solid visual barrier fencing cannot exceed two feet in height. Where a solid visual barrier Fence over two feet in height is installed along a Major or Minor Arterial, the Fence must be setback at least ten feet from the public Sidewalk to allow space for Landscaping. The materials and design of a solid visual barrier Fence which is over two feet in height and placed within the required setback along a Major or Minor Arterial are subject to review by the Planning Commission to ensure compatibility with neighboring Uses.

EXHIBIT C




JAD
ARCHITECTURAL, L.L.C.
JEFF ADAMS DESIGN, LLC
11628 S 700 E #150
DRAPER, UT 84020
801.225.0222

CONTRACT NO. 2017-001-0001-0001
DATE: 07/20/2017
PROJECT: 6-PLEX 4700 TOWNS
ADDRESS: 3540 W 4700 S
CITY: WEST VALLEY CITY

CONSTRUCTION DOCS.
2017.1.05
DATE: 07/20/2017

FRONT & REAR ELEVATIONS
SHEET NUMBER
A201A






JAD
ARCHITECTURE

JEFF ADAMS DESIGN, LLC
11625 S 700 E #150
DRAPER, UT 84030
801-552-5822

THIS PLAN AND ALL PERTINENT FORMS UNDER THE FOLLOWING CONDITIONS AND RESTRICTIONS:
1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS.
2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INSURANCE.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY UTILITIES.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY EROSION CONTROL.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRAFFIC CONTROL.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SITEWORK.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MATERIALS.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY LABORERS.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY EQUIPMENT.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TOOLS.
11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SAFETY EQUIPMENT.
12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PROTECTIVE MEASURES.
13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY CLEANUP.
14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DEMOLITION.
15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RECONSTRUCTION.
16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY FINISHES.
17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INSTALLATIONS.
18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MAINTENANCE.
19. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPAIRS.
20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY REPLACEMENTS.
21. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ADJUSTMENTS.
22. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TOLERANCES.
23. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DIMENSIONS.
24. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY LOCATIONS.
25. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ORIENTATIONS.
26. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DIRECTIONS.
27. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DISTANCES.
28. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ANGLES.
29. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY CURVES.
30. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RADIUSES.
31. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY CHORDS.
32. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ARC LENGTHS.
33. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERIMETERS.
34. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY AREAS.
35. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY VOLUMES.
36. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY WEIGHTS.
37. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MOMENTS.
38. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY FORCES.
39. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY STRESSES.
40. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DEFORMATIONS.
41. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DEFLECTIONS.
42. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SETTLEMENTS.
43. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SLIDEMENTS.
44. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TILTS.
45. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ROTATIONS.
46. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRANSLATIONS.
47. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ROTATIONS.
48. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRANSLATIONS.
49. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ROTATIONS.
50. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRANSLATIONS.

PROJECT NAME
**6-PLEX
4700 TOWNS**
ADDRESS
**3540 W 4700 S
WEST VALLEY
CITY**

DATE
2021.07.20
2021.07.05
CONSTRUCTION DOCS.
**FRONT & REAR
ELEVATIONS**
SHEET NUMBER
A201B





JAD
ARCHITECTURE

JEFF ADAMS DESIGN, LLC
1001 W. 14TH ST.
DENVER, CO 80202
303.733.6224

THIS PLAN AND THE 17 OTHERS THAT COMPOSE THIS SET OF DRAWINGS ARE THE PROPERTY OF JAD ARCHITECTURE AND ARE TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE OR MODIFICATION OF THESE DRAWINGS WITHOUT THE WRITTEN PERMISSION OF JAD ARCHITECTURE IS STRICTLY PROHIBITED. THE USER OF THESE DRAWINGS SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND FOR VERIFYING THE ACCURACY OF ALL INFORMATION PROVIDED TO JAD ARCHITECTURE. JAD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THESE DRAWINGS OR FOR ANY CONSEQUENCES ARISING FROM THE USE OF THESE DRAWINGS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND FOR VERIFYING THE ACCURACY OF ALL INFORMATION PROVIDED TO JAD ARCHITECTURE. JAD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THESE DRAWINGS OR FOR ANY CONSEQUENCES ARISING FROM THE USE OF THESE DRAWINGS.


PLAN NAME
**6-PLEX
4700 TOWNS**

ADDRESS
**3540 W 4700 S
WEST VALLEY
CITY**


2024-10-20
DATE PLOTTED

CONSTRUCTION DOCS.
**LEFT & RIGHT
ELEVATIONS**

A202



1 LEFT ELEVATION
SCALE: 1/8" = 1'-0"



2 RIGHT ELEVATION
SCALE: 1/8" = 1'-0"