

APPLICATION FOR REALLOCATION OF CLASS D ALLOTMENT

The following first described lands have been allotted 416.3 acre-feet of water by Petition and Order recorded in Book \_\_\_\_\_, Page \_\_\_\_\_, Reallocation and Order Recorded in Book 1563, Page 453, Transfer and Order recorded in Book \_\_\_\_\_, Page \_\_\_\_\_, records of WEBER County, Utah. Such lands have since the REALLOCATION and order been divided into additional separate ownerships by reason whereof the 416.3 acre-feet of water now allotted thereto and the lien created thereby should be reallocated to the lands more particularly described under "Descriptions of Lands with Quantities as Reallocated". The undersigned, Secretary of Weber Basin Water Conservancy District, accordingly hereby applies to the Board of Directors of such District for such reallocation and requests that a time and place for hearing upon this application be fixed, and notice thereof be given to all interested parties in the manner provided by the Rules and Regulations of the District.

FIRST DESCRIBED LANDS

07-080-0054 ~~X~~ DOUGLAS B. STEPHENS 27.2 A.F.  
 PT OF SEC 21, T5N, R1W, S1E, US SURV: BEG AT A PT N 89°26'45"W 1620.07 FT ALG THE N LN OF SD SEC 21 FRM THE NE COR OF SD SEC 21, AND RNG THN S 0°15'E 434.27 FT; THN S 0°33'15"W 60 FT, THN S 2°29'47"W 371.00 FT, M/L, THN W 775.00 FT, M/L, TO THE E LN OF 850 E ST.; THN N 0°15"W 165.96 FT, THN S 89°26'45"E 452.80 FT, THN N 0°33'15"E 60.0 FT, THN N 89°26'45"W 1.94 FT, THN N 0°33'15"E 109.0 FT, THN S 89°26'45"E 9.44 FT, THN N 0°33'15"E 131.00 FT, THN N 89°26'45"W 12.59 FT, THN N 0°33'15"E 104.0 FT, THN S 89°26'45"E 87.43 FT, THN N 0°15"W 300 FT TO THE N LN OF SD SEC 21, THN S 89°26'45"E ALG THE N LN OF SD SEC 21, 279.22 FT TO THE POB.

X C-7-344-

07-080-0056 ~~X~~ ROEBROOK, INCORPORATED 7.8 A.F.  
 PT OF THE NE 1/4 OF SEC 21, T5N, R1W, S1E, US SURV: BEG AT A PT 1019.99 FT S 89°26'45"E ALG THE SEC LN 434.57 FT S 0°15'E 60 FT, S 0°33'15"W 101.74 FT S 2°29'47"W FRM THE N 1/4 COR OF SD SEC 21; RNG THN S 88°31'36"E 190.82 FT; THN S 77°39'15"E 334.06 FT; THN SW'LY ALG THE ARC OF A 667.00 FT RAD CUR TO THE RIGHT 37.50 FT (LONG CHORD BEARS S 25°33'53"W 37.50 FT); THN S 27°10'31"W 206.05 FT; THN SW'LY ALG THE ARC OF A 347.0 FT RAD CUR TO THE RIGHT 299.79 FT (LONG CHORD BEARS S 51°55'31"W 290.55 FT); THN S 76°40'31"W 35.04 FT; THN N 40°50'14"W 240.13 FT; THN N 2°29'47"E 299.33 FT TO THE POB. (CONTINUED)

DESCRIPTIONS OF LANDS WITH QUANTITIES AS REALLOCATED

07-080-0054 ~~X~~ ROEBROOK, INCORPORATED 24.2 A.F.  
 PART OF SECTION 21, TOWNSHIP 5 NORTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN, U.S. SURVEY: BEGINNING AT A POINT NORTH 89°26'45" WEST 1620.07 FEET ALONG THE NORTH LINE OF SAID SECTION 21 FROM THE NORTHEAST CORNER OF SAID SECTION 21, AND RUNNING THENCE SOUTH 0°15' EAST 434.27 FEET; THENCE SOUTH 0°33'15" WEST 60 FEET, THENCE SOUTH 2°29'47" WEST 371.00 FEET, MORE OR LESS, THENCE WEST 775.00 FEET, MORE OR LESS, TO THE EAST LINE OF 850 EAST STREET; THENCE NORTH 0°15' WEST 165.96 FEET, THENCE SOUTH 89°26'45" EAST 452.80 FEET, THENCE NORTH 0°33'15" EAST 60.0 FEET, THENCE NORTH 89°26'45" WEST 1.94 FEET, THENCE NORTH 0°33'15" EAST 109.0 FEET, THENCE SOUTH 89°26'45" EAST 9.44 FEET, THENCE NORTH 0°33'15" EAST 131.0 FEET, THENCE NORTH 89°26'45" WEST 12.59 FEET, THENCE NORTH 0°33'15" EAST 104.0 FEET, THENCE SOUTH 89°26'45" EAST 87.43 FEET, THENCE NORTH 0°15' WEST 300 FEET TO THE NORTH LINE OF SAID SECTION 21, THENCE SOUTH 89°26'45" EAST ALONG THE NORTH LINE OF SAID SECTION 21, 279.22 FEET TO THE POINT OF BEGINNING. ACRES: 0008.10 (CONTINUED)

EH 1092783 B-1570 Pg1 279  
 OUGS CROFTS; WEBER COUNTY RECORDER  
 1989 OCT 30 8:39 AM FEE 28.50 DEP MH  
 REC FOR WEBER BASIN WATER DIST.


SEARCHED MICROFILMED

[Signature]  
Secretary of Weber Basin Water Conservancy District

.....

Dated September 5, 1989  
STATE OF UTAH }  
COUNTY OF Davis } ss

On this 5th day of September, 19 89, personally appeared before me Ivan W. Flint District, the signer of the above instrument, who duly acknowledged to me that he executed the same.



[Signature]  
Residing at Layton, Utah  
My commission expires June 2, 1990

ORDER ON APPLICATION

Application having been made for the reallocation of 416.3 acre-feet of water and the lien created by the allotment thereof as described in the above application, which application is in proper form, and all parties interested in such allotment having been given notice thereof and of the time and place of hearing thereon, and after hearing by the Board of Directors of Weber Basin Water Conservancy District, it is hereby determined that the granting of such application is in the best interest of the District, and it is hereby ORDERED that such application be granted under the same terms and conditions as in the original Petition and Order for allotment of water (which by reference are deemed incorporated herein), except that the water shall hereafter be allotted to the lands above described as set forth under the heading "Description of Lands with Quantities as Reallocated", except such original petition and order is transferred to and is pro-rated among and shall hereafter attach to the several tracts described under the heading "Description of Lands with Quantities as Reallocated", in the proportion to which the water reallocated to each tract bears to the total water reallocated hereunder to all such tracts.

Dated 9/5/89  
ATTEST: [Signature], Secretary

WEBER BASIN WATER CONSERVANCY DISTRICT  
By [Signature], President

I hereby certify that the above is a true copy of Application for Reallocation and Order entered thereon by the Board of Directors of Weber Basin Water Conservancy District.

[Signature]  
Secretary of Weber Basin Water Conservancy District

FIRST DESCRIBED LANDS

07-080-0001 DOUGLAS B. STEPHENS 368.7 A.F.  
PT OF SEC 21, TEN, R1W, S16E, US SURV: BEG AT A PT N 89°26'45"W 1620.07 FT ALG THE N LN OF SD SEC 21, S 0°15'E 434.27 FT, S 89°26'45"E 86.12 FT, E'LY ALG THE ARC OF A 1015.00 FT RAD CURVE TO THE RIGHT 208.89 FT, S 77°39'15"E 272.17 FT S'LY ALG THE ARC OF A 461.05 FT RAD CURVE TO THE LEFT 29.91 FT S'LY ALG THE ARC OF A 667 FT RAD CURVE 30.13 FT S 77°51'07"E 197.58 FT; AND S 30°10'W 906.56 FT, M/L, S 67°19'04"W 94.02 FT, M/L, S 08°44'56"W 55 FT FRM THE NE COR OF SD SEC 21, THN S 08°44'56"W 115 FT, THN S 38°30'26"W 240.00 FT, THN S 18°01'53"W 112.97 FT, THN S 12°06'52"E 22.95 FT, M/L, TO A PT ON THE N'LY BNDRY OF PLEASANT VALLEY ESTATES PH 8, THN S 74°45'40"W 31.87 FT, THN S 34°44'40"W 330.02 FT, THN S 55°15'20"E 140 FT, THN S 34°44'40"W 58.06 FT, THN S 55°15'20"E 200 FT, THN S 40°56'52"E 231.36 FT, THN S 60°E 408.8 FT, M/L, THN W 879.85 FT, THN S 38°53'W 814.76 FT TO A PT 633.6 FT S OF THE CEN OF SD SEC 21, THN W 555 FT, M/L, THN N 14°06'03"E 110 FT, M/L, THN N 46°03'11"W 151.21 FT, THN N 64°57'59"W 500.22 FT, THN N 66°41'05"W 196 FT, THN N TO N LN OF SEC 21, THN E 979.23 FT TO A PT N 89°30'W 300.77 FT FRM THE N 1/4 COR OF SD SEC 21, THN S 0°30'W 47.87 FT, THN S 19°12'44"W 136.66 FT, THN S 30°45'W 500 FT, THN S 47°00'23"W 102.26 FT, THN S 34°29'38"E 13.128 FT, THN S 78°08'14"E 77.66 FT, THN S 42°36'09"E 114.33 FT, THN S 52°23'W 12.53 FT, THN S 41°01'E 120.59 FT, THN S 21°29'32" 63.32 FT, THN S 39°18'02"E 142.33 FT, THN S 73°31'53"E 137.08 FT, THN N 89°45'E 340 FT, THN NO 0°15'W 315.19 FT, THN E 770.00 FT, M/L, THN S 2°29'47"W 33.22 FT, THN S 40°50'14"E 100.00 FT, M/L, THN S 56°13'39" 245.07 FT, THN S 16°18'21"W 200 FT, THN S 02°30'00" W 51.70 FT; THN S 70°05'28"E 428.26 FT TO TH POB.

07-348-0001 to 0008-1

07-080-0060 ROEBROOK, INCORPORATED 12.6 A.F.  
PT OF THE NE 1/4, SEC 21, TEN, R1W, S16E, US SURV: BEG AT A PT S 00°46'45"W 1069.85 FT ALG THE SEC LN & N 90°00'00" W 1192.49 FT AND S 30°00'00"E 205 FT, M/L, TO THE SE COR OF PLEASANT VALLEY ESTATES PH 9, FRM THE NE COR OF SD SEC 21, RNG THN N 42°51'14"W 101.43 FT; THN N 20°41'48"W 156 FT, M/L, THN S'LY ALG THE ARC OF A 347.0 FT RAD CUR TO THE RIGHT (IC BEARS S 51°55'31"W 35.0 FT, M/L,) THN S 76°40'31"W 35.04 FT; THN N 40°50'14"W 130.00 FT, M/L, THN S 56°13'39"W 245.07 FT, THN S 16°18'21"W 200 FT; THN S 02°30'W 51.70 FT; THN S 70°05'28"E 428.26 FT; THN N 08°44'56"E 55 FT; THN N 67°19'04"E 94.02 FT; THN N 30°00'00"E 162.20 FT, M/L, TO THE POB.

DESCRIPTIONS OF LANDS WITH QUANTITIES AS REALLOCATED

07-080-0056 STEVEN D. BAILEY, INC. 5.9 A.F.  
PART OF THE NORTHEAST QUARTER OF SECTION 21, TOWNSHIP 5 NORTH, RANGE 1 WEST, SALT LAKE BASE & MERIDIAN, U.S. SURVEY: BEGINNING AT A POINT 1019.99 FEET SOUTH 89°26'45" EAST ALONG THE SECTION LINE 434.57 FEET SOUTH 0°15' EAST, 60.00 FEET SOUTH 0°33'15" WEST 192.54 FEET SOUTH 2°29'47" WEST FROM THE NORTH QUARTER CORNER OF SAID SECTION 21; (SAID POINT BEING ON THE SOUTH LINE OF SPRINGTREE PHASE 2, A P.R.U.D.) RUNNING THENCE ALONG SAID SUBDIVISION THE FOLLOWING 7 COURSES: SOUTH 87°30'13" EAST 91.00 FEET; SOUTH 2°29'47" WEST 45.90 FEET; SOUTH 87°30'13" EAST 32.00 FEET, SOUTH 2°29'47" WEST 63.30 FEET, 7.50 FEET ALONG A 106.01 FEET RADIUS CURVE TO THE RIGHT (LC = SOUTH 0°28'09" WEST 7.50 FEET) SOUTH 81°05' EAST 117.45 FEET AND SOUTH 62°49'29" EAST 184.86 FEET TO THE EAST LINE OF 1050 EAST STREET; THENCE SOUTHWESTERLY ALONG THE ARC OF A 347.00 FOOT RADIUS CURVE TO THE RIGHT 265.53 FEET (LONG CHORD BEARS SOUTH 51°55'31" WEST 256.29 FT); THENCE SOUTH 76°40'31" WEST 35.04 FEET; THENCE NORTH 40°50'14" WEST 240.13 FEET; THENCE NORTH 2°29'47" EAST 208.53 FEET TO THE POINT OF BEGINNING. ACRES: 0001.91 (CONTINUED)

DESCRIPTIONS OF LANDS WITH QUANTITIES AS REALLOCATED

X 07-080-0001 ROXBROOK, INC. 360.1 A.F.  
PART OF SECTION 21, TOWNSHIP 5 NORTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN, U.S. SURVEY: BEGINNING AT A POINT LOCATED SOUTH 00°46'45" WEST 1592.18 FEET ALONG THE SECTION LINE AND NORTH 90°00'00" WEST 1481.58 FEET FROM THE NORTHEAST CORNER OF SAID SECTION 21, RUNNING THENCE SOUTH 38°30'26" WEST 240.00 FEET, THENCE SOUTH 18°01'53" WEST 112.97 FEET, THENCE SOUTH 12°06'52" EAST 22.95 FEET, THENCE SOUTH 30° WEST 230 FEET, MORE OR LESS, TO A POINT ON THE NORTHWESTERLY BOUNDARY OF PLEASANT VALLEY ESTATES PHASE 8, THENCE SOUTH 74°45'40" WEST 31.87 FEET, THENCE SOUTH 34°44'40" WEST 330.02 FEET, THENCE SOUTH 55°15'20" EAST 140 FEET, THENCE SOUTH 34°44'40" WEST 58.06 FEET, THENCE SOUTH 55°15'20" EAST 200 FEET, THENCE NORTH 40°56'52" EAST 231.36 FEET, THENCE SOUTH 60° EAST 408.8 FEET, MORE OR LESS, THENCE WEST 879.85 FEET, THENCE SOUTH 38°53' WEST 814.76 FEET TO A POINT 633.6 FEET SOUTH OF THE CENTER OF SAID SECTION 21, THENCE WEST 555 FEET, MORE OR LESS, THENCE NORTH 14°06'03" EAST 110 FEET, MORE OR LESS, THENCE NORTH 46°03'11" WEST 151.21 FEET, THENCE NORTH 64°57'59" WEST 500.22 FEET, THENCE NORTH 66°41'05" WEST 196 FEET, THENCE NORTH TO NORTH LINE OF SECTION 21, THENCE EAST 979.23 FEET TO A POINT NORTH 89°50' WEST 300.77 FEET FROM THE NORTH QUARTER CORNER OF SAID SECTION 21, THENCE SOUTH 0°30' WEST 47.87 FEET, THENCE SOUTH 19°12'44" WEST 136.66 FEET, THENCE SOUTH 30°45' WEST 500 FEET, THENCE SOUTH 47°00'23" WEST 102.26 FEET, THENCE SOUTH 34°29'38" EAST 13.128 FEET, THENCE SOUTH 78°08'14" EAST 77.66 FEET, THENCE SOUTH 42°36'09" EAST 114.33 FEET, THENCE SOUTH 52°23' WEST 12.53 FEET, THENCE SOUTH 41°01' EAST 120.59 FEET, THENCE SOUTH 21°29'32" EAST 63.32 FEET, THENCE SOUTH 39°18'02" EAST 142.33 FEET, THENCE SOUTH 73°31'53" EAST 137.08 FEET, THENCE NORTH 89°45' EAST 340 FEET, THENCE NORTH 0°15' WEST 315.19 FEET, THENCE EAST 770.00 FEET, MORE OR LESS, THENCE SOUTH 2°29'47" WEST 33.22 FEET, THENCE SOUTH 40°50'12" WEST 381.50 FEET, THENCE SOUTH 02°30'00" WEST 400.00 FEET, THENCE SOUTH 87°30'00" EAST 450 FEET TO THE POINT OF BEGINNING. ACRES: 0113.24

X 07-080-0060 ROXBROOK, INCORPORATED 8.0 A.F.  
PART OF THE NORTHEAST QUARTER SECTION 21, TOWNSHIP 5 NORTH, RANGE 1 WEST, SALT LAKE BASE & MERIDIAN; BEGINNING AT A POINT LOCATED SOUTH 00°46'45" WEST 1592.18 FEET ALONG THE SECTION LINE AND NORTH 90°00'00" WEST 1481.58 FEET FROM THE NORTHEAST CORNER OF SECTION 21, TOWNSHIP 5 NORTH, RANGE 1 WEST, SALT LAKE BASE AND MERIDIAN, POINT OF BEGINNING BEING ON THE EXISTING SOUTH OGDEN CITY CORPORATE LIMITS, RUNNING THENCE NORTH 87°30'00" WEST 450.00 FEET, THENCE NORTH 02°30'00" EAST 400.00 FEET, THENCE NORTH 40°50'12" EAST 381.50 FEET, THENCE SOUTH 41°00'45" EAST 65 FEET, MORE OR LESS TO PLEASANT VALLEY ESTATES PHASE 10, THENCE THE FOLLOWING 6 COURSES: SOUTH 52°26'21" WEST 222.84 FEET, SOUTH 36°02'26" WEST 135.95 FEET, SOUTH 13°31'29" WEST 85.08 FEET, SOUTH 32°37'38" EAST 184.15 FEET, THENCE LEFT ALONG THE ARC OF A 233.00 FOOT RADIUS CURVE A DISTANCE OF 116.46 FEET (CHORD BEARS NORTH 43°03'13" EAST 115.25 FEET), SOUTH 61°15'55" EAST 292.79 FEET, THENCE SOUTH 08°44'56" WEST 120 FEET TO THE POINT OF BEGINNING. ACRES: 0002.51

SPRING TREE PHASE NO. 2

07-344-0001	H. DEAN FACE	UNIT #11	0.5 A.F.	07-344-0008	STEVEN D. BAILEY, INC.	UNIT #18	0.5 A.F.
07-344-0002	STEVEN D. BAILEY, INC.	UNIT #12	0.5 A.F.	07-344-0009	STEVEN D. BAILEY, INC.	UNIT #19	0.5 A.F.
07-344-0003	STEVEN D. BAILEY, INC.	UNIT #13	0.5 A.F.	07-344-0010	STEVEN D. BAILEY, INC.	UNIT #20	0.5 A.F.
07-344-0004	STEVEN D. BAILEY, INC.	UNIT #14	0.5 A.F.	07-344-0011	STEVEN D. BAILEY, INC.	UNIT #21	0.5 A.F.
07-344-0005	STEVEN D. BAILEY, INC.	UNIT #15	0.5 A.F.	07-344-0012	STEVEN D. BAILEY, INC.	UNIT #22	0.5 A.F.
07-344-0006	STEVEN D. BAILEY, INC.	UNIT #16	0.5 A.F.	07-344-0013	STEVEN D. BAILEY, INC.	UNIT #23	0.5 A.F.
07-344-0007	STEVEN D. BAILEY, INC.	UNIT #17	0.5 A.F.	07-344-0014	STEVEN D. BAILEY, INC.	UNIT #24	0.5 A.F.

(CONTINUED)

1092783 1570 100 100

DOUGLAS B. STEPHENS, CONTINUED  
PAGE 4

DESCRIPTIONS OF LANDS WITH QUANTITIES AS REALLOCATED

PLEASANT VALLEY ESTATES PHASE NO. 10			
07-348-0001 ✓	SECURITY TITLE COMPANY	LOT # 94	1.3 A.F.
07-348-0002 ✓	SECURITY TITLE COMPANY	LOT # 95	1.8 A.F.
07-348-0003 ✓	ARGIN JACK GRAIET	LOT # 96	1.4 A.F.
07-348-0004 ✓	SECURITY TITLE COMPANY	LOT # 97	1.8 A.F.
07-348-0005 ✓	TODD C. CUMINGS	LOT # 98	1.3 A.F.
07-348-0006 ✓	SECURITY TITLE COMPANY	LOT # 99	1.1 A.F.
07-348-0007 ✓	TROY J. LARKIN	LOT #100	1.1 A.F.
07-348-0008 ✓	SECURITY TITLE COMPANY	LOT #101	1.3 A.F.