

14156035 B: 11446 P: 7340 Total Pages: 7
09/25/2023 01:10 PM By: BGORDON Fees: \$40.00
Rashelle Hobbs, Recorder, Salt Lake County, Utah
Return To: CORPORATION SERVICE COMPANY (UCC)
801 ADLAI STEVENSON DRIVESPRINGFIELD, IL 62703

UCC FINANCING STATEMENT
FOLLOW INSTRUCTIONS

A. NAME & PHONE OF CONTACT AT SUBMITTER (optional) CSC 1-800-858-5294
B. E-MAIL CONTACT AT SUBMITTER (optional) SPRFiling@cscglobal.com
C. SEND ACKNOWLEDGMENT TO: (Name and Address) 2655 90168 CSC 801 Adlai Stevenson Drive Springfield, IL 62703 Filed In: Utah (Salt Lake)

SEE BELOW FOR SECURED PARTY CONTACT INFORMATION

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

1. DEBTOR'S NAME: Provide only one Debtor name (1a or 1b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 1b, leave all of item 1 blank, check here and provide the Individual Debtor information in item 10 of the Financing Statement Addendum (Form UCC1Ad)

1a. ORGANIZATION'S NAME eFolder, Inc.					
OR	1b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
1c. MAILING ADDRESS	707 17th St., Suite 3900	CITY Denver	STATE CO	POSTAL CODE 80202	COUNTRY USA

2. DEBTOR'S NAME: Provide only one Debtor name (2a or 2b) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name); if any part of the Individual Debtor's name will not fit in line 2b, leave all of item 2 blank, check here and provide the Individual Debtor information in item 10 of the Financing Statement Addendum (Form UCC1Ad)

2a. ORGANIZATION'S NAME					
OR	2b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
2c. MAILING ADDRESS		CITY	STATE	POSTAL CODE	COUNTRY

3. SECURED PARTY'S NAME (or NAME of ASSIGNEE of ASSIGNOR SECURED PARTY): Provide only one Secured Party name (3a or 3b)

3a. ORGANIZATION'S NAME CORPORATION SERVICE COMPANY, as REPRESENTATIVE					
OR	3b. INDIVIDUAL'S SURNAME	FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX	
3c. MAILING ADDRESS	P.O. BOX 2576 uccsprep@cscinfo.com	CITY Springfield	STATE IL	POSTAL CODE 62708	COUNTRY USA

4. COLLATERAL: This financing statement covers the following collateral:
All items of equipment, machinery, furniture, fixtures, software, inventory and/or other personal property now or hereafter subject to Equipment Schedule 02 to Master Equipment Lease Agreement dated July 14, 2023 between Secured Party and Debtor, including all parts, accessories, accessions and attachments thereto, and all replacements, substitutions and exchanges (including trade-ins) for such goods, together with proceeds of all of the foregoing, including proceeds in the form of goods, accounts, chattel paper, documents, instruments, general intangibles, investment property, deposit accounts, letter of credit rights and supporting obligations (the "Collateral"). The Collateral includes, but is not limited to the following: See Exhibit A attached hereto and made a part hereof

5. Check only if applicable and check only one box: Collateral is held in a Trust (see UCC1Ad, item 17 and Instructions) being administered by a Decedent's Personal Representative

6a. Check only if applicable and check only one box: Public-Finance Transaction Manufactured-Home Transaction A Debtor is a Transmitting Utility

6b. Check only if applicable and check only one box: Agricultural Lien Non-UCC Filing

7. ALTERNATIVE DESIGNATION (if applicable): Lessee/Lessor Consignee/Consignor Seller/Buyer Bailee/Bailor Licensee/Licensor

8. OPTIONAL FILER REFERENCE DATA: 32225-02

2655 90168

UCC FINANCING STATEMENT ADDENDUM
 FOLLOW INSTRUCTIONS

9. NAME OF FIRST DEBTOR: Same as line 1a or 1b on Financing Statement; if line 1b was left blank because Individual Debtor name did not fit, check here

9a. ORGANIZATION'S NAME eFolder, Inc.	
OR	
9b. INDIVIDUAL'S SURNAME	
FIRST PERSONAL NAME	
ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX

THE ABOVE SPACE IS FOR FILING OFFICE USE ONLY

10. DEBTOR'S NAME: Provide (10a or 10b) only one additional Debtor name or Debtor name that did not fit in line 1b or 2b of the Financing Statement (Form UCC1) (use exact, full name; do not omit, modify, or abbreviate any part of the Debtor's name) and enter the mailing address in line 10c

10a. ORGANIZATION'S NAME				
OR				
10b. INDIVIDUAL'S SURNAME				
INDIVIDUAL'S FIRST PERSONAL NAME				
INDIVIDUAL'S ADDITIONAL NAME(S)/INITIAL(S)				SUFFIX
10c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

11. ADDITIONAL SECURED PARTY'S NAME *or* ASSIGNOR SECURED PARTY'S NAME: Provide only one name (11a or 11b)

11a. ORGANIZATION'S NAME				
OR				
11b. INDIVIDUAL'S SURNAME		FIRST PERSONAL NAME	ADDITIONAL NAME(S)/INITIAL(S)	SUFFIX
11c. MAILING ADDRESS	CITY	STATE	POSTAL CODE	COUNTRY

12. ADDITIONAL SPACE FOR ITEM 4 (Collateral):

13. This FINANCING STATEMENT is to be filed [for record] (or recorded) in the REAL ESTATE RECORDS (if applicable)

14. This FINANCING STATEMENT:
 covers timber to be cut covers as-extracted collateral is filed as a fixture filing

15. Name and address of a RECORD OWNER of real estate described in item 16 (if Debtor does not have a record interest):
NOVVA
 6477 W. Wells Park Rd.
 West Jordan, UT 84081

16. Description of real estate:
 See Exhibit B, attached hereto and made a part hereof

17. MISCELLANEOUS:

Exhibit B

LEGAL DESCRIPTION AND ADDRESS OF THE PROPERTY

Street Address: 6477 W. Wells Park Rd., West Jordan, UT 84081

Parcel Number 26-10-276-004-0000

Legal Description: PARCEL 2, RWK SUB AMD. LESS BEG SW COR SD PARCEL 2; N 1^05'18" E 45 FT; S 89^51'02" E 65 FT; S 1^05'18" W 45 FT; N 89^51'02"W 65 FT TO BEG.

EXHIBIT A

EQUIPMENT DESCRIPTION

<u>Supplier Name</u>	<u>Qty</u>	<u>Eq. Description</u>	<u>Serial #s</u>
<u>Racklive/ASA Computers, Inc.</u>	<u>2</u>	<u>SUPERMICRO 2U 620BT-DNC8R, BIGTWIN - 2 NODE SERVER</u>	<u>2206M0035, 2206M0036</u>
	<u>8</u>	<u>INTEL XEON GOLD 6346 PROCESSOR 16 CORE 3.1GHZ 36MB CACHE TDP 205W, 2 PER NODE (4 PER CHASSIS)</u>	-
	<u>64</u>	<u>DDR4 64GB 3200MHZ ECC REG DRX4, 16 PER NODE (TOTAL: 1TB)</u>	-
	<u>8</u>	<u>KIOXIA 1.92TB CD6-R SERIES U.3 NVMe, 2 PER NODE (4 PER CHASSIS)</u>	-
	<u>8</u>	<u>SUPERMICRO 3.5IN TO 2.5IN OPTIMIZED FOR NVME DRIVE TRAY (MCP-220-00150-0B), 2 PER NODE (4 PER CHASSIS)</u>	-
	<u>12</u>	<u>BROADCOM AERO HBA 9500-16e PCIe Gen4 05-50075-00 - AOC-SAS3-9500-16E, 6 PER CHASSIS</u>	-
	<u>4</u>	<u>4x 25GB SFP28 INTEL E810-CAM1 - AIOM</u>	-
	<u>8</u>	<u>25GB SFP28 LC-LC 850nm SR Optic, 2 PER NODE (4 PER CHASSIS)</u>	-
	<u>4</u>	<u>SM SUM OOB MGMT SOFT LIC- SFT-OOB-LIC</u>	-
	<u>2</u>	<u>ASSEMBLY/TESTING/QC/BURNIN-INSTALL, ETC.</u>	-
	<u>9</u>	<u>WD 4U-102 HC550 1836TB JBOD - 1ES1885</u>	<u>THCCT02723EA0004, THCCT01223EA000A, THCCT01223EA0006, THCCT02823EA0008, THCCT02823EA000B, THCCT02823EA000C, THCCT02823EA000A, THCCT02823EA000D, THCCT02723EA0002,</u>
	<u>1</u>	<u>WD 4U- 60 HC550 1080TB JBOD - 1ES1848</u>	<u>THCCT02823EA0009</u>
	<u>10</u>	<u>HGST CABLE MANAGEMENT TRAY</u>	-
	<u>10</u>	<u>ASSEMBLY/TESTING/QC/BURNIN-INSTALL ETC.</u>	-
<u>2</u>	<u>WD 18 TB Hard Drive - 3.5IN Internal 1EX2488 – SAS, 12x PACK</u>	-	

50	<u>KIOXIA PM7 SSD 1.92TB 2.5IN KPM7XRUG1T92, PN# KPM7XRUG1T92 - 48x to be installed in JBOD, 2x spare -Price Includes WD Carrier for 2.5in SSD</u>	<u>6D70A01H09F3, 6D70A01J09F3, 6D70A01K09F3, 6D70A01L09F3, 6D70A01M09F3, 6D70A01N09F3, 6D70A01P09F3, 6D70A01Q09F3, 6D70A01R09F3, 6D70A01S09F3, 6D70A01T09F3, 6D70A01U09F3, 6D70A01V09F3, 6D70A01W09F3, 6D70A01X09F3, 6D70A01Y09F3, 6D70A01Z09F3, 6D70A02009F3, 6D70A02509F3, 6D70A02C09F3, 6DA0A03209F3, 6DA0A03309F3, 6DA0A03409F3, 6DA0A03509F3, 6DA0A03609F3, 6DA0A03709F3, 6DA0A03809F3, 6DA0A03909F3, 6DA0A03A09F3, 6DA0A03B09F3, 6DA0A03C09F3, 6DA0A03D09F3, 6DA0A03E09F3, 6DA0A03F09F3, 6DA0A03G09F3, 6DA0A03H09F3, 6DA0A03J09F3, 6DA0A03K09F3, 6DA0A03L09F3, 6DA0A03M09F3, 6DA0A03N09F3, 6DA0A04K09F3, 6DA0A04L09F3, 6DA0A04M09F3, 6DA0A04N09F3, 6DA0A04P09F3, 6DA0A04Q09F3, 6DA0A04R09F3, 6DA0A04S09F3, 6DA0A04T09F3</u>
2	<u>WD 3.5 to 2.5 Conversion Drive Carrier</u>	-
4	<u>WD 3.5 to 2.5 Conversion Drive Carrier – 12 pack</u>	-
1	<u>RACKLIVE 48 x 28 x 48 CUSTOM RACK WITH FRONT AND REAR DOORS includes Blanking Panel, custom off-set rails, Cable Manager, Rackmount Shelf for Switches,</u>	<u>2207R0390</u>
2	<u>BRKT SHELF SUPPORT,ZERO U</u>	-
1	<u>BRKT,VERTICAL RAIL,FRONT NARROW OFFSET, 48U, 1 PER RACK</u>	-
1	<u>BRKT,VERTICAL RAIL,REAR NARROW OFFSET, 48U, 1 PER RACK</u>	-
1	<u>BRKT,VERTICAL RAIL,FRONT WIDE, OFFSET, 48U, 1 PER RACK</u>	-
1	<u>BRKT,VERTICAL RAIL,REAR WIDE OFFSET, 48U, 1 PER RACK</u>	-
2	<u>BRKT, PDU, 41 BUTTON MOUNT, SGL, BASE, 2.2inch wide</u>	-
1	<u>Door Stopper</u>	-
2	<u>2U RACKLIVE PERF BLANK BRKT</u>	-
1	<u>INCLUDES CAGE NUTS, MOUNTING SCREWS, FLOOR MOUNTING HARDWARE, VELCRO STRIP</u>	-
2	<u>BRKT,SADDLE PLATE, 28IN(PN#091-00- 00002-01)</u>	-
1	<u>ASSY,PANEL,RACK TOP,NO CBL EXITS,28IN W CAB, CUSTOM SOLID RACK TOP FOR THE FRONT</u>	-

1	<u>ASSY, PANEL,RACK TOP,2 RND CBL EXITS,28IN W CAB, CUSTOM REAR RACK TOP WITH 2X RND CBL EXIT</u>	-
8	<u>LATCH, SLIDE, DIRAK, 282-9001</u>	-
2	<u>PANDUIT MSPO PDU, 60A, (24) C13, (12) C19,Part#: P36G31M</u>	-
2	<u>PANDUIT G5 IPDU 3 TEMPERATURE+ HUMIDITY SENSOR</u>	-
1	<u>JUNIPER EX3400-48T ACCESS SWITCH PN# EX3400-48T-AFI * PRICE INCLUDES REDUNDANT ADDITIONAL POWER SUPPLY</u>	-
1	<u>JUNIPER NETWORKS - POWERSUPPLY - REDUNDANT - 150WATT, PN# JPSU-150-AC-AFI</u>	-
1	<u>JUNIPER FAN UNIT, PN# EX3400-FAN-AFI</u>	-
1	<u>FHD High Density 1U Rack Mount Blank Enclosure Unloaded, Detachable Cable, PN# 72910</u>	-
1	<u>Juniper EX-4PST-RMK Adjustable 4-Post Rack Mountin</u>	-
1	<u>FHD® 24 Fibers Elite MTP®-24 to LC Duplex Fiber Op</u>	-
3	<u>FHD BLANK ADAPTER PANEL</u>	-
2	<u>0.5M LC UPC TO LC UPC DUPLEX OM4 MULITMODE PV (OFNR), BEND- INSENSITIVE FIBER</u>	-
2	<u>JUNIPER NETWORK EX-SFP-10GB-SR COMPATIBLE 10BASE-SR SFP+ 850NM 300M DOM, DUPLEX LC MMF</u>	-
8	<u>3m LC UPC to LC upc duplex om4 mulitmode BEND-INSENSITIVE FIBER</u>	-
1	<u>POWER CORD BUNDLE, VARIOUS LENGTH in BLACK AND RED COLOR - LOCKING CORDS</u>	-
40	<u>3m External MiniSAS HD to External MiniSAS HD Cable</u>	-
8	<u>Siemon ZM6A-07-06 6a ModularCords, 7 FT, Blue</u>	-
2	<u>Panduit Locking Power Cord, IEC C14 to IEC C13, 8</u>	-
2	<u>Panduit Locking Power Cord, IEC C14 to IEC C13,</u>	-
9	<u>Allen Tel AT1607-YL Category 6 Patch Cord, 7-Foot Length, Yellow</u>	-
10	<u>Allen Tel AT1610-YL Category 6Patch Cord, 10-Foot Length, Yellow</u>	-
4	<u>Siemon Copper Patch Cables, 12 ft., Yellow, RJ-45, Cat 6 -MC6-12-05</u>	-
4	<u>Siemon Copper Patch Cables, 15 ft., Yellow, RJ-45, Cat 6 -MC6-12-05</u>	-

	<u>8</u>	<u>Siemon ZM6A-S29-05 6a Modular Cords, 29FT, Blue</u>	-
	<u>8</u>	<u>CBL-AX-CATZM6A-S29-06</u>	-
	<u>1</u>	<u>RACK, STACK AND CABLE, ASSEMBLY, TEST CONFIGURE</u>	-
	<u>1</u>	<u>CRATE FOR AXCIENT RACK WITH FRONT AND REAR DOORS CUSTOM PACKAGING CRATE WITH FLOATER BASE</u>	-

Including all additions, accessions, and attachments thereto, and all substitutions, replacements, and proceeds (including insurance proceeds) thereof.