MAIL RECORDED COPY TO OWNER:

DOC # 20210066229

Agreement
Gary Christensen Washington County Recorder
10/12/2021 01 11 06 PM Fee \$ 0.00

By ST GEORGE CLIFY

WITH A PART OF THE STATE OF THE S

AND MAIL RECORDED COPY TO: St. George City 175 East 200 North St. George, UT 84770

Tax ID: SG-AUB-20-1

CITY OF ST. GEORGE LONG-TERM STORMWATER MAINTENANCE AGREEMENT WITH DESERT COLOR ST. GEORGE LLC, VISIONARY DESERT COLOR CONDOMINUMS LLC FOR AUBURN HILLS PHASE 20 LOT 1

This Long-Term Stormwater Maintenance Agreement ("Agreement") is made and entered into this ______ day of ______, 2021, by and between the City of St. George, a municipal corporation, with offices at 175 East 200 North, St. George, Utah 84770 ("City"), and Desert Color St. George LLC, with offices at 817 North 900 West Orem, UT 84057 and Visionary Desert Color Condominiums, LLC, with offices at 50 E. 2500 N, Ste 101, North Logan, Utah 84341 ("Owners").

RECITALS

WHEREAS, City is authorized and required to regulate and control the disposition of storm and surface waters within its boundaries, as set forth in the City of St. George Code, Stormwater Management, Title 9 Chapter 14, as amended ("Ordinance"), adopted pursuant to the Utah Water Quality Act, and pursuant to City's MS4 Permit which requires stormwater runoff to be managed by the use of Stormwater Facilities and best management practices; and

WHEREAS, Owner was real property located in the City of St. George, Washington County, Utah and more particularly described in Exhibit A and incorporated herein as part of this Agreement ("Property"); and

WHEREAS, Owner recognizes that post construction storm water facilities ("Facilities") shall be installed or were installed pursuant to the approved development plans and specifications for the Property and must be maintained, and

WHEREAS, City and Owner have determined that it is in the best interest of the health, safety and welfare of the citizens of the City that the Facilities be constructed and maintained on the property and that Owner must maintain those Facilities.

AGREEMENT

NOW THEREFORE, in consideration of the foregoing, the mutual covenants contained

\$G Legal Approved as to Form: 12/04/20

Long-Term Stormwater
Maintenance Agreement

Page 1 of W

herein, and the following terms and conditions, the parties hereto agree as follows:

- 1. **RECITALS.** The Recitals above are hereby incorporated as part of this Agreement and are binding on the parties.
- 2. FACILITIES. The Facilities shall be or have been constructed by Owner in accordance with the approved plans and specifications for the development. Owner shall, at its sole cost and expense, operate and maintain the Facilities in good working condition and in accordance with the Schedule of Long-Term Maintenance Activities agreed hereto and attached as Exhibit B. Owner shall report biennially to the City on the City's approved forms or City's online reporting system detailing compliance with the requirements of this Agreement. Owner's Long-Term Stormwater Management Plan, (LTSWMP), is attached as Exhibit C. The LTSWMP must be adapted when site conditions and operations change and when existing programs are ineffective. Owner shall maintain the Property in compliance with this plan. When the plan is updated, the new LTSWMP shall be filed with the City Public Works Department and shall replace the LTSWMP on file with the City. The updated LTSWMP shall not be recorded.
- 3. ACCESS AND INSPECTIONS. Owner hereby grants permission to City, its authorized agents and employees to enter upon the Property to inspect the Facilities whenever City deems necessary. City shall not unreasonably interfere with the business operations on Property. Except in case of an emergency, City shall give at least a 24-hour notice to Owner prior to entry. Notice may be given by posting the Property. Facilities shall be maintained in a manner that makes them available for inspection and maintenance. All inspections shall be conducted in a reasonable manner and at reasonable times. The purpose of the inspection shall be to determine and insure that the Facilities are adequately maintained, are continuing to perform in an adequate manner, and are in compliance with all City requirements.
- 4. FAILURE TO MAINTAIN. In the event Owner fails to maintain the Facilities in good working order and in a manner that makes them available for inspection, City shall give written notice to Owner to cure such defects or deficiencies with a reasonable time frame for compliance. If Owner fails to comply within the timeframe, City may enter the Property to cure the defects.
- 5. RIGHT TO CURE DEFECTS. Owner hereby authorizes City, its authorized agents and employees, to enter upon the Property to cure the defects if Owner has failed to cure them within the reasonable time frame given for compliance. In case of an emergency, City may enter the Property immediately, without notice, and make the repairs. Owner is solely liable for maintenance of the Facilities. It is agreed that City shall have the right, but not the obligation, to elect to perform any or all of the maintenance activities if, in the City's sole judgment, Owner has failed to perform the same. City makes no representation that it intends to or will perform any of the maintenance activities and any election by City to perform any of the maintenance activities, shall in no way relieve Owner of its continuing maintenance obligations under this Agreement. If City elects to perform any of the maintenance activities, City shall be deemed to perform such work without warranty or representation as to the safety or effectiveness of such work, the work shall be deemed to be

G Legal Approved as to Form: 12/04/20

Long-Term Stormwater

Maintenance Agreement

Page 2 of 9

accepted by Owner as is" and shall be covered by Owner's indemnity provisions below. If City performs any of the necessary maintenance activities Owner shall pay all of City's reasonable costs incurred in performing those necessary maintenance activities. Owner's obligation to pay City's costs of performing necessary maintenance activities is a continuing obligation.

- COSTS. Owner shall reimburse City within thirty (30) days of receipt of an invoice for the costs incurred by City in performing necessary maintenance activities. If not paid within the prescribed time period. City shall have the right to file a lien against the Property in the amount of such reasonable costs. The actions described in this section are in addition to and not in lieu of any and all legal remedies available to City as a result of Owner's failure to maintain the Facilities.
- 7. NO ADDITIONAL LIABILITY. It is the intent of this Agreement to insure the proper maintenance of the Facilities by the Owner. This Agreement shall not be deemed to create or affect any additional liability of any party for damage alleged to result from or caused by storm water runoff.
- 8. <u>EXHIBITS</u>. All exhibits figures attached hereto are incorporated as part of this Agreement, except updates to <u>Exhibit C</u> shall not be recorded but shall be kept at the City Public Works Department.
- 9. AGREEMENT TO RUN WITH THE LAND. This Agreement shall be recorded at the Recorder's Office of Washington County and shall constitute a covenant running with the land and shall be binding on Owner only for such time as Owner holds title to the Property and shall run with the land and pass to subsequent owners while they own the Property.
- 10. <u>COMPLIANCE WITH APPLICABLE LAWS</u>. Owner expressly acknowledges and agrees that nothing in this Agreement shall be deemed to relieve Owner from any obligation to comply with all applicable requirements of City, state and federal law including the payment of fees and compliance with all other applicable ordinances, resolutions, regulations, policies and procedures of City, except as modified, waived or declared in this Agreement.
- 11. <u>INTEGRATION</u>. This Agreement contains the entire Agreement with respect to the subject matter hereof and integrates all prior conversations, discussions or understanding of whatever kind or nature and may only be modified by a subsequent writing duly executed by the parties hereto. In the event of a conflict between this Agreement and any other documents with Owner, this Agreement shall govern.
- 12. RESERVED LEGISLATIVE POWERS. Nothing in this Agreement shall limit the future exercise of the police power by the City in enacting zoning, subdivision, development, transportation, environmental, open space and related land use plans, policies, ordinances and regulations after the date of this Agreement. This Agreement is not intended to and does not bind the St. George City Council in the independent exercise of its legislative discretion with respect to such zoning regulations.

SG Legal Approved as to Form: 12/04/20

Long-Term Stormwater
Maintenance Agreement
Page 3 of 9

- 13. INDEMNITY AND LIABILITY. City shall not be liable for Owner's stormwater or the Facilities. Owner shall indemnify, defend and hold harmless City, employees, elected officials, officers, and agents to the extent each of them is acting in their official capacity on behalf of the City (collectively "City") against all claims, demands, causes or action, suits or judgments, including but not limited to all claims, demands, causes of action, suits or judgments for death or injuries to persons or for loss of or damage to property, arising out of Owner's breach of this Agreement. Notwithstanding, this indemnification obligation shall not include an indemnification of the City for claims, demands, causes or action, liabilities, damages, suits or judgments arising out of the City's negligence. In the event of any such claims made or saits filed against City, City shall give Owner prompt written notice. Owner agrees to defend against any such claims brought or actions filed against City, whether such claims or actions are rightfully or wrongfully brought or filed. Owner agrees that City may employ attorneys of its own selection to appear and defend the claim or action on its own behalf at the expense of Owner. Said attorney fees shall be reasonable and subject to review by Owner. Owner shall be responsible for all reasonable costs associated with any claim, demand, action, suit or judgment including reasonable attorney fees for which they indemnify or defend City. If any judgment or claims are entered against City, its authorized agents of employees, Owner shall pay for all reasonable costs and expenses in connection herewith
 - 14. COMMON INTEREST DEVELOPMENTS. If the Property is developed as a Common Interest Development which is defined as membership in or ownership of an "Association" which is responsible for some or all of the commonly owned or controlled area, then the following provisions shall apply during such time as the Property is encumbered by a "Declaration", and the Common Area is managed and controlled by the Association:

The Association, through its Board of Directors, shall assume full responsibility to **(∕a)**)[∂] perform the maintenance activities required pursuant to this Agreement, and shall undertake all actions and efforts necessary to accomplish the maintenance activities, including but not limited to, levying regular or special assessments against each member of the Association sufficient to provide funding for the maintenance activities, conducting a vote of the membership retated to such assessments if required.

- No provision of the Declaration, nor any other governing document of the Association or grant of authority to its members, shall grant or recognize a right of any member or other person to alter, improve, maintain or repair any of the Property in any manner which would impair the functioning of the Facilities. In the event of any conflict between the terms of this Agreement and the Declaration or other Association governing documents, the provisions of this Agreement shall prevail,
- NO WAIVER OF GOVERNMENTAL IMMUNITY Nothing in this Agreement is intended to or shall be deemed to be a waiver of the City's governmental immunity as set forth in applicable statutory law and case law except as otherwise set forth herein
- 16. GOVERNING LAW AND VENUE. This Agreement shall be construed according to the laws of the State of Utah. The parties agree that jurisdiction and venue for all legal actions, unless they involve a cause of action with mandatory federal jurisdiction, shall be the Fifth District Court, Washington County State of Utah. The parties further agree that the Federal

Legal Approved as to Form: 12/04/20

Long-Term Stormwater Maintenance Agreement Page 4 of 9

District Court for the District of Utah shall be the venue for any cause of action with mandatory federal jurisdiction.

- 17. LEGAL FEES. Should any party default on any of the covenants or agreements contained herein, the defaulting party shall pay all costs and expenses, including teasonable attorney's fees, which may arise or accrue from enforcing this Agreement of in pursuing any remedy provided hereunder or by applicable law, whether such remedy is pursued by filing a lawsuit or otherwise. This obligation of the defaulting party to payoosts and expenses includes, without limitation, all costs and expenses, including reasonable attorney's fees incurred for appeals and bankruptcy proceedings. If either party commences legal action to interpret any term of this Agreement, the prevailing party shall be entitled to recover all reasonable attorneys' fees, court costs, and any other costs incurred in connection with such action.
- 18. NOTICES. All notices required herein, and subsequent correspondence in connection with this Agreement shall be mailed to the following:

City of St. George Attn: City Attorney 175 East 200 North St. George, Utah. 84770

Desert Color St. George LLC Attn: Mitch Dansie 817 North 900 West Orem, UT 84057

Visionary Desert Color Condominiums, LLC **Brad Robinson** 50 E 2500 N. Ste. 101 North Logan, Utah, 84341

Such notices shall be deemed delivered following the making of such notices in the United States mail. Adequate notice shall be deemed given at the addresses set forth herein unless written notice is given by either party of a change of address.

- 19. SUCCESSORS AND ASSIGNS. Owner shall not assign, sublet, sell, transfer, or otherwise dispose of any interest in this Agreement, including to any type of owner's association, without assigning the rights and the responsibilities under this Agreement. This Agreement shall be binding upon and inure to the benefit of the parties hereto, their successors and permitted assigns, but shall not inure to the benefit of any third party or other person.
- NO JOINT VENTURE PARTNERSHIP OR THIRD-PARTY RIGHTS. It is not intended by this Agreement to, and nothing contained in this Agreement shall, create any partnership, joint venture or other arrangement between the parties. No term or provision of this Agreement is intended to or shall be for the benefit of any person, firm, organization or corporation not a party hereto, and no such other person, firm, organization or corporation shall have any right or cause of action hereunder.
- 21. SEVERABILITY. If any provision of this Agreement is declared invalid by a court of

G Legal Approved as to Form: 12/04/20

Long-Term Stormwater Maintenance Agreement Page 5 of 9

competent jurisdiction, the remaining provisions shall not be affected, and shall remain in full force and effect

- 22. CONSTRUCTION. Each of the parties hereto has had the opportunity to review this Agreement with counsel of their choosing and the rule of contracts requiring interpretation of a contract against the party drafting the same is hereby waived and shall not apply in ninterpreting this Agreement.
- 23. SURVIVAL. It is expressly agreed that the terms, coverants and conditions of this Agreement shall survive any legal act or conveyance required under this Agreement.
- 24. HEADINGS. The section and other headings in this Agreement are for reference purposes only and shall not in any way affect the meaning or interpretation of this Agreement.
- 25. COUNTERPARTS. This Agreement may be executed in counterparts each of which shall be an original and shall constitute one and the same agreement.
- 26. AUTHORITY OF PARTIES. The parties executing this Agreement hereby warrant and represent that they are duly authorized to do so in the capacity stated.

SG Legal Approved as to Form: 12/04/20

Long-Term Stormwater Maintenance Agreement Page 6 of 9

IN WITNESS	2021006 Page 7 o		01:11:06 PM County reement the day and year
first above written	TIEREOF, the parties	nave executed this Ag	reement the day and year
CITY: CITY OF ST. G. Michele Randall, Mayor ATTESTED: Christina Fernandez, Cit	EORGE ACIO JAN Recorder RECIAL SEV	OWNER: Deserved Mitch Dansie, Ger OWNER: Visiona Condominiums, Li	ary Desert Color
	City of Servinger EST. 1862 – Attorney SS.	Jeffrey Jackson, M	anager
On this 2 of Volve by me duly sworn did say	that he/she is NUTION Utah Limited Liability behalf of said LLC by and he/she acknowledge	y Company (%LC") y authority of its Ope ged to me that said LL	
County of Salt Lake) On this 29th of Milde Dawse General Manager and that the foregoing inst Agreement and/or Resolute executed the same.	ss. f september 20; who being rument was signed in bettion of its members an	by me duly sworn rea Utan Limited Liab chalf of said LLC by	SHAMA KACIE HEAPS NOTARY PUBLIC - STATE OF UTAH My Comm. Exp 11/10/2024 Commission # 715198 Depended before the did say that he/she is bility Company ("LLC"), authority of its Operating ed to me that said LLC

SG Legal Approved as to Form: 12/04/20

Notary Public AMBER WILLIAMS Commission Expires
01/08-2024
STATE OF UTAH

Long-Term Stormwater Maintenance Agreement Page 7 of 9

20210066229 10/12/2021 01:11:06 PM Rage 8 of 35 Washington County LONG-TERM STORMWATER MAINTENANCE AGREEMENT **EXHIBIT A** egal Description(s) Parcel SG-AUB-20-1 LEGAL DESCRIPTION -(AS SHOWN ON WASHINGTON COUNTY RECORDS) A PARCEL OF LAND LOCATED IN THE SOUTHWEST QUARTER OF SECTION 25 AND THE NORTHWEST QUARTER OF SECTION 36, TOWNSHIP 42 SOUTH, RANGE 16 WEST, SALT LAKE BASE AND MERIDIAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS: ALL OF LOT 1 OF AUBURN HILLS PHASE 20, recorded as Document Number 20200068944 on the records of Washington County, Utah CONTAINING 100,442 SQUARE FEET OR 2.31 ACRES. SG Legal Approved as to Form: 12/04/20 Long-Term Stormwater Maintenance Agreement

20210066229 10/12/2021 01:11:06 PM Rage 9 of 35 Washington County

LONG TERM STORMWATER MAINTENANCE AGREEMENT

Exhibit B

Schedule of Long-Term Maintenance Activities

City of St. George, Utah

1//)	>'		~v(/)>
200	Activity	Frequency	Notes
	Inspection	Biennial	Owner shall report biennially to the City on the
	, //		City's approved forms or City's online reporting
	\sim)[`	system, detailing compliance with the requirements
			of this Agreement.
	Mowing and	Variable,	Landscaping and vegetation should be cared for
	maintenance of	depending on	throughout the year to ensure that proper sediment
	vegetation	vegetation and	removal and infiltration is maintained. All
		desired aesthetics	trimmings shall be removed from the Property.
0	Remove trash and	As needed or	Trash and debris shall be removed from the
2	debris	following each	Property regularly to ensure that the Facilities
		storm	function properly and operate effectively. Trash
ĺ	, 1		often collects at inlet and outlet structures. These
-			need to be cleaned regularly.
	Inspect and	Monthly	The inlet and outlet structures should be inspected
	maintain inlet and	n.	for damage and proper operation.
-	outlet structures		
ļ	Sediment removal	Variable (25)	The removal of sediment is necessary if the
9		years is typical)	Facilities begin to lose capacity or effectiveness.
0	<i>)</i>)		The Owner will remove and dispose of all
٠		aftill "	accumulated sediments which shall be disposed of
Ł			properly, offsite.
	^ ^	11 //	V V V V

SG Legal Approved as to Form: 12/04/20

Long-Term Stormwater
Maintenance Agreement
Page 9 of 9

20210066229 10/12/2021 01:11:06 PM Rage 10 of 35 Washington County St. George City ong-Term Stormwater Management Plan October 2019 **EXHIBIT C** Long-Term Stormwater Management Plan for: Auburn Hills, Phase 20 Lot 1 St. George, Utah 84790 Owner: Visionary Homes 2020, LLC 50 E 2500 N North Logan, UT 8434% rscow@visionaryhomes.com **Property Manager:** Visionary Homes 2020, LLC 🔾 🤻 50 E 2500 N North Logan, UT 84341 435-774-0438 SG-5-3-31-433-5L Legal Description: A PARCEL OF LAND LOCATED IN THE SOUTHWEST QUARTER OF SECTION 25 AND THE NORTHWEST QUARTER OF SECTION 36. TOWNSHIP 42 SOUTH, RANGE 16 WEST, SALT LAKE BASE AND MERIDIAN, MORE PARTICULARLY DESCRIBED AS FOLLOWS: ALL OF LOT 1 OF AUBURN HILLS PHASE 20, recorded as Document Number 20200068944 on the records of Washington County, Utah. CONTAINING 100,442 SQUARE FEET OR 2.31 ACRES. Long-Term Stormwater Management Plan updated 10/01/2019

20210066229 10/12/2021 01:11:06 PM Page 11 of 35 Washington County

> St. George City Long-Term Stormwater Management Plan October 2019

PURPOSE AND RESPONSIBILTY

As required by the Clean Water Act and resultant local regulations, including St. George Municipal Separate Storm Sewer Systems (MS4) Permit, those who develop land are required to build and maintain systems to minimize litter and contaminants in stormwater runoff that pollute waters of the State.

This Long-Term Stormwater Management Plan (LTSWMP) describes the systems, operations and the minimum standard operating procedures (SOPs) necessary to manage pollutants originating from or generated on this property. Any activities or site operations at this property that contaminate water entering the City's stormwater system, groundwater and generate loose litter must be prohibited, unless SOPs are written to manage those activities or operations, and amended into this LTSWMP.

CONTENTS

SECTION 1: SITE DESCRIPTION, USE AND IMPACT

SECTION 2: TRAINING

SECTION 3: RECORDINE

SECTION 4 APPENDICES

St. George City Cong-Term Stormwater Management Ran October 2019

SECTION 1: SITE DESCRIPTION, USE AND IMPACT

The site infrastructure at Auburn Hills is limited at controlling and containing pollutants and our operations if managed improperly can contaminate the environment. This LTSWMP includes standard operations procedures (SOP)s that are intended to compensate for the pollution containment limitations of our site infrastructure and direct our maintenance operations to responsibly manage our grounds.

Private Streets, Parking, Sidewalk and Flatwork

Any sediment, leaves, debris, spilt fluids or other waste that collects on our private streets, parking lots, and sidewalks will be carried by runoff to our storm drain inlets. This waste material will settle in our storm drain system increasing maintenance cost and solid and dissolved waste in our runoff can pass through our system ultimately polluting the Virgin River.

Maintenance involves regular sweeping, but it can also involve pavement washing to remove stains, slick spots and improve appearance when necessary. Use our Pavement Maintenance and the Ravement Washing SOPs to manage pollutants that collect on our pavements.

Landscaping

Our landscape operations can result in grass clippings, sticks, branches, dirt, mulch, fertilizers, pesticides and other pollutants to fall or be left on our paved areas. This waste material will settle in our storm drain system increasing maintenance cost and solid and dissolved waste in our runoff can pass through our storm drain system ultimately polluting the Virgin River, The primary pollutant impairing the Virgin River is organic material, so it is vital that our paved areas with direct connection to the City storm drain systems remain clean all and scape debris. Use our Landscape Maintenance SOP to prevent this potential pollution source from affecting the Virgin River.

Storm Drain System

The storm drain inlets direct all runoff to an underground detention system. This system is susceptible to sediment and dissolved pollutant transport during large storm events that can harm the Virgin River. Also our stormwater treatment system may hold water that can breed mosquitoes. It is important to regularly maintain this system to protect the Virgin River and prevent mosquito breeding. Use our Storm Drain Maintenance and Retention/Detention Basin Maintenance SOPs to manage our storm drain system responsibly.

20210066229 10/12/2021 01:11:06 PM Rage 13 of 35 Washington County St. George City ong-Term Stormwater Management Plan October 2019 **SECTION 2: TRAINING** Ensure that all employees and maintenance contractors know and understand the SOPs specifically written to manage and maintain the property. Maintenance contractors must use the stronger of their Company and the LTSWMP SOPs. File all training records in an attached spreadsheet. SECTION 3: RECORDKEEPING Maintain records of operation and maintenance activities in accordance with SOPs Mail a copy of the record to St. George City Stormwater division annually. Long-Term Stormwater Management Plan updated 10/01/2019

20210066229 10/12/2021 01:11:06 PM Rage 14 of 35 Washington County

> St. George City Long-Term Stormwater Management Plan October 2019

SECTION 4:


Site Drawings and Details
SOPs
Recordkeeping Documents


Long-Term BMP's inspection and maintenance schedule


Long-Term BMR's are required to be inspected by a qualified person during the installation to ensure the control is properly installed, with follow up inspections and a maintenance schedule as provided below. A list of BMP's and inspection schedule is shown below as listed in Exhibit B.

	List of BMP's	Describe the inspection and maintenance schedule
Parking Lots Cleaning/Maintenance		Weekly walk-through and twice annual comprehensive
\forall	Mulch and Soils 🔍 🔾	Twice annually
	Mowing and Trimming	Walkthrough and Clean up following regular maintenance
	Fertilizer	Walkthrough and Clean up following each application
	Storm Inlets	Twice annually
	Cleanout box	Twice annually
	Roof Drains 🍑 🐪	Twice annually
ļ	Floor Drains	Twice annually
	Leaves – Autumn Cleanup	Once annually in the fall (prior to cold weather conditions)
	Trash and Debris	Twice annually
\Rightarrow	HVAC	Twice annually
J	Underground Injection Control (UIC)	Twice annually
	*. (S)	
	E COMPANY	
		Twice annually
	IN THE STATE OF TH	
	w ·	

10066229 Page 15 of 35 10/12/2021 01:11:06 PM Washington County Long-Term Stormwater Management Plan October 2019 SITE DRAWINGS AND DETAILS Long-Term Stormwater Management Plan updated 10/01/2019









10066229 Page 20 of 35 10/12/2021 01:11:06 PM Washington County Long-Term Stormwater Management Plan October 2019 SOPs Long-Term Stormwater Management Plan updated 10/01/2019

20210066229 10/12/2021 01:11:06 PM Page 21 of 35 Washington County

St. George City Long-Term Stormwater Management Plan October 2019

Buildings – Parking Lot Maintenance

Standard Operating Procedure

PURPOSE: To prevent pollution of stormwater run-off from private streets and parking loss.

PROCEDURE:

- 1. Preparation:
 - a. Conduct employee training to reinforce proper housekeeping annually and at hire.
 - b. Restrict parking in areas to be swept prior to and during sweeping.
 - c. Perform regular maintenance and services in accordance with the recommended vehicle maintenance schedule on sweepers to increase and maintain efficiency.
- 2. Process:
 - a. Sweep private roads and parking areas, as needed, or as directed.
 - b. Hand sweep sections of gutter if soil and debris accumulate.
 - c. Pick up litter as required to keep private roads and parking areas clean and orderly.
- 3. Clean-up:
 - a. Dispose of sweepings properly (designated solid waste facility)
 - b. Street sweepers to be cleaned out in a manner as instructed by the manufacturer and in a location that swept materials cannot be introduced into the storm drain
 - c. Swept materials will not be stored in locations where stormwater could transport times into the storm drain system.
- 4. Documentation:
 - a. Retain work orders to track swept parking areas and approximate quantities.
 - b. Log training activities along with regular required safety training.

St. George City Long-Term Stormwater Managemen Plan October 2019

Landscape Maintenance Operations

Standard Operating Procedure

PURPOSE:

To protect stormwater by properly preventing any solids, liquids or any light weight material from being carried away from the building by wind or water including application of pesticides, herbicides, & fertilizers.

PROCEDURE:

- 1. Preparation:
 - a. Make sure to follow all recommended SDS and MSDS instructions before handling any chemicals:
 - b. Make sure all pesticide application is conducted following manufacturer's recommendations.
 - c. Calibrate fertilizer and pesticide application equipment to avoid excessive application.
 - d. Use pesticides only if there is an actual pest-problem.
 - e. Time and apply the application of fertilizers, herbicides or pesticides according to the manufacturer's recommendation for best results ("Read the Label").
 - f. Know the weather conditions. Do not use pesticides if rain is expected within a 24-hour period. Apply pesticides only when wind speeds are low (less than 5 mph).

2. Process:

- a. Follow the manufacturer's recommendations for mixing, applying, and disposing of pesticities ("Read the Label").
- b. Grooming.
 - Lawn Mowing Immediately following operation sweep or blow clippings onto vegetated ground.
 - Fertilizer Operation Prevent overspray. Sweep or blow fertilizer onto vegetated ground immediately following operation.
 - Pesticide Operation Prevent overspray, use spot treatment, sweep or blow dry pesticide onto vegetated ground immediately.
 - Remove or contain all erodible or loose material prior to forecast wind and precipitation events, before any non-stormwater will pass through or over the site.
 - Landscape project materials and waste can usually be contained or controlled by operational BMP's.
 - Operational; including but not limited to:
 - Strategic staging of materials eliminating exposure, such as not staging on pavement

20210066229 10/12/2021 Q1:11:06 PM Rage 23 of 35 Washington County St. George City ong-Term Stormwater Management Plan October 2019 Avoiding multiple day staging of landscaping backfill and spoil on pavements Haul off spoil as generated or daily Scheduling work when weather forecasts are clear Remove or contain all erodible or loose material prior to forecast wind and precipitation events, before any non-stormwater will pass through and over the project site and at end of work period toght weight debris and landscape materials can require immediately attention when wind expected. b. Landscape project materials and waste can usually be contained or controlled by operational best management practices. Operational; including but not limited to: Strategic staging of materials eliminating exposure such as not staging on pavement) Avoiding multiple day staging of landscaping backfill and spoil on pavements Ham off spoil as generated or daily Scheduling work when weather forecasts are clear. Use dry cleanup methods, e.g. square nose shovel and broom and it is usually sufficient when no more material can be swept onto the square nosed shovel. Power blowing tools, Waste Disposal: Dispose of waste according to Building Waste Management SOP, unless superseded by specific SOPs for the operation Tools sufficient for proper containment of pollutants and cleanup. Push broom and square blade shovel should be a minimum. a. Annually and at hire b. Landscape Service Contractors must have equal or better SOPs. Long-Term Stormwater Management Plan updated 10/01/2019

3. Cleanup

5. Equipment()

Training:

Storm Drain Maintenance Operations

Standard Operating Procedure

PURPOSE: To prevent pollution of stormwater from sediment and debris.

PROCEDURE:

- 1. Preparation
 - a. Train all employees at hire and annually.
 - b. Locate Storm Drain
 - c. Inspect for need

Process:

- a. Schedule cleaning for poxes and pipe that contain 2" or more of sediment and debris.
- b. Remove debris from inlets and junction boxes by acuum operated machinery
- c. Remove debris from underground detention with hose jet cleaning
- d. When accumulations are mostly floating debris this material can be removed with a net.

Cleanup

- a. Dispose of waste collected by machinery at regulated facilities.
- b. Floating materials and floating absorbent materials may be disposed in dumpster when dried out. Dry dirt and slurry may also be disposed in the dumpster.
- c. Disposal of hazardous waste
 - 1. Dispose of hazardous waste at regulated disposal facilities, see Waste Management and Spill Control SQP
 - Disposal of waste collected from sanitary sewer device at regulated facilities.

20210066229 10/12/2021 01:11:06 PM
Page 25 of 35 Washington County

St. George City

Long-Term Stormwater Management Rlan

October 2019

Retention/Detention Basin Maintenance

Standard Operating Procedure

PURPOSE:

To protect stormwater by maintaining the ability of retention detention basins to trap sediment, and organic matter. This reduces clogging the storm drain system as well as the transport of sediments and pollutants into receiving water bodies.

PROCEDURE:

1. Preparation:

- a. Inspect detention/retention basins for structural integrity and evidence of illicit discharges. If cross contamination is present (sewage or oil) stop cleaning and report to supervisor for follow-up and notify City Stormwater Supervisor.
- b. Conduct visual inspection outside of the basin
- c. Conduct visual inspection inside the basin to prevent and remove sediment build up in stormwater tanks or silt trap

2. Process:

- Contact Facilities Manager if drain appears to be clogged or in need of service.
- b. Clean using a high powered vacuum truck to start vacuum standing water and sediment.
- c. Systematically clean basin per maintenance plan
- d. Dispose solids in a sealed waste container that will be transferred to a permitted, lined solid waste landfill or other solid waste treatment facility. Fluids collected during cleaning shall be discharged to a sanitary sewer or buffered detention area.

3. Cleanup:

- a. When the vacuum truck is full of sediment, take it to the designated location to dump all sediment out of truck and into a drying bed.
- b. Wash down area before leaving the designated dump location.
- Never discharge waste material to storm drains

Documentation

- a. Keep records of number of basins cleaned, date cleaned and any other issues resolved.
- b. Record the amount of waste collected and number of basins cleaned and the area in which they were cleaned.

20210066229 10/12/2021 01:11:06 PM Page 26 of 35 Washington County

St. George City Cong-Term Stormwater Management Plan October 2019

Pavement Washing Operations

Standard Operating Procedure

PURPOSE: To prevent waste fluids and detergents from entering the storm drain

PROCEDURE

- 1. Preparation:

 - b. Training annually and at hire
- 2. Process:
 - a. Collect wastewater with a shop vacuum simultaneously with the washing operation.
- 3. Cleanup
 - a. Small volumes can usually be drained to the local sanitary sewer. Contact St. George City Wastewater department at 435-627-4256
 - b. Large volumes must be disposed at regulated facilities.
 - c. Pavement washing is determined by conditions that warrant it, including but not limited to prevention of slick or other hazardous conditions or restore acceptable appearance of pavements.

St. George City Cong-Term Stormwater Management Plan October 2019

General Construction Maintenance

Standard Operating Procedure

PURPOSE:

To prevent any solids, liquids or light-weight materials from being carried away from the construction or maintenance project by wind or water to the storm drain

PROCEDURE:

- 1. Preparation:
 - a. This SOP should provide sufficient direction for many of the general operations, e.g., building maintenance, curb/sidewalk/flatwork, overlay/patching, landscape renovations, misc. maintenance/repairs, etc.
 - b. Training at hire and annually.
- 2. Process:
 - a. Remove or contain all erodible or loose material prior to forecast wind and precipitation events or before non-stormwater will pass through the project site. Light weight debris can require immediate attention for wind events and may be needed many times daily. Maintain as needed for wind, precipitation, or non-stormwater events.
 - b. Project materials and waste can be contained or controlled by operational or structural best management practices.
 - Operational; including but not limited to:
 - Strategic staging of materials eliminating exposure, such as not staging on pavement
 - Avoiding multiple day staging of backful and spoil
 - Faul off spoil as generated or daily
 - Schedule work during clear forecast
 - Structural; including but not limited to:
 - Inlet protection, e.g. wattles, filter fabric, drop inlet bags, boards, planks

- Gutter dams, e.g. wattles, sandbags, dirt dams
- Boundary containment, e.g. wattles, silt fence
- Dust control, water hose
- Waste control, e.g. construction solid or liquid waste containment, dumpster, receptacles
- c. Inspect offen to insure the structural best management practices are in good operating condition and at least prior to the workday end. Promptly repair damaged best management practices achieving effective containment.
- 3. Cleanup:
 - a. Use dry cleanup methods, e.g. square nose shovel and broom.

10066229 Rage 28 of 35 10/12/2021 01:11:06 PM Washingtor County St. George Cit Long-Term Stormwater Management Plan October 2019 b. Wet methods are allowed if wastewater is prevented from entering the stormwater system, e.g. wet/dry vacuum, disposal to landscaped areas. When a broom and a square nosed shovel cannot pick any appreciable amount of material. d. Dispose of waste according to General Waste Management SOP, unless superseded by specific SOPs for the operation. e. Never discharge waste material to storm drains Long-Term Stormwater Management Plan updated 10/01/2019

20210066229 10/12/2021 01:11:06 PM
Page 29 of 35 Washington County

St. George Circumong-Term Stormwater Management Plan

October 2019

Spill Control

Standard Operating Procedure

PURPOSE:

To protect stormwater by educating employees on proper spill cleanup procedures, state reporting requirements, and preventative actions.

PROCEDURE:

- 1. Always:
 - a. Stop the source of the spill, if possible to safely do so.
 - b. Contain any liquids, if possible to safely do so.
 - c. Cover the spill with absorbent material such as kitty litter sawdust, or oil absorbent pads. Do not use straw or water.
 - d. Petroleum spills involve, but are not limited to: crude oil, gasoline, various fuel oils (urbricating oil, hydraulic oil, asphaltic residuals.
 - e. Report a petroleum spill (435) 627-4142 if:
 - i. The spill is greater than 25 gallons, or
 - ii. The spill cannot be immediately contained, or
 - iii. The spill and/or contamination cannot be completely removed within 24 hours, or
 - iv. There is an impact or potential impact to ground/surface water.
 - v. IF IN DOUBT, REPORT THE SPILL!
 - f. Hazardous materials spills involve non-oil spills that pose a threat to human health or the environment, such as chemical releases.
 - Report any discharge of hazardous waste immediately (within one hour) to local emergency officials (fire department), then contact Health Department Emergency Response Team (435) 673-3528.
 - ii. Contact local fire department (435) 627-4150
 - iii. Develop and maintain a Spill Prevention, Control, and Countermeasure (SPCC) Plan if the facility stores more than 1,320 gallons of petroleum.
 - g. Fit petroleum and chemical storage containers with secondary containment structures.
 - h. Keep a spill kit in areas where petroleum or hazardous materials are stored.
 - i. Train employees in spill response procedures and equipment.
 - j. Deploy containment booms if spill could potentially reach a storm drain or water body.
 - k. Position mats to contain drips from equipment or vehicles until they can be repaired.
- 2. Cleanûp:
 - a. NEVER WASH SPILLS TO THE STORM DRAIN SYSTEM
 - b. Clean per SDS requirements but generally most spills can be cleaned up according to the following:

St. George City Cong-Term Stormwater Management Plan October 2019

- Absorb liquid spills with spill kit absorbent material, sand or dirt until liquid is sufficiently converted to solid material.
- Remove immediately using dry cleanup methods, e.g. broom and shovel, or vacuum operations.
- Cleanup with water and detergents may also be necessary depending on the spilled material. However, the waste from this operation must be vacuumed or effectively picked up by dry methods. See Pavement Washing SOP.
- Repeat process when residue material remains.
- c. Follow SDS requirements but usually most spills can be disposed per the following d. & e.
- d. Generally, most spills absorbed into solid forms can be disposed to the dumpster and receptacles. Follow Waste Management SOP.
- e. Generally, Liquid waste from surface cleansing processes may be disposed to the sanitary sewer system after the following conditions have been met:
 - Dry cleanup methods have been used to remove the bulk of the spill and disposed per the Waste Management SOP.
 - The liquid waste amounts are small and diluted with water. This is intended for spill cleanup waste only and never for the disposal of unused or spendiliquids.

3. Documentation:

a. Document all spills in spreadsheet.

4. SDS sheets:

a. SDS Manual is filed with the HOA or property maintenance company.

Materials:

a. Generally sand or dirt will work for most cleanup operations and for containment. However, it is the responsibility of the owner to select the absorbent materials and cleanup methods that are required by the SDS Manuals for chemicals used by the company.

5. Training:

a. Annually and at hire?

St. George City Long-Term Stormwater Management Plan August 2021

Underground Retention Structure Maintenance

Standard Operating Procedure

PURPOSE:

To protect stormwater by maintaining the ability of the structure to trap sediment, and organic matter. This reduces clogging the storm drain system as well as the transport of sediments and pollutants into receiving water bodies.

PROCEDURE:

1. Preparation:

- a. Inspect facility for structural integrity and evidence of illicit discharges. If gross contamination is present (sewage or oil) stop cleaning and report to supervisor for follow-up and notify City Stormwater Supervisor
- b. Conduct visual inspection above ground; including inlet structures and clean outs.
- c. Conduct visual inspection as feasible of the inside of the structure to prevent and remove sediment build up in tanks or sediment row.

2. Process:

- a. Contact Facilities Manager if structure appears to be clogged or in need of service.
- b. Clean using equipment recommended by the structure manufacturer to remove sediment and debrish
- c. Systematically clean structure per maintenance plan
- d. Dispose solids in a sealed waste container that will be transferred to a permitted, lined solid waste landfill or other solid waste treatment facility. Fluids collected during cleaning shall be discharged to a sanitary sewer or buffered detention area.

3. Cleanup:

- a. When cleaning equipment is full of sediment, take it to the designated location to dump all sediment out of truck and into a drying bed.
- b. Wash down area before leaving the designated dump location.
- c. Never discharge waste material to storm drains

4. Documentation

- a. Keep records of service rendered, date cleaned and any other issues resolved
- b. Record the amount of waste collected and the area in which they were cleaned.

10066229 Rage 32 of 35 10/12/2021 01:11:06 PM Washington County St. George City Term Stormwater Management Plan October 2019 PLAN RECORDKEEPING DOCUMENTS Long-Term Stormwater Management Plan updated 10/01/2019

20210066229 10/12/2021 01:11:06 PM Rage 33 of 35 Washington County St. George City ong-Term Stormwater Management Plan October 2019 MAINTENANCE/INSPECTION SCHEDULE Inspection Frequency Key: A=annual, Q=Quarterly, M=monthly, W=weekly, S=following appreciable storm event, SA=semi-annual (twice per year), U=Unique infrastructure specific (specific) infrastructure specific (specify) RECORD INSPECTIONS IN THE MAINTENANCE LOG Inspection Means: Either, Traditional walk through, Awarenes, Observation, and during regular maintenance operations while noting efficiencies/inefficiencies/concerns found, Long-Term Stormwater Management Plan updated 10/01/2019



10/12/2021 01:11:06 PM Page 35 of 35 20210066229 Washington County St. George City Long-Term Stormwater Management Plan October 2019 Annual SOP Training Log per Section 2 *You may create your own form that provides this same information or request a word copy of this document. Long-Term Stormwater Management Plan updated 10/01/2019