RECORDED, MAIL TO: Washington City 1305 E Washington Dam Rd. Washington, UT 84780 DOC # 20220006381

Agreement
Gary Christensen Washington County Recorder
02/01/2022 10:52:28 AM Fee \$ 0.00
By WASHINGTON CITY

WILLIAM TO THE TANK THE TOWN THE TOWN

Storm Water Management BMP Maintenance Agreement Washington City, Utah

Tax ID:W-PL

WHEREAS, the Property Owner CW THE VIEWS CLLC a Utah limited liability company recognizes that the post construction storm water facilities (hereinafter referred to as "Facilities") must be

maintained for the development called. The Views at Coral Canyon, Phase 6, located in Washington City, Washington County Utah; and

WHEREAS, the Property Owner is the owner of real property more particularly described on Exhibit A attached hereto thereinafter referred to as "the Property") and on which the Facilities are located, and

WHEREAS, The City of Washington (hereinafter referred to as "the City") and the Property Owner, or its administrators, executors, successors, heirs, or assigns, including any homeowners association, agree that the health, safety and welfare of the citizens of the City require that the Facilities be constructed and maintained on the property, and

WHEREAS, it is required that the Facilities as shown on the approved development plans and specifications be constructed and maintained by the Property Owner, its administrators, executors, successors, heirs, or assigns, including any homeowners association.

NOW, THEREFORE, in consideration of the foregoing, the mutual covenants contained herein, and the following terms and conditions, the parties hereto agree as follows:

SECTION 1

The Facilities shall be constructed by the Property Owner in accordance with the approved plans and specifications for the development.

SECTION 2

The Property Owner, its administrators, executors, successors, heirs or assigns, including any homeowners association, shall maintain the Facilities in good working condition acceptable to the City and in accordance with the Schedule of Long Term Maintenance Activities agreed hereto and attached as Exhibit B.

Storm Water Management BMP Maintenance Agreement Page 1 of 7

SECTION 3

The Property Owner, its administrators, executors, successors, heirs or assigns, including any homeowners association, hereby grants permission to the City, its authorized agents and employees, to enter upon the property and to inspect the Facilities whenever the City deems necessary. Whenever possible, the City shall provide notice prior to entry. All easements as shown on the Final Plat shall be maintained to allow access to the Facilities.

SECTION 4

In the event the Property Owner, its administrators, executors, successors, heirs or assigns, including any homeowners association, fails to maintain the Facilities as shown on the approved plans and specifications in good working order acceptable to the City, the City, with the notice, may enter the property and take whatever steps it deems necessary to return the Facilities to good working order. This provision shall not be construed to allow the City to erect any structure of a permanent nature on the property. It is expressly understood and agreed that the City is under no obligation to maintain or repair the Facilities and in no event shall this Agreement be construed to impose any such obligation on the City.

SECTION 5

In the event the City, pursuant to the Agreement, performs work of any nature, or expends any funds in the performance of said work for labor, use of equipment, supplies, materials, and the like, the Property Owner shall reimburse the City within thirty (30) days of receipt thereof for all the costs incurred by the City hereunder. If not paid within the prescribed time period, the City shall secure a lien against the real property in the amount of such costs. The actions described in this section are in addition to and not in lieu of any and all legal remedies available to the City as a result of the Property Owner's failure to maintain the Facilities.

SECTION 6

It is the intent of this agreement to insure the proper maintenance of the Facilities by the Property Owner; provided, however, that this Agreement shall not be deemed to create or effect any additional liability of any party for damage alleged to result from or caused by storm water runoff.

SECTION 7

Sediment accumulation resulting from the normal operation of the Facilities will be properly removed. The Property Owner will make accommodation for the removal and disposal of all accumulated sediments. Accumulated sediments will be disposed of properly offsite.

SECTION 8

The Property Owner shall use the standard SMP Operation and Maintenance Checklist, available from the City and by this reference made a part hereof for the purpose of a minimal annual inspection of the Facilities by a qualified inspector. This annual inspection shall be submitted to the City on or before July 1st each year, after inspection is completed by a qualified inspector.

Storm Water Management BMP Maintenance Agreement Page 2 of 7

SECTION 9

The Property Owner, its administrators, executors, successors, heirs and assigns, including any homeowners association, hereby indemnifies and holds harmless the City and its authorized agents and employees for any and all damages, accidents, casualties, occurrences or claims which might arise or be asserted against the City from the construction presence, existence or maintenance of the Facilities by the Property Owner or the City when the City acts in accordance with Section 4 of this agreement. In the event a claim is asserted against the City, its authorized agents or employees, the City shall promptly notify the Property Owner and the Property Owner shall defend at its own expense any suit based on such claim. If any judgment or claims against the City, its authorized agents or employees shall be allowed, the Property Owner shall pay for all costs and expenses in connection herewith.

SECTION 10

This Agreement shall be recorded among the deed records of the Recorden of Washington County and shall constitute a covenant funning with the land and shall be binding on the Property Owner, its administrators, executors, heirs, assigns, including any homeowners association, and any other successors in interest.

SECTION 11 §

This Agreement may be enforced by proceedings at law or in equity by or against the parties hereto and their respective successors in interest.

SECTION 12

Invalidation of any one of the provisions of this Agreement shall in no way effect any other provisions and all other provisions shall remain in full force and effect.

Storm Water Management BMP Maintenance Agreement



20220006381 02/01/2022 10:52:28 AM Rage 5 of 7 Washington County

Storm Water Management BMP Maintenance Agreement Legal Description(s)

(Parcel W-PL) LEGAL DESCRIPTION

ĎEVELOPABLE AREA PARCEL#1 BOUNDARY: BEGINNING AT A POINT SO 53'56"W, 732.44 FEET ALONG THE SECTION LINE (BETWEEN THE WEST 1/4 CORNER AND THE SOUTHWEST CORNER OF SECTION 18), EAST 327.26 FEET AND S210 29 W, 99.52 FEET FROM THE WEST 1/4 CORNER OF SECTION 18, 142S, R14W, SLB&M, RUNNING THENCE N58° 12'10"E, 91.23 FEET, THENCE S21°07'29"W, 122.32 FEED TO THE POINT OF CURVE OF A 15.00 FOOT RADIUS CURVE TO THE LEFT; THENCE SOUTHEASTERLY 28.18 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 107°39'14" TO THE POINT OF CURVE OF A 122.50 FOOT RADIUS COMPOUND CURVE; THENCE NORTHEASTERLY 73.22 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 34°14'40"; THENCE N59°13'36 E. 79.77 FEET; THENCE S30° 46'24"E, 180.31 FEET; THENCE S59°13'36 W, 8.13 FEET; THENCE S30°46'24"E, 125.30 FEET; THENCE S59°13'36 W, 2.58 FEET; THENCE S30°46'24"E, 180.00 FEET; THENCE S59°13'36 W, 32.84 FEET TO THE POINT OF CURVE OF A 250.00 FOOT RADIUS CURVE TO THE LEFT; THENCE SOUTHWESTERLY 166.25 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 38°06'06"; THENCE S21°07'29"W, 334.90 FEET; THENCE S60°08'04"W, 114.74 FEET; THENCE N80°51'22"W, 486.75 FEET; THENCE N33° 48'46"W, 62.80 FEET; THENCE N19°38'39"E, 60.62 FEET; THENCE N75°52'10"E, 133.89 FEET TO THE POINT OF CURVE OF A 60.00 FOOT RADIUS NON-TANGENT CURVE TO THE RIGHT, RADIUS POINT BEARS N80°38'58"E; THENCE NORTHEASTERLY 15.38 FEET ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°41'28"; THENCE S75°52'10"W, 127.09 FEET; THENCE N17°48'48"E, 306.20 FEET; THENCE N5°55'17"E, 171.91 FEET; THENCE N20°58'23"E, 148.78 FEET; THENCE N58°12'10"E, 128.21; THENCE S70°21'21"E, 102.70 FEET; THENCE N21°07'29"E, 133.20 FEET TO THE POINT OF BEGINNING. CONTAINING 12.231 ACRES.

DEVELOPABLE AREA PARCEL #2 BOUNDARY: BEGINNING AT A POINT S0°53'56 W. 684.37 FEET ALONG THE SECTION LINE (BETWEEN THE WEST 1/4 CORNER AND THE SOUTHWEST CORNER OF SECTION 18), EAST 404.04 FEET AND S30°39'24"E 60.01 FEET FROM THE WEST 1/4 CORNER OF SECTION 18, T42S, RIAW, SLB&M, SAID POINT BEING ON THE BOUNDARY OF VIEWS AT CORAL CANYON PHASE 4 SURDIVISION, RECORDED AS DOCUMENT NO. 20210030431 IN THE OFFICE OF THE WASHINGTON COUNTY RECORDER, RUNNING FRENCE ALONG THE BOUNDARY OF WEWS AT CORAL CANYON PHASE 4 SUBDIVISION THE FOLLOWING TWO (2) COURSES: S30°46'24"E, 122.32 FEET; THENCE S59°13'36"W, 24.93 FEET; THENCE LEAVING SAID BOUNDARY AND RUNNING S59°13'36"W, 62.07 FEET; THENCE N30°46'24"W, 114.01 FEET; THENCE N21° 07'29"E, 11.20 FEET; THENCE N58°12'10"E, 78.20 FEET TO THE POINT OF BEGINNING. CONTAINING 0.242 ACRES.

Storm Water Management BMP Maintenance Agreement

2200063 Rage 6 of 7 02/01/2022 10:52:28 AM 20220006381

Washington County

Storm water Management BMP Schedule of Long Term Maintenance Activities Washington City, Utah

Storm water Management BMP Schedule of Long Term Maintenance Activities Washington City, Utah	Ro
COV Washington City, Utah	-/()) Q
. O	
	>
Schedule of Long Term Maintenance Activities Washington City, Utah Activity Frequency Notes	
Inspection Annually It is recommended that the SMP Operation and	
Maintenance Checklist, referenced by this agreement, be used as a guiding document. This	
annual inspection should be submitted to City upon	. 1
completion.	
Mowing and Variable, depending Landscaping and vegetation should be cared for	
maintenance of on vegetation and throughout the year to ensure that proper sediments vegetation desired aesthetics removal and infiltration is maintained and the	>
vegetation desired aesthetics removal and infiltration is maintained and the Facilities remain aesthetically appealing	
Remove trash and As needed or Trash and debris should be removed regularly to	
debris following each ensure that the Facilities function properly and	
storm operate effectively. Trash often collects at inlet and outlet structures.	~ /\
Inspect and Annually The inlet and outlet structures should be inspected	0,,
maintain inlet and for damage and proper operation. outlet structures	>
Sediment removal Variable (2-5 years The removal of sediment is necessary if the is typical) Facilities begin to lose capacity or effectiveness.	
Ob mother of Alexander	

Storm Water Management
BMP Maintenance Agreement
Page 6 of 7

02/01/2022 10:52:28 AM 20220006381 Page 7 of 7 Washington County A RESIDENTIAL SUBDIVISION LOCATED BY THE SOUTHWEST GUARTER DE SECTION 18, TOWNSHIP 42, 2007 A SOUTHEAST QUARTER DE SECTION 13 SOUTHEAST QUARTER DE SECTION 13 SUBJECTION SOUTHEAST QUARTER DE SECTION 13 VIEWS AT CORAL CANYON CONCRETE ANCHOR SET IN SUBWALK AT 2.00° EXTEN OF LOT LINE PROM FRONT LOT CORNER LOCATION 1868/SURVEYING REBAR AND CAP IS NO. TBSA SCYAL-AL REAR LOT CORNERS LOCATIONS AND SURGENISION BOUNDARY CORNERS AREA BEING DEDICATED TO WASHIN PEDESTRIAN TRAIL FINAL PLAT PHASE 6 11.257.44 mg. ft. 0,255 acres ABMS AT CORAL CANYON PHASE DOC, NO. 20200048449 SO PER SANGE SO PER SANGERON SE PER SANGERON SE PER SANGERON 100 15,636,39 m. 1. 0.43 serve WASHINGTON CITY VICINITY MAD NOT TO SCALE ST.