SECURITY TITLE & ABSIRACI (U. 55 East Center St. - Provo, Utah
Order No. 32067 24981

WARRANTY DEED OF EASMENET

DELWIN E. JENSEN and MARGIE JENSEN, his wife, of City of American Fork, County of Utah, State of Utah, Grantors, hereby convey and warrant to the UNITED STATES OF AMERICA, Grantee, acting pursuant to the provisions of the Act of June 17, 1902 (32 Stat. 388), and acts amendatory thereof or supplementary thereto for the sum of American two thereof or supplementary thereto for Dollars (\$ 32,000.00), a perpetual easement to construct, reconstruct, operate, and maintain an underground pipeline or pipelines and appurtenant structures on, over, or across the following-described property in the County of Utah, State of Utah, to-wit:

Parcel No. JA-452(P)

A parcel of land in Utah County, Utah, in the Northwest Quarter of the Northwest Quarter (NW\(\) NW\(\)) of Section Two (2), Township Five (5) South, Range One (1) East, Salt Lake Meridian, Utah, containing Forty Hundredths (0.40) of an acre, more or less, and being more particularly described as follows:

Bearings in the following description are based on the Utah Coordinate System, Central Zone.

Beginning at a point which lies North 89°59' East, Four Hundred Sixty-two and One-tenth (462.1) feet along the section line and South 00°01' East, Three Hundred Eighty and Five-tenths (380.5) feet from the Northwest corner of said Section Two (2); said point has U.S.C. & G.S. plane grid coordinates North 760,133.31 and East 1,913,918.29; thence South 00°01' East, Forty-one and Seven-tenths (41.7) feet; thence North 80°49' West, Three Hundred Sixty-five and Seven-tenths (365.7) feet; thence North 66°02' West, Seventy-seven and Eight-tenths (77.8) feet; thence North 00°01' West, Sixty (60.0) feet, to a point on a regular curve, the tangent to said curve at said point bearing South 43°51' East, thence along said regular curve to the left with a radius of Two Hundred Ten (210.0) feet, a distance of One Hundred Thirty-eight and Five-tenths (138.5) feet, measured on the arc of the curve; thence South 81°38' East, Three Hundred Fourteen and Five-tenths (314.5) feet, more or less, to point of beginning.

Based on the Utah Coordinate System, Central Zone, established by the United States Coast and Geodetic Survey, the Northwest corner of said Section Two (2) has plane grid coordinates North 760,513.59 and East 1,913,456.23 and the North Quarter ($N_{\frac{1}{2}}$) corner of said Section Two (2) has plane grid coordinates North 760,514.21 and East 1,916,120.59.



Ground distances in the foregoing description can be converted to U.S.C. & G.S. grid distances by multiplying by the combination factor .999712.

Also,

A temporary easement during construction of the Jordan Aqueduct, Reach 4, and appurtenant structures referred to for construction purposes on, over, or across the following-described land:

Parcel No. JA-452(T)

A parcel of land in Utah County, Utah, in the Northwest Quarter of the Northwest Quarter (NW\nW\) of Section Two (2), Township Five (5) South, Range One (1) East, Salt Lake Meridian, Utah, containing Eighty-two Hundredths (0.82) of an acre, more or less, and being more particularly described as follows:

Bearings in the following-description are based on the Utah Coordinate System, Central Zone.

Beginning at a point which lies North 89°59' East, Four Hundred Sixty-two and One-tenth (462.1) feet along the section line and South 00°01' East, Three Hundred Eighty and Five-tenths (380.5) feet from the Northwest corner of said Section Two (2); said point has U.S.C. & G.S. plane grid coordinates North 760,133.31 and East 1,913,918.29; thence North 81°38' West, Three Hundred Fourteen and Fivetenths (314.5) feet; thence along a regular curve to the right with a radius of Two Hundred Ten (210.0) feet, a distance of One Hundred Thirty-eight and Five-tenths (138.5) feet, measured on the arc of the curve, to a point at which the tangent to said curve bears North 43°51' West; thence North 00°01' West, Sixty-four and Threetenths (64.3) feet; thence North 89°59' East, Fifty (50.0) feet to a point on a regular curve, the tangent to the curve at said point bearing South 38°38' East' thence along said regular curve to the left with a radius of One Hundred Thirty (130.0) feet, a distance of Ninety-seven and Six-tenths (97.6) feet, measured on the arc of the curve; thence South 81°38' East, Three Hundred Two and Seven-tenths (302.7) feet; thence South 00°01' East, Eighty and Nine-tenths (80.9) feet, more or less, to point of beginning.

Based on the Utah Coordinate System, Central Zone, established by the United States Coast and Geodetic Survey, the Northwest corner of said Section Two (2) has plane grid coordinates North 760,513.59 and East 1,913,456.23 and the North Quarter (N½) corner of said Section Two (2) has plane grid coordinates North 760,514.21 and East 1,916,120.59.

Ground distances in the foregoing description can be converted to U.S.C. & G.S. grid distances by multiplying by the combination factor .999712.

Subject to any coal, oil, gas, and other mineral rights reserved to or outstanding in third parties as of the date of this deed; also subject to rights-of-way for roads, railroads, telephone lines, ditches, transmission lines, conduits, or pipelines on, over, or across said lands in existence on such date.

The perpetual and temporary easements described herein are acquired by the Bureau of Reclamation, Department of the Interior, for the United States.

WITNESS the hands of said Grantors this 13th day of

DELWIN É. JENSEN JENSEN

MARGIE JENSEN Jensen

ACKNOWLEDGMENT

COUNTY OF SALT Lake) ss.

Notary Public in and for the State of Italy Lake lety.

My Commission Expires:

24981