WHEN RECORDED MAIL TO: Questar Regulated Services Company P.O. Box 45360, Right-of-way Salt Lake City, UT 84145-0360 7045provo.cp; RW01

111

ENT 57850:2004 PG 1 of 16 RANDALL A. COVINGTON UTAH COUNTY RECORDER 2004 May 20 8:54 am FEE 0.00 BY SN RECORDED FOR PROVO CITY CORPORATION

Space above for County Recorder's use PARCEL I.D.#

RIGHT-OF-WAY AND EASEMENT GRANT UT 21294

PROVO CITY CORPORATION	, a corporation of the State of Utah,
Grantor, does hereby convey and warrant to QUESTAR GAS Co	OMPANY, a corporation of the State
of Utah, Grantee, its successors and assigns, for the sum of TEN	DOLLARS (\$10.00) and other good
and valuable consideration, receipt of which is hereby acknowle	ledged, a right-of-way and easement
to lay, maintain, operate, repair, inspect, protect, remove and re	place pipelines, valves, valve boxes
and other gas transmission and distribution facilities (hereinafte	r collectively called "facilities"), said
right-of-way being situated in the County of Utah, State of Ut	ah, and more particularly described
as follows, to-wit:	-

Land of the Grantor located in Sections 8, 17, 20, 21, Township 7 South, Range 3 East, Salt Lake Base and Meridian;

Beginning at a point which is North 747.50 feet and West 1145.05 feet from the South Quarter Corner of said Section 21, said point being on the West line of Highway 89/91; thence West 41.50 feet to the beginning of a non-tangent curve to the left, the radius point of which bears South 74°24'58" West 2774.79 feet; thence along the arc of said curve 403.77 feet through a central angle of 08°20'14"; thence South 41°41'00" East 123.11 feet to a point on the West line of Said Highway 89 and the beginning of a non-tangent curve to the right; thence southerly along said right-of-way the radius point of which bears South 68°27'58" West 2814.79 feet; thence along the arc of said curve 303.46 feet through a central angle of 06°10'37" to the point of beginning.

Also beginning at a point which is South 1047.05 feet and East 1170.76 feet from the

West Quarter Corner of said Section 21, said point being 20 feet perpendicular from the southwesterly right-of-way line of Highway 89/91, being a 40 foot wide centerline right-of-way; thence 40.24 feet along the arc of a non-tangent curve to the left, the radius point of which bears South 56°12'54" West having a radius of 2794.79 feet though a central angle of 00°49'30"; thence North 34°36'36" West 32.23 feet; thence North 35°37'06" West 1218.02 feet more or less to the point of terminus.

Also beginning at a point which is North 457.47 feet and East 94.83 feet from the West Quarter Corner of said Section 21, said point being 20 feet perpendicular from the southwesterly right-of-way line of Highway 89/91, being a 40 foot wide centerline right-of-way; thence North 35°37'06" West 1532.43 feet more or less to the point of terminus.

Also beginning at a point which is South 883.93 feet and West 614.08 feet from the Northeast Corner of said Section 20, said point being on the easterly line of Highway 89/91, being a 15 foot wide centerline right-of-way; thence North 54°16′28" East 62.04 feet; thence North 56°45′26" East 128.85 feet; thence North 59°46′48" East 363.17 feet; thence North 42°39′05" East 112.09 feet to the easterly line of the Grantor's property line and point of terminus.

Also beginning at a point which is West 1283.34 feet and South 0.18 feet from the East quarter corner of said Section 17, said point being on the South line of the Grantor's property; thence North 30°22'43" West 356.46 feet; thence North 16°42'51" West 268.42 feet more or less to a point on the Grantor's North property line and point of terminus.

Also beginning at a point which is North 2665.11 feet and East 2565.16 feet from the Southwest Corner of said Section 8, said point being on the South line of the original right-of-way parcel and being a 60 foot wide centerline right-of-way; thence North 44°49′26″ West 80.02 feet; thence North 34°16′37″ West 303.57 feet; thence North 01°08′12″ East 116.96 feet to a point within an existing 60 foot wide gas pipeline easement and point of terminus.

TO HAVE AND TO HOLD the same unto said QUESTAR GAS COMPANY, its successors and assigns, so long as such facilities shall be maintained, with the right of ingress and egress to and from said right-of-way to maintain, operate, repair, inspect, protect, remove and replace the same. During temporary periods, Grantee may use such portion of the property along and adjacent to said right-of-way as may be reasonably necessary in connection with construction, maintenance, repair, removal or replacement of the facilities. Grantor shall have the right to use said premises except for the purposes for which this right-of-way and easement is granted to Grantee, provided such use does not interfere with the facilities or any other rights granted to Grantee hereunder.

Grantor shall not build or construct, nor permit to be built or constructed, any building or other improvement over or across said right-of-way, nor change the contour thereof, without written

consent of Grantee. This right-of-way shall be binding upon and inure to the benefit of the successors and assigns of Grantor and the successors and assigns of Grantee, and may be assigned in whole or in part by Grantee.

It is hereby understood that any parties securing this grant on behalf of Grantee are without authority to make any representations, covenants or agreements not herein expressed.

IN WITNESS WHEREOF, Grantor has caused its corporate name and seal to be hereunto affixed this 4th day of ______, 20_____.

By:

ATTEST:

PROVO CITY CORPORATION


K. Billings

Mayor

LaNice Groesbegk, City Recorder

(SEAL) OVO CITION AND COLORS

STATE OF UTAH)	ENT	57850:2004 PG 4	of 16 :::
COUNTY OF UTAH) ss.)			
On the 19th day of Maileuris K. Bulings sworn, did say that they are the Morespectively, of Phalo Caty Corpo	, 20 <u>64</u>	personally	y appeared before me	
Cewis K. Billings	, and Jamie Grosbeck	<u>_</u>	who, being duly	
sworn, did say that they are the <u>Mo</u>	yov and _	City B	ecorder,	
espectively, of <u>Phalo City Corpo</u>	rati au	, a	nd that the foregoing	
nstrument was signed on behalf of s	said corporation by authority	of a resol	ution of its Board of	
Directors or its Bylaws, and said <u>lea</u>	vis K. Billings ar	nd <u>Panu</u>	ie Groesbick	
acknowledged to me that said corpor				
TARA RIDDLE NOTARY PUBLIC - STATE of UTAH 425 WEST CENTER STREET		Fari	Notary Public	
COMM. EXPIRES 3-19-2006				



111

SECTION 21 TOWNSHIP 7 SOUTH RANGE 3 EAST SALT LAKE BASE AND MERIDIAN UTAH COUNTY, UT

LEGAL DESCRIPTIONS OF A GAS PIPELINE ACROSS PROVO CITY PROPERTY FOR QUESTAR GAS COMPANY. MARCH 2004

PROVO CITY: A PARCEL OF LAND, SITUATE IN SECTION 21, T.75., R.JE. OF THE SALT LAKE BASE & MERIDIAN; 40 FEET IN WIDTH, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH IS NORTH 747.50 FT AND WEST 1145.05 FT, FROM THE SOUTH 1/4 CORNER OF SAID SECTION 21, SAID POINT BEING ON THE WEST LINE OF STATE ROUTE 89 (US 91); THENCE WEST 41.50 FT TO THE BEGINNING OF A NON-TANGENT CURVE TO THE LEFT, THE RADRIS POINT OF WHICH BEARS SOUTH 7424'58' WEST 2774.79 FT, THENCE ALONG THE ARC OF SAID CURVE 403.77 FT THROUGH A CENTRAL ANGLE OF 08'20'14"; THENCE SOUTH 41'41'00" EAST 123.11 FT TO A POINT ON THE WEST LINE OF SAID HWY 89 AND THE BEGINNING OF A NON-TANGENT CURVE TO THE RICHT; THENCE SOUTHERLY ALONG SAID RIGHT-OF-WAY THE RADRIS POINT OF WHICH BEARS SOUTH 68"27"58" WEST 2814.79 FT, THENCE ALONG THE ARC OF SAID CURVE 303.46 FT, THROUGH A CENTRAL ANGLE OF 06'10'37" TO THE POINT OF BEGINNING.

THE ABOVE DESCRIPTION WAS PREPARED UNDER THE SUPERVISION OF JAMES D. PITKIN, PROFESSIONAL LAND SURVEYOR IN UTAH \$171546, FROM THE RESULTS OF A FIELD SURVEY FOR QUESTAR GAS COMPANY.

BASIS OF BEARING, IS BETWEEN TWO FOUND SECTION CORNERS, BEING THE NORTH & CORNER OF SECTION 5, (A FOUND BRASS CAP), AND THE NORTHWEST CORNER OF SAID SECTION 5, TOWNSHIP 7 SOUTH, RANGE 3 EAST, SALT LAKE BASE & MERIDIAN., (A FOUND BRASS CAP), MEASURED BETWEEN FOUND MONUMENTS SOUTH 8915'08" WEST 2636.61 FEET.

ENT 57850:2004 PG 6 of 16

N

2:0002


3: 002: 0003

1145.05

NORTH

S 1/4 COR. SEC. 21 T7S, R3E, SLB&M

ENGINEE	DING: DECOD	85	T 25:22	
W.O. –		PROJECT ENGINEER: B. LEE		STAR Ges
SURVEYED: 02/0	34 SECTION:21			· · · · · ·
DRAWN: R. BADER 03/0	14 TOWNSHIP:75.	RANGE:3 E.	RIGHT-OF-\	WAY REQUIRED
CHECKED:	- COUNTY/STATE	: UTAH CO., UTAH	1 for a 24' GA	SLINE ACROSS
APPROVED: -	- LINE/AREA: FEE	DER LINE 26	PROVO CE	TY PROPERTY
さい という 大学 かんかん かんかい 日本 日本	VISIONS	· All	1 11101001	TT THOTEST
NO. DESCRI	PION	DATE/BY	SCALE: 1"=200"	DRAWING NUMBER REV.
			SHEET No. 1 OF 1	
			CAD FILE: PROVO CIT	
		_		ORSGREN SOCIATES / NC.
				THE RESERVE
A MARKET TO A LONG MARKET OF THE SECOND OF T	## REFE	RENCE DRAW	INGS	1. (Y) - 1.2 (1.20
NO.		DESCRIPTIO		
- -				
- -				



SECTION 21 TOWNSHIP 7 SOUTH RANGE 3 EAST SALT LAKE BASE AND MERIDIAN PROVO CITY, UT

LEGAL DESCRIPTIONS OF A GAS PIPELINE ACROSS PROVO CITY PROPERTY FOR QUESTAR GAS COMPANY. MARCH 2004

PROVO CITY: A STRIP OF LAND, SITUATE IN SECTION 21, T.7S., R.3E. OF THE SALT LAKE BASE & MERIDIAN: 40 FEET IN WIDTH, 20 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED LINE, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH IS SOUTH 1047.05 FT AND EAST 1170.76 FT, FROM THE WEST QUARTER CORNER OF SAID SECTION 21, SAID POINT BEING 20 FEET PERPENDICULAR FROM THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF HWY 89 (U.S. HWY 91), THENCE 40.24 FEET ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT, THE RADIUS POINT OF WHICH BEARS SOUTH 561254" WEST, HAVING A RADIUS OF 2794.79 FEET THROUGH A CENTRAL ANGLE OF 00'49'30"; THENCE NORTH 34'36'36" WEST 32.23 FEET; THENCE NORTH 35'37'06" WEST 1218.02 FEET, MORE OR LESS, TO THE TERMINUS OF THIS DESCRIPTION.

THE ABOVE DESCRIPTION WAS PREPARED UNDER THE SUPERVISION OF JAMES D. PITICIN, PROFESSIONAL LAND SURVEYOR IN UTAH \$171546, FROM THE RESULTS OF A FIELD SURVEY FOR QUESTAR GAS COMPANY.

BASIS OF BEARING, IS BETWEEN TWO FOUND SECTION CORNERS, BEING THE NORTH & CORNER OF SECTION 5, (A FOUND BRASS CAP), AND THE NORTHWEST CORNER OF SAID SECTION 5, TOWNSHIP 7 SOUTH, RANGE 3 EAST, SALT LAKE BASE & MERIDIAN.,(A FOUND BRASS CAP), MEASURED BETWEEN FOUND MONUMENTS SOUTH 8915'06" WEST 2636.61 FEET.

ENT 57850:2004 PG 8 of 16

5" W


N 34°36'36" W 32.23'

 $\Delta = 0^{\circ}49'30''$ L = 40.24'R = 2794.79'

-P.O.B.

JAMIE D & TERRY D EVANS EN 87410; 2000 23: 002: 0007

ENGINEERING RECORD QUESTAR. PROJECT ENGINEER: B. LEE W.O. -SURVEYED: 02/04 SECTION:21 RIGHT-OF-WAY REQUIRED 03/04 DRAWN: R. BADER TOWNSHIP:7S RANGE:3 E. for a 24" GASLINE ACROSS CHECKED: COUNTY/STATE: UTAH CO., UTAH APPROVED: LINE/AREA: FEEDER LINE 26 PROVO CITY PROPERTY REVISIONS DESCRIPTION DATE/BY 0 SHEET No. 1 OF 1 CAD FILE: PROVO-CITY FORSGREN ASSOCIATES / NC.



111

SECTION 20 AND 21 TOWNSHIP 7 SOUTH RANGE 3 EAST SALT LAKE MERIDIAN PROVO CITY, UT

LEGAL DESCRIPTIONS OF A GAS PIPELINE ACROSS PROVO CITY PROPERTY FOR QUESTAR GAS COMPANY. MARCH 2004

PROVO CITY: A STRIP OF LAND, SITUATE IN SECTION 20 & 21, T.7S., R.3E. OF THE SALT LAKE BASE & MERIDIAN; 40 FEET IN MIDTH, 20 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED LINE, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH IS NORTH 457.47 FT AND EAST 94.83 FT, FROM THE WEST QUARTER CORNER OF SAID SECTION 21, SAID POINT BEING 20 FEET PERPENDICULAR FROM THE SOUTHWESTERLY RIGHT-OF-WAY LINE OF HWY 89 (U.S. HWY 81), THENCE NORTH 35'37'06" WEST 1532.43 FEET, MORE OR LESS, TO THE TERMINUS OF THIS DESCRIPTION.

THE ABOVE DESCRIPTION WAS PREPARED UNDER THE SUPERVISION OF JAMES D. PITKIN, PROFESSIONAL LAND SURVEYOR IN UTAH \$171546, FROM THE RESULTS OF A FIELD SURVEY FOR QUESTAR GAS COMPANY.


BASIS OF BEARING, IS BETWEEN TWO FOUND SECTION CORNERS, BEING THE NORTH & CORNER OF SECTION 5, (A FOUND BRASS CAP), AND THE NORTHWEST CORNER OF SAID SECTION 5, TOWNISHIP 7 SOUTH, RANGE 3 EAST, SALT LAKE BASE & MERIDIANL, (A FOUND BRASS CAP), MEASURED BETWEEN FOUND MONUMENTS NORTH 89°15'06" WEST 2636.61 FEET.


ENT 57850:2004 PG 10 of 16



JAMIE D & TERRY D EVANS 3933/610 EN 1996-28027 EN 31121; 2001 23: 002: 0010

WILLIAM TO THE REAL PROPERTY.	> ENGINEER	NG RECORD	ACCESSED AND ADDRESS.	SENTENCO III	STAR	ST 85 14
W.O		PROJECT ENGINE	R: B. LEE	QUE	Cast Cast	36.7.3
SURVEYED:	02/04	SECTION: 20 & 21			-	
DRAWN: R.	BADER 03/04	TOWNSHIP:7S.	RANGE:3 E.	HIGHT-OF-V	VAY REQUIRE	₽D
CHECKED:		COUNTY/STATE: U	ITAH CO., UTAH	for a 24' GA	SLINE ACRO	SS i
APPROVED:		LINE/AREA: FEEDE	R LINE 26	PROVO CE	TY PROPERTY	γ .
KENTICINAZION	OF THE PARTY OF THE VI	いのこのとの言葉は	encount and approprie	11101001		
NO.	DESCRIPT	ON	DATE/BY	SCALE: 1 = 200	DRAWING NUMBER	REV.
				SHEET No. 1 OF 1	<u> </u>	0.
	-		-	CAD FILE: PROVO-CI		
			-		ORSGREN SOCIATES / INC.	
		-			William In	
HTERESOL	CHOPSERVED SERVE	表記録日日日日日	=NO=EDHAW	NGS REPOWERGE.	CONTROL NUMBER	E. 2423
NO.			DESCRIPTION	٧٧		
	-			•		
	-					
_	-			••		
	_	···				





SECTION 20 TOWNSHIP 7 SOUTH RANGE 3 EAST SALT LAKE BASE AND MERIDIAN PROVO CITY, UT

LEGAL DESCRIPTIONS OF A GAS PIPELINE ACROSS PROVO CITY PROPERTY FOR QUESTAR GAS COMPANY. MARCH 2004

PROVO CITY: A STRIP OF LAND, SITUATE IN SECTION 20, T.7S., R.3E. OF THE SALT LAKE BASE & MERIDIAN: 15 FEET IN WIDTH, 7.5 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED LINE, MORE PARTICULARLY DESCRIBED AS FOLLOWS:


BECINNING AT A POINT WHICH IS SOUTH 883.93 FT AND WEST 614.08 FT, FROM THE NORTHEAST CORNER OF SAID SECTION 20, SAID POINT BEING ON THE EASTERLY LINE OF STATE HWY 89-91; THENCE NORTH 5476728" EAST 62.04 FT; THENCE NORTH 5645726" EAST 128.85 FT; THENCE NORTH 594648" EAST 363.17 FT; THENCE NORTH 42739705" EAST 112.09 FT TO THE EASTERLY LINE OF THE CRANTOR'S PROPERTY AND THE TERMINUS OF THIS DESCRIPTION.

THE ABOVE DESCRIPTION WAS PREPARED UNDER THE SUPERVISION OF JAMES D. PITKIN, PROFESSIONAL LAND SURVEYOR IN UTAH #171546, FROM THE RESULTS OF A FIELD SURVEY FOR OUESTAR GAS COMPANY.

BASIS OF BEARING, IS BETWEEN TWO FOUND SECTION CORNERS, BEING THE NORTH & CORNER OF SECTION 5, (A FOUND BRASS CAP), AND THE NORTHWEST CORNER OF SAID SECTION 5, TOWNSHIP 7 SOUTH, RANGE 3 EAST, SALT LAKE BASE & MERIDIAN., (A FOUND BRASS CAP), MEASURED BETWEEN FOUND MONUMENTS SOUTH 89'15'06" WEST 2636.61 FEET.

ENT 57850:2004 P6 12 of 16

ENGINEERI	NG RECORD) x . '	IN ASSISTANCE	STAR	
W.O. –	PROJECT ENGINEE	ER: B. LEE	2 . 2 . 3		
SURVEYED: 02/04	SECTION:20				
DRAWN: R. BADER 03/04	TOWNSHIP:75.	RANGE:3 E.	RIGHT-OF-V	<i>N</i> AY REQUIRE	Đ
CHECKED: _	COUNTY/STATE: L	JTAH CO., UTAH	for a 24' GA	SLINE ACRO	SS
APPROVEO:	LINE/AREA: FEEDE	R LINE 26		TY PROPERT	
Turney Turney Turney	SIONS	- 17 DESTRUMPE	1 note a		' i
NO. DESCRIPTI	ON .	DATE/BY	SCALE: 1"=100"	DRAWING NUMBER	REV.
			SHEET No. 1 OF 1	_	0
		_	CAD FILE: PROVO-CI		
				-ORSGREN SOCIATES / N.C.	
				TOTAL PRINTERS	
and Mark to the Salety of	REFER	ENCERDRAW	NGS::::::::::::::::::::::::::::::::::::	5075525575354F	. 3.
NO.		DESCRIPTION			
				·	
				•	
	,				



E 1,

SECTION 17 TOWNSHIP 7 SOUTH RANGE 3 EAST SALT LAKE BASE AND MERIDIAN PROVO CITY, UT

LEGAL DESCRIPTION OF A GAS PIPELINE ACROSS PROVO CITY PROPERTY FOR QUESTAR GAS COMPANY. MARCH 2004

PROVO CITY: A STRIP OF LAND, SITUATE IN SECTION 17, T.7S., R.3E. OF THE SALT LAKE BASE & MERDIAN, GO FEET IN WIDTH, 30 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH IS WEST 1283.34 FT AND SOUTH 0.18 FT, FROM THE EAST QUARTER CORNER OF SAID SECTION 17, SAID POINT BEING ON THE SOUTH LINE OF THE GRANTORS PROPERTY; THENCE NORTH 30°22'43" WEST 356.46 FT; THENCE NORTH 16°42'51" WEST 268.42 FT, MORE OR LESS, TO A POINT ON THE NORTH LINE OF THE GRANTOR'S PROPERTY AND THE TERMINUS OF THIS DESCRIPTION

THE ABOVE DESCRIPTION WAS PREPARED UNDER THE SUPERVISION OF JAMES D. PITKIN, PROFESSIONAL LAND SURVEYOR IN UTAH \$171546, FROM THE RESULTS OF A FIELD SURVEY FOR QUESTAR GAS COMPANY.

BASIS OF BEARING, IS BETWEEN TWO FOUND SECTION CORNERS, BEING THE NORTH & CORNER OF SECTION 5, (A FOUND BRASS CAP), AND THE NORTHWEST CORNER OF SAID SECTION 5, TOWNSHIP 7 SOUTH, RANCE 3 EAST, SALT LAKE BASE & MERIDIAN.,(A FOUND BRASS CAP), MEASURED BETWEEN FOUND MONUMENTS SOUTH 89'15'08" WEST 26'36.61 FEET.


111

ENT 57850:2004 PG 14 of 1


SUNIMS

42'51" W 2'

OPOSED 60' WIDE S PIPELINE EASEMENT



324 E	NGINEERII	VG:RECOR	Diversion L	OUE	STAR
W.O. –		PROJECT ENGINE	ER: 0. LEE	-,	
SURVEYED:	02/04	SECTION:17		5101 5 05 1	****
DRAWN: R. BADER	03/04	TOWNSHIP:7S.	RANGE:3 E.		VAY REQUIRED
CHECKED:		COUNTY/STATE:	UTAH CO., UTAH	for a 24' GA	SLINE ACROSS
APPROVED: -		UNE/AREA: FEED		PROVO CO	TY PROPERTY
MARKET ST.	REV	SIONS CE FIFE	FARENCE HOUSE		
NO.	DESCRIPTIO)N	OATE/BY	SCALE: 1"=200"	DRAWING NUMBER REV.
	,	T I		SHEET NO. 1 OF 1	- 0
- · -			• -	CAD FILE: PROVO-CI	
			-		ORSGREN SOCIATES / NC.
		- +			THE PROPERTY OF
radian		SPAREFEE	ENCEIDRAW	NGS##\$\$#	paragraphic
NO			DESCRIPTION	N .	



SECTION 8 TOWNSHIP 7 SOUTH RANGE 3 EAST SALT LAKE BASE AND MERIDIAN UTAH COUNTY, UT

LEGAL DESCRIPTIONS OF A GAS PIPELINE ACROSS PROVO CITY PROPERTY FOR QUESTAR GAS COMPANY, MARCH 2004

PROVO CITY: A STRIP OF LAND, SITUATE IN SECTION 8, T.7S., R.JE. OF THE SALT LAKE BASE & MERIDIAN; 60 FEET IN WIDTH, 30 FEET ON EACH SIDE OF THE FOLLOWING DESCRIBED LINE, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT WHICH IS NORTH 2665.11 FT AND EAST 2565.16 FT, FROM THE SOUTHWEST CORNER OF SAID SECTION 8, SAID POINT BEING ON THE SOUTH LINE OF THE ORIGINAL UTAH RIGHT-OF-WAY PARCEL NO. 5927, THENCE NORTH 44'49'26" WEST 80.02 FT; THENCE NORTH 34'16'37" WEST 303.57 FT; THENCE NORTH 01'08'12" EAST 116.96 FT TO A POINT WITHIN AN EXISTING 60 FOOT WIDE GAS PIPELINE EASEMENT AND THE TERMINUS OF THIS DESCRIPTION.

THE ABOVE DESCRIPTION WAS PREPARED UNDER THE SUPERVISION OF JAMES D. PITKIN, PROFESSIONAL LAND SURVEYOR IN UTAH \$171546, FROM THE RESULTS OF A FIELD SURVEY FOR QUESTAR GAS COMPANY.

BASIS OF BEARING, IS BETWEEN TWO FOUND SECTION CORNERS, BEING THE NORTH & CORNER OF SECTION 5, (A FOUND BRASS CAP), AND THE NORTHWEST CORNER OF SAID SECTION 5, TOWNSHIP 7 SOUTH, RANGE 3 EAST, SALT LAKE BASE & MERIDIAN., (A FOUND BRASS CAP), MEASURED BETWEEN FOUND MONUMENTS SOUTH 89'15'06" WEST 2636.61 FEET.

ENT 57850:2004 PG 16 of 16



PHIC	SCALE	
<u> </u>	<u>60</u> 0′	<u>90</u> 0′
ale	1*=300′	
ule	1 -300	

	ENGINEERI	NG:RECOR	D ≥∧ 3.12	Our	STAR		
W.O		PROJECT ENGINEER: B. LEE		Gas			
SURVEYED:	02/04	SECTION:8	-	DIO! E 05	WWW DEALEDED		
DRAWN: R. BAD	DER 03/04	TOWNSHIP:7S.	RANGE: 3 E.	T HIGHI-OF-	WAY REQUIRED		
CHECKED:	-	COUNTY/STATE:	UTAH CO., UTAH	for a 24' G/	ASLINE ACROSS		
APPROVED: -		LINE/AREA: FEED	ER LINE 26	PROVO C	ITY PROPERTY		
Option Delice The	FEV.	SIONS	CONTRACTOR SPECIAL C	1110100	iri i iloi Eiiri		
NO.	DESCRIPTI	ON	DATE/BY	SCALE: 1"#300"	DRAWING NUMBER REV.		
				SHEET No. 1 OF 1	[0		
			-	CAD FILE: PROVO C			
			-		FORSGREN 5900ATE9 / NC.		
		-					
La la La Três	1 2 23	A GAREFIE	ENCE DRAV	VINGS			
NO.			DESCRIP TO				
- -							
- 1-				·			
							
				 -			